July

BULK BARGAINS!

Offers valid until 7th August 2015

FREE UK DELIVERY ONLINE
SEE WEBSITE FOR DETAILS

SAVE ON OVER 2,900 PRODUCTS*

800TVL Vandalproof 20m IR Dome Camera

DEFENDER

Code SR0867587

See page 65



1+ £16.65
3+ £14.99

SAVE OVER* 40%

3W LED Bulkhead Emergency Light

PRO-ELEC

Code LA0518887

See page 25



1+ £9.50
5+ £8.65

SAVE OVER* 20%

12" Desk Fan

PRO-ELEC

Code HG0065787

See page 31



1+ £8.10
3+ £7.45

SAVE OVER* 25%

IP65 LED Floodlight

PRO-ELEC

Code LP0781087

See page 24



1+ £7.49
3+ £6.80

SAVE OVER* 20%

4 Gang 2m Extension - 13A

PRO-ELEC

Code PL1392987

See page 10



1+ £1.69
5+ £1.45

SAVE OVER* 20%

Recording Journey Camera

Code CP0626087

See page 73



1+ £18.50
5+ £16.60

SAVE OVER* 35%

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

All prices exclude VAT. Visit cpc.co.uk for VAT inclusive prices

cpc.co.uk

ORDER NOW
03447 88 00 88

MAINS ELECTRICAL

Locking IEC Extension Leads - 10A (C14-C13)



SAVE OVER* 35%

631624

		1+	5+
PL1090187	1m	£2.39	**£2.10**
PL1090287	2m	£3.10	**£2.90**
PL1090387	3m	£3.80	**£3.65**

IEC Plug (C14) to IEC Socket (C13) Extension



SAVE OVER* 35%

IEC extension leads consisting of a moulded 3-pin CEE 22 10A shrouded plug and socket on either end of 3-core cable. Rated 10A @ 250Vac.

694870

Black		1+	5+
PL1333987	0.5m	£0.58	**£0.50**
PL1332687	1m	£0.69	**£0.60**
PL1332787	2m	£0.99	**£0.87**
PL1332887	3m	£1.46	**£1.23**
PL1332987	5m	£2.10	**£1.85**
PL1336687	10m	£3.60	**£3.40**
White			
PL1327187	0.5m	£0.60	**£0.49**
PL1327287	1m	£0.69	**£0.63**
PL1327387	2m	£1.08	**£0.91**
PL1327487	3m	£1.46	**£1.23**
PL1327587	5m	£2.10	**£1.85**
PL1327687	10m	£3.60	**£3.40**
Orange			
PL1334387	0.5m	£0.60	**£0.54**
PL1334487	1m	£0.69	**£0.63**
PL1334187	2m	£1.18	**£1.04**
PL1334587	3m	£1.46	**£1.30**

South African Plug to IEC Socket



SAVE OVER* 40%

- Moulded 3 pin 15A South African plug
- 2 Metre 1.0mm² cable
- Moulded IEC 10 socket connector

1+ £1.09 | 5+ **£1.02**

order code PL1332587 694869

Order online at cpc.co.uk

Male IEC to 2x IEC Sockets 'Y' Lead - 5A



SAVE OVER* 35%

- 1m to split
- ½m from split to connector

1+ £1.45 | 5+ **£1.25**

order code PL1333087 693062

Male IEC to 2x IEC Sockets Y Lead - 10A



SAVE OVER* 35%

- 1m to split
- ½m from split to connector

1+ £1.85 | 5+ **£1.70**

order code PL1327987 693063

UK Plug to 'Figure 8' (C7)



SAVE OVER* 40%

- Plugs have integral 3A fuses
- Manufactured from 0.75mm² approved 2 core cable
- Rated 3A @240V ac

694876

			1+	5+
PL1402387	Black	0.5m	£0.83	**£0.74**
PL1335587	Black	1m	£0.89	**£0.82**
PL1334287	Black	2m	£0.87	**£0.79**
PL1330187	Black	3m	£1.10	**£0.92**
PL1337087	Black	5m	£1.55	**£1.39**
PL1402487	White	0.5m	£0.83	**£0.74**
PL1335687	White	1m	£0.89	**£0.82**
PL1335787	White	2m	£0.90	**£0.85**
PL1330287	White	3m	£1.10	**£0.92**
PL1337187	White	5m	£1.55	**£1.39**

2 Pin Euro Plug To (C7) Figure 8 - 2m



SAVE OVER* 35%

- Moulded 2-pin Euro plug to figure 8 type mains connector
- 2.5A Rated • 0.75mm² cable

1+ 49p | 5+ **42p**

order code PL1332487 694868

UK Plug to 90° C7 'Figure 8' Mains Leads



SAVE OVER* 15%

- Non-rewireable, fully moulded
- UK plugs to standard 90° C7 'figure 8' type
- Mains/battery powered equipment connection leads
- Plugs have integral 3A fuses
- Manufactured from 0.75mm² approved 2-core cable
- Rated 3A @ 240V AC

713778

			1+	5+
PL1430787	Black	0.5m	£0.85	**£0.74**
PL1430887	Black	1m	£0.92	**£0.82**
PL1430987	Black	2m	£1.10	**£0.96**
PL1431287	White	0.5m	£0.85	**£0.74**
PL1431387	White	1m	£0.92	**£0.82**
PL1431487	White	2m	£1.10	**£0.96**
PL1431587	White	3m	£1.25	**£1.14**
PL1431687	White	5m	£1.80	**£1.50**

UK Plug to IEC (C13) Lead - 2m



SAVE OVER* 35%

- Rated at 5A
- UK plugs are fused and BS approved

1+ £1.10 | 5+ **£0.99**

order code PL1330387 694865

UK Plug to IEC Sockets - 10A



SAVE OVER* 40%

Fused and fully moulded UK 3-pin plugs to IEC 320 cold condition sockets. The mains leads are rated at 10A, fitted with a 13A fuse and are manufactured from 1mm² approved cable.

693057

			1+	5+
PL1330987	Black	1m	£0.90	**£0.80**
PL1331087	Black	2m	£1.40	**£1.20**
PL1426387	Black	2.5m	£1.54	**£1.42**
PL1331187	Black	3m	£1.77	**£1.48**
PL1331287	Black	5m	£2.50	**£2.10**
PL1334087	Black	6m	£2.70	**£2.35**
PL1331387	White	2m	£1.40	**£1.20**
PL1331487	White	3m	£1.70	**£1.50**
PL1327087	White	5m	£2.58	**£2.10**
PL1331587	Grey	3m	£1.85	**£1.50**

UK Plug to IEC (C13) Socket - 5A

BS1363/A approved.
5A Fuse, 0.75mm²

			1+	5+
PL1330487	Black	1m	£0.93	**£0.83**
PL1330587	Black	2m	£1.20	**£1.05**
PL1330687	White	2m	£1.20	**£1.10**
PL1330787	Grey	2m	£1.20	**£1.10**

Lead UK Plug to IEC (C13), 2m



SAVE OVER* 35%

1+ £1.10 | 5+ **£0.95**

order code PL1336887 694881

IEC (C13) Socket to UK Plug - Computer Grey - 2m



SAVE OVER* 35%

694866

		1+	5+
PL1331887	5A 0.75mm²	£1.20	**£1.10**
PL1331987	10A 1mm²	£1.30	**£1.14**

UK Plug to Right Angled IEC Socket (C13), 2m



SAVE OVER* 35%

694867

5A Fuse			1+	5+
PL1332287	Black	2m	£1.35	**£1.15**
13A, 1mm² Cable				
PL1332387	White	2m	£1.35	**£1.15**

UK Plug to Right Angled IEC Socket



SAVE OVER* 35%

- UK 3-pin plugs to right angled 10A IEC 320 cold condition socket mains lead.
- The plugs have an integral 13A fuse

693053

		1+	5+
PL1336787	5m	£2.45	**£2.28**
PL1336187	10m	£4.10	**£3.81**
PL1336287	15m	£5.59	**£5.36**



SAVE OVER* 40%

693056

All prices exclude VAT

UK Plug to Right Angled IEC (C13) Socket - 2m




SAVE OVER* 35%

- 5A Fuse

1+ £1.20 | 5+ £1.08

order code PL1327887 694857

Y Power Cord: UK Plug to 2x IEC Sockets (C13)



SAVE OVER* 35%

A useful 'Y' power lead that is ideal for personal computers where it will allow the base unit and monitor, or main unit and a peripheral, to be powered by a single mains connection. The lead has a length of 2m or 5m to the 'Y' junction and then each arm has a length of 500mm. Manufactured in black with 1mm² cable and rated at 10A.

694871

		1+	5+
PL1333187	2.5m	£1.98	**£1.80**
PL1333287	5.5m	£3.50	**£3.10**

UK Plug to IEC (C13) Leads, 1m



SAVE OVER* 35%

The leads are manufactured from 1.00mm² cable.

693059

		1+	5+
PL1331687	Black	£0.94	**£0.85**
PL1331787	White	£0.94	**£0.85**

10A IEC (C13) to Schuko



SAVE OVER* 35%

- Bare ends version for professional use only
- Current rating 10A at 250V
- Bare ends must be correctly terminated to another connector or piece of equipment before connection

701810

	Schuko to	1+	5+
PL1332087	IEC 2m	£0.95	**£0.85**
PL1332187	Bare Ends 2m	£0.82	**£0.76**
PL1335287	Bare Ends 2.5m	£1.24	**£1.04**

Surge Protected Y Power Lead



SAVE OVER* 30%

- Conforms to EN61643-11

Technical Data

Current Rating	13A
Max. Surge Current	
Voltage Rating	250V
Response Time	1ns
Cable Length	2.3m

1+ £4.90 | 5+ £4.45

order code PL0981887 693064

Surge Protected 3 Way Power Lead



SAVE OVER* 20%

Ideal for reducing cable clutter, by combining three IEC leads into one.

- 13A Plug to 2x IEC sockets and 1x figure 8 connector with built in surge protection.
- Ideal for use with printers, computers and monitors
- Conforms to EN61643-11

Technical Data

Current Rating	13A
Max. Surge Current	
Voltage Rating	230V
Response Time	1ns
Cable Length	2.3m

1+ £4.90 | 5+ £4.45

order code PL1034487 693061

Surge Protected 2 Way IEC + C5 Connector Lead



- Ideal for reducing cable clutter, by combining three IEC leads into one
- 13A plug to 2x IEC sockets and 1x C5 connector with built in surge protection.
- Ideal for use with printers, computers and monitors
- Conforms to EN61643-11

SAVE OVER* 30%

Technical Data

Current Rating	13A
Max. Surge Current	
Voltage Rating	230V
Response Time	1ns
Cable Length	2.3m

1+ £4.90 | 5+ £4.45

order code PL1034587 693060

3 Way Surge Protected IEC Lead - 1.8m



SAVE OVER* 45%

Ideal for reducing cable clutter, by combining three IEC leads into one.

- 13A Plug to 3 x IEC sockets with built in surge protection.
- Ideal for use with printers, computers and monitors
- Conforms to EN61643-11

Technical Data

Current Rating	13A
Max. Surge Current	18kA
Voltage Rating	230V
Response Time	1ns

1+ £4.90 | 5+ £4.45

order code PL1034387 704834

2.5A Class 1 (C5) Appliance Leads - 2m



SAVE OVER* 35%

Mains leads terminating in a 2.5A class 1 triangular, cold condition type connector and either bare ends, a fully moulded UK plug or a Euro Schuko plug.


Only for use by qualified personnel

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694873

		1+	5+
PL1333687	Bare Ends	£0.73	**£0.65**
PL1333787	UK Plug - 3 pin	£1.10	**£1.02**
PL1333887	Schuko Plug	£0.99	**£0.85**
PL1335187	Euro to Cloverleaf	£0.99	**£0.85**

C5 to C14 Power Lead



- Connector A: 1x power IEC 320 EN 60320 C5 - female
- Connector B: 1x power IEC 320 EN 60320 C14 - male

SAVE OVER* 35%

694882

		1+	5+
PL1325287	1m	£0.80	**£0.70**
PL1336987	2m	£1.10	**£0.90**
PL1325387	5m	£1.90	**£1.70**

UK Plug to Bare Ends - 3m



- Fully moulded 3-pin UK mains plugs to stripped, bare ends
- Integral 5A fuse in plug
- Manufactured from 0.75mm² approved cable

Only for use by qualified personnel

Bare ends must be correctly terminated to another connector or piece of equipment before connection

1+ £1.45 | 5+ £1.30

order code PL1334787

SAVE OVER* 30%

694877

Right Angled IEC Socket to Bare Ends - 10A



SAVE OVER* 35%

- Moulded right angled 10A IEC 320 cold condition sockets to stripped, bare ends
- Manufactured from 1mm² cable
- For equipment up to 10A
- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694854

			1+	5+
PL1326087	Black	1m	£0.42	**£0.39**
PL1326187	White	1m	£0.44	**£0.39**
PL1329587	Black	2m	£0.72	**£0.63**
PL1329687	Black	2.5m	£0.85	**£0.76**
PL1329787	Black	3m	£1.15	**£0.88**
PL1335087	Black	3.5m	£1.30	**£1.25**
PL1326387	Black	5m	£1.50	**£1.44**
PL1326487	White	5m	£1.50	**£1.30**

UK Plug to Bare Ends Lead



SAVE OVER* 35%

- UK plug to Open end
- 13Amp fully moulded plug
- 3 Core (1.50mm²)
- Available in 2m, 3m or 5m lengths
- Black or White cable

Only for use by qualified personnel

Bare ends must be correctly terminated to another connector or piece of equipment before connection

711661

		1+	5+
PL1328487	2m Black	£1.80	**£1.55**
PL1328587	2m White	£1.80	**£1.55**
PL1328687	3m Black	£2.40	**£2.20**
PL1328787	3m White	£2.40	**£2.20**
PL1328887	5m Black	£3.70	**£3.40**
PL1328987	5m White	£3.70	**£3.40**
PL1342487	6m Black	£3.70	**£3.40**

13A Plug to Bare Ends - 5M



SAVE OVER* 30%

- Fully moulded 13 Amp 3 pin plug to stripped bare ends
- Manufactured using 0.75mm 3 core cable
- 3A Fuse
- For professional use only


Bare ends must be correctly terminated to another connector or piece of equipment before connection

1+ £2.11 | 5+ £1.90

order code PL1328087 693049

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

IEC Socket to Bare Ends - 10A




- Moulded 10A IEC 320 cold condition sockets
- To stripped, bare ends
- Manufactured from 1mm² cable
- For equipment up to 10A

Bare ends must be correctly terminated to another connector or piece of equipment before connection

693051

			1+	5+
PL1325987	Black	1m	£0.48	**£0.43**
PL1329187	Black	2m	£1.02	**£0.95**
PL1329287	Black	3m	£1.20	**£1.07**
PL1334887	Black	3.5m	£1.30	**£1.21**
PL1329387	Black	5m	£1.88	**£1.72**
PL1335887	Grey	2m	£0.70	**£0.68**
PL1334987	Grey	3.5m	£1.28	**£1.15**

UK Plug to Bare Ends



- Fully moulded 3-pin UK mains plugs to stripped, bare ends
- Plugs have integral 5A or 13A fuses
- Manufactured from 0.75mm² or 1mm² approved cable
- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694858

5A, 0.75mm² Cable			1+	5+
PL1328187	Black	2m	£1.10	**£0.98**
PL1328287	White	2m	£1.10	**£0.95**
13A, 1mm² Cable				
PL1328387	Black	2m	£1.10	**£0.95**
PL1336087	White	2m	£1.10	**£0.95**

10 in 1 USB Charger Cable



- 10-in-1 USB Charger cable compatible with iPhone/iPod/LG/HTC/ Blackberry and many more
- Plug the cable into a USB port and attach the device of your choice using the available connections
- Compact and easily portable design
- 15cm Lead to each attachment from USB

1+ **£2.40** | 5+ **£1.99**

order code PL1106187 636191

Mains Lead Figure 8 to Bare Ends



- For professional use only

Bare ends must be correctly terminated to another connector or piece of equipment before connection

694853

			1+	5+
PL1325587	Black (1m)		£0.32	**£0.31**
PL1325687	White (1m)		£0.32	**£0.30**
PL1336487	White (2m)		£0.50	**£0.46**
PL1336587	Black (3m)		£0.80	**£0.74**
PL1336387	White (3m)		£0.68	**£0.60**
PL1325787	Black (5m)		£1.07	**£0.99**
PL1325887	White (5m)		£1.07	**£0.99**

Bare Ends to 90° C7 'Figure 8' Mains Leads



- Bare ends to standard 90° C7 'figure 8' type
- Mains/battery powered equipment connection leads
- Manufactured from 0.75mm² approved 2-core cable
- Rated 3A @ 240V AC
- Black jacket

Warning: Only for use by qualified personnel. Bare ends must be correctly terminated to another connector or piece of equipment before connection.

713779

		1+	5+
PL1431787	1m	£0.35	**£0.34**
PL1431887	2m	£0.56	**£0.50**
PL1431987	5m	£0.95	**£0.82**

IEC Plug to Bared Ends



Moulded IEC connector to a stripped and bared cable end. The bare end must be correctly terminated to another connector or piece of equipment before connection.

Only for use by qualified personnel

Bare ends must be correctly terminated to another connector or piece of equipment before connection

Technical Data

Rating	5A @ 250V ac

694883

		1+	5+
PL1326587	1m	£0.85	**£0.82**
PL1329887	2m	£0.85	**£0.84**
PL1326687	3m	£1.20	**£0.98**
PL1326787	5m	£1.66	**£1.50**

IEC Socket to Bare Ends - 5A, 2m

Moulded 10A IEC 320 cold condition sockets to stripped, bare ends. Manufactured from 0.75mm² cable for equipment up to 5A.

Bare ends must be correctly terminated to another connector or piece of equipment before connection.



1+ **65p** | 10+ **62p**

SAVE OVER* 35%

order code PL1329087 694859

Kettle Lead - Hot Conditions (C15)



- 0.75mm Curly cable
- 1m Length (stretched)

1+ **£1.85** | 5+ **£1.50**

order code PL1064287 631626

UK Plug to IEC C13 Mains Lead

VALUELINE



- Non-rewireable, fully moulded
- Integral 13A fuse
- Manufactured from 0.75mm² approved 2-core cable
- Black, PVC jacket
- Rated 6A @ 240V AC • Length: 1.8m

1+ **65p** | 10+ **58p**

order code PL1499087 713961

IEC Plug (C14) to IEC Socket (C13) Extension



IEC extension leads consisting of a moulded 3-pin CEE 22 10A shrouded plug and socket on either end of 3-core cable. Rated 10A @ 250Vac.

702986

White		1+	5+
PL1311687	0.5m	£0.70	**£0.60**
PL1311787	1m	£0.90	**£0.80**
PL1311887	2m	£1.35	**£1.20**
PL1311987	3m	£1.90	**£1.70**
PL1312087	5m	£2.99	**£2.70**
PL1312187	10m	£4.93	**£4.70**

Cable Extension Cover



1+ **£3.59** | 5+ **£3.22**

order code PL1020887 631859

IEC C14 to Fig.8 C7 Adaptors



- IEC C14 adaptor to C7 Fig. 8 receptacle
- Power rating: 10A @ 250V
- Insulation resistance: 100MΩ
- Available in black or white

713982

		1+	5+
PL1435287	Black	£0.58	**£0.50**
PL1435387	White	£0.58	**£0.50**

2 into 1 IEC Splitter



- Ideal for taking power to a PC and monitor
- Rated at 10A 240V

1+ **£1.78** | 5+ **£1.60**

order code PL1321587 693074

IEC C14 to C5 Adaptors



- IEC 320 C14 adaptor to IEC 320 C5 receptacle
- Power rating: 10A @ 250V
- Insulation resistance: 100MΩ

714463

		1+	5+
PL1435087	Black	£0.58	**£0.51**
PL1435187	White	£0.58	**£0.51**

Euro-Converter Plugs



Only one screw needs to be turned to fit the adaptor.

- Enables manufacturers to supply imported appliances with 2-pin moulded-on Euro plugs
- External fuse access
- Cannot be plugged in without the lid being closed and fully screwed down

631649

Black		1+	20+
PL1057387	3A	£0.89	**£0.79**
PL1057487	5A	£0.89	**£0.79**
White			
PL1057587	3A	£0.89	**£0.79**
PL1057687	5A	£0.89	**£0.79**

All prices exclude VAT

European 2-Pin Converter Plug- Quick Fit

SAVE OVER* 30%



- Fitted with a 3A fuse.
- 2.5A Rated

1+ £1.02 | 20+ £0.93

order code PL0203587 631650

Euro-Converter Plugs



Easily convert 2.5Amp 2-pin Euro plugs to standard 3-pin British plugs.

SAVE OVER* 25%

- External fuse access
- Cannot be plugged in without the lid being closed and fully screwed down

631651

White		1+	20+
PL0023287	Returnable Screw	£1.00	£0.89
Black			
PL0023187	Returnable Screw	£1.00	£0.89
PL0023087	Non-returnable Screw	£1.00	£0.89
Clear			
PL0955487	Returnable Screw 5A	£1.00	£0.89

European Schuko to UK Converter Plugs

SAVE OVER* 40%



- Cannot be plugged in whilst the lid is open, to ensure electrical safety
- External fuse access

631657

For Ungrounded Schuko Plugs		1+	10+
PL0673087	Black/3A	£1.18	£1.11
PL0673187	Black/5A	£1.18	£1.11
PL0673287	Black/10A	£1.18	£1.11
PL0673387	White/3A	£1.18	£1.11
For Grounded Schuko Plugs			
PL0673687	Black/5A	£1.18	£1.08
PL0673787	Black/10A	£1.18	£1.08
PL0673887	Black/13A	£1.18	£1.08
PL0673987	White/5A	£1.18	£1.08
PL0674187	White/13A	£1.18	£1.08

Sales Counter
Open 7 days a week

European Schuko Plugs

PRO-ELEC



SAVE OVER* 60%

The plugs are VDE approved and are designed to DIN49441 and CEE7 sheet IIII.

Technical Data

Current Rating	16A @ 250V ac
Housing	Polyamide UL94V-0
Contacts	Brass, nickel plated
Terminations	3x1.50mm

631528

		1+	10+
PL0700087	White	£0.95	£0.80
PL0700187	Black	£0.95	£0.80

USA to UK Converter Plugs



SAVE OVER* 15%

A range of mains adaptors allowing mains leads with 2-pin North American plugs to be converted into UK, 3-pin mains plugs.

- Suitable for polarised and non-polarised 2-pin plugs
- Converts American equipment for use in the UK
- Cannot be plugged in whilst the lid is open to ensure electrical safety
- External fuse access

Warning: Does not convert voltages.

672939

		1+	10+
PL0674487	Black/10A	£1.43	£1.22
PL0674587	White/3A	£1.43	£1.22
PL0674787	White/10A	£1.65	£1.28

European to UK Converter Plugs



SAVE OVER* 35%

- Simply push VDE plug in until a positive click

631658

3A Fuse		1+	10+
PL0995487	Black	£1.02	£0.92
PL0995687	White	£1.02	£0.92
5A Fuse			
PL0995587	Black	£1.02	£0.92
PL0995787	White	£1.02	£0.92

Battery Charger Adaptors

- External fuse access
- Non-removeable cover
- Suitable for class 2 devices (unearthed) only

SAVE OVER* 40%

Technical Data

Relevant standards	BS5733, 1363, 1362, EN61558
Current	3A max.
Load	2000W max.
Flammability	V2 (external casing)
Hole Dia.	4.75mm



631659

		1+	10+
PL0995887	Black	£1.13	£1.06
PL0995987	White	£1.13	£1.06

UK Mains Plugs BS1363

PRO-ELEC



SAVE OVER* 45%

627996

		1+	20+
PL1020087	3A	£0.43	£0.37
PL1019987	5A	£0.43	£0.37
PL1019887	13A	£0.43	£0.37

UK Mains Plugs - Black



SAVE OVER* 45%

631638

	Fuse Rating	1+	20+
PL1020687	3A	£0.43	£0.37
PL1020787	5A	£0.43	£0.37
PL1020187	13A	£0.43	£0.37

UK Mains Plugs - Box of 20

PRO-ELEC



SAVE OVER* 20%

- Fitted with 13A fuse
- BS1363 approved
- Cord grip
- **Supplied in box of 20**

695765

White		1+	10+
PL1314587	3A	£7.95	£7.16
PL1314687	5A	£7.95	£7.16
PL1020287	13A	£7.95	£7.16
Black			
PL1314787	3A	£7.95	£7.16
PL1314887	5A	£7.95	£7.16
PL1314987	13A	£7.95	£7.16

UK Mains Plugs



SAVE OVER* 45%

- Quickfit type cord grip

695766

White		1+	10+
PL1315087	3A	£0.43	£0.37
PL1315187	5A	£0.43	£0.37
PL1315287	13A	£0.43	£0.37
Black			
PL1315387	3A	£0.43	£0.37
PL1315487	5A	£0.43	£0.37
PL1315587	13A	£0.43	£0.37

Easy Pull Plugs



SAVE OVER* 25%

- Thermoplastic construction
- Dimensions (LxHxD): 57x52x45mm

693079

	Colour	Fuse Rating	1+	5+
PL1394987	White	3A	£0.79	£0.72
PL1395087	White	5A	£0.79	£0.72
PL1341187	White	13A	£0.79	£0.72
PL1395187	Black	3A	£0.79	£0.72
PL1395287	Black	5A	£0.79	£0.72
PL1395387	Black	13A	£0.79	£0.72

Switched Plugtop - 13A

PRO-ELEC



SAVE OVER* 70%

1+ £1.29 | 10+ £1.11

order code PL1003787 631640

Preston Contact Centre
8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays
Call us on
03447 88 00 88

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Heavy Duty Plugtops 13A



SAVE OVER* 40%

627998

		1+	10+
PL0946287	Black	£0.82	**£0.72**
PL0946387	White	£0.82	**£0.72**
PL0946487	Orange	£0.82	**£0.72**

Heavy Duty Mains Plugs





SAVE OVER* 15%

631643

		1+	5+
PL0046787	White	£2.40	**£2.20**
PL0046887	Orange	£2.75	**£2.44**
PL0046687	Black	£2.71	**£2.42**

Heavy Duty Plugs



SAVE OVER* 15%



Heavy duty, 3-pin mains plugs with an impact resistant construction, strain reliefs and sleeved pins.

631642

		1+	3+
PL0091587	Black	£2.04	**£1.75**
PL0091687	Orange	£2.04	**£1.75**
PL0091787	White	£2.04	**£1.75**

Switched Plugtop

SAVE OVER* 70%



- 13A plug top featuring an on/off switch
- Allows appliances to be switched on and off without the need for unplugging
- Fitted with 13A replaceable fuse
- Red neon indicator indicates power source

1+ **£1.29** 10+ **£1.11**

order code PL1294487 667951

Round Pin Plug 5A

- Unfused mains plug with round pins.
- Manufactured to BS546



SAVE OVER* 30%

1+ **57p** 10+ **50p**

order code PL1299087 670840

3-Pin, Round Mains Plugs

- Unfused mains plugs with round pins
- Suitable for industrial applications
- Manufactured to BS546
- Rated at 2A, 5A or 15A
- Available in white or black



SAVE OVER* 25%

712785

			1+	10+
White				
PL1394187	2A	£0.50		**£0.45**
PL1394287	15A	£0.88		**£0.77**
Black				
PL1401787	2A	£0.50		**£0.45**
PL1401887	5A	£0.57		**£0.50**
PL1401987	15A	£0.88		**£0.77**

Surge Protected Plug Tops 13A



SAVE OVER* 55%

Technical Data

Operating voltage	240V
Max. Current rating	5A or 13A
Max. Surge current	2500A
Clamping voltage	775V

631645

	Fuse Rating	1+	10+
White			
PL1393187	3A	£1.78	**£1.62**
PL1396387	5A	£1.78	**£1.62**
PL1002287	13A	£1.78	**£1.62**
Black			
PL1402087	3A	£1.78	**£1.62**
PL1402187	5A	£1.78	**£1.62**
PL1402287	13A	£1.78	**£1.62**

Safety Covers - Pack of 5



SAVE OVER* 70%

1+ **34p** 10+ **30p**

order code PLSAFEPLUG87 631648

Glowlight Plug




SAVE OVER* 40%

1+ **48p** 10+ **42p**

order code PL1002087 631641

Dusk-to-Dawn LED Night Light

- Automatic night light with built-in sensor
- LED for longer life
- Provides soft and gentle light
- Simply plugs into a 13 amp socket



SAVE OVER* 15%

1+ **£1.49** 3+ **£1.20**

order code LA0286387 643498

2-Pin Travel Adaptor Plug



SAVE OVER* 65%

Converts 13A plug to continental 2 pin.
This product is for use outside of the UK only.

628000

		1+	10+
PLTRAV87	White	£0.34	**£0.28**
PL1083287	Black	£0.34	**£0.28**

Dual Travel Adaptor Kit



SAVE OVER* 65%

Adaptor 1: UK 3-pin socket to 2-pin European plug, Adaptor 2: UK 3-pin socket to North American, flat 2-pin plug.

631663

		1+	10+
PL0204087	White	£0.81	**£0.75**
PL1294287	Black	£0.81	**£0.75**

All Continents to UK Travel Adaptor



- BS5733/A Approved
- Fitted with 13A fuse
- Max Amp - 13A

SAVE OVER* 60%

631664

		1+	10+
PL1030087	White	£0.73	**£0.66**
PL1294187	Black	£0.73	**£0.66**

All Continents to UK Travel Adaptor



BS5733/A approved with integral 13A fuse and holder.

SAVE OVER* 60%

631661

		1+	10+
PL0915287	White	£0.92	**£0.82**
PL1294087	Black	£0.92	**£0.82**

Travel Adaptor SHUKO to UK Plug



SAVE OVER* 55%

A BS1363/3 approved SHUKO socket to UK plug with integral 13A fuse and holder.

631662

		1+	20+
PL0135087	White	£0.92	**£0.82**
PL1294387	Black	£0.92	**£0.82**

US Dual Travel Adaptor Kit



- A set of 2 travel adaptors supplied with a handy storage tube
- UK 3-pin socket to North American, flat 2-pin plug

SAVE OVER* 75%

1+ **72p** 10+ **63p**

order code PL1312587 693080

Twin European Mains Adaptor with Twin USB Ports

SAVE OVER* 10%



- Converts one European style socket to twin UK sockets
- Twin USB ports rated at 0.5A
- Ensure you don't overload the mains adaptor by keeping to a combined 13A 3120W combined power consumption
- A handy and neat way to charge your portable electronics and mains accessories
- Unfused
- Rating: max 13A, 3120W

1+	3+
£5.90	**£5.42**

order code PL1154587 652643

Mains Plug Transparent

SAVE OVER* 65%



A transparent mains plug manufactured to BS1363 standards. Beneficial for PAT testing and recommended in the HSE guidance note PM32. 13A rating.

1+	5+
69p	**62p**

order code PL0047487 662320

Euro USB Charger

SKROSS



SAVE OVER* 25%

This Euro USB charger quickly and simultaneously charges two USB devices. Its high power output is ideal to charge the iPad, the iPhone or any other USB device.

- Suitable in all countries with Euro plug standard and compatible with Skross adaptors
- 2 USB ports for simultaneous powerful charging
- Input voltage: 100V - 250V
- USB outputs: 5V / 1300mA
- Dimensions (LxWxH): 59x48x57mm
- Weight: 44g

1+	5+
£8.80	**£7.20**

order code PL1384987 713959

UK to Euro Travel Adaptor

brennenstuhl



1+	10+
£1.35	**£1.10**

order code PL1128187 640338

Euro to UK Travel Adaptor

brennenstuhl



SAVE OVER* 15%

1+	5+
£1.95	**£1.72**

order code PL1128087 645497

Shaver Adaptor - 1A

PRO-ELEC



SAVE OVER* 65%

631670

		1+	10+
PLADAPTOR87	White	£0.47	**£0.43**
PL1401687	Black	£0.47	**£0.43**

Sales Counter
Open 7 days a week

RCD Cable Reel - 25m

PRO-ELEC



SAVE OVER* 30%

1+	3+
£19.45	**£18.10**

order code PL1004387 631592

Twin Socket Reel Extensions - 5A

PRO-ELEC



SAVE OVER* 35%

628001

		1+	3+
PL0947787	6m	£3.98	**£3.65**
PL0947887	10m	£5.59	**£5.45**

Four Socket Reel Extensions

PRO-ELEC



SAVE OVER* 30%

628002

		1+	3+
PL0947987	15m	£9.50	**£8.90**
PL0948087	20m	£12.86	**£11.70**
PL0948187	25m	£13.98	**£12.70**

Drum Cable Extensions

PRO-ELEC



SAVE OVER* 40%

2 Gang			1+	3+
PL0948287	5A	15m	£9.98	**£8.98**
PL0948387	5A	25m	£13.45	**£12.50**
4 Gang				
PL0948587	13A	15m	£10.20	**£9.20**
PL0948687	13A	20m	£11.98	**£11.25**
PL0948787	13A	25m	£13.95	**£12.50**
PL0948887	13A	30m	£16.80	**£15.40**
PL0948987	13A	40m	£19.98	**£18.50**
PL0949087	13A	50m	£25.45	**£23.39**

RCD Cable Reel - 50m

PRO-ELEC



SAVE OVER* 55%

1+	3+
£29.95	**£27.50**

order code PL1004487 631591

Heavy Duty Extension Lead - 15m

PRO-ELEC



SAVE OVER* 45%

1+	5+
£9.35	**£8.82**

order code PL1003987 628006

Express Next Day UK Delivery
Available on in-stock orders

13A Rubber Extension Sockets

PRO-ELEC



SAVE OVER* 50%

631537

		Ways	1+	10+
PL0946587	Black	One	£0.88	**£0.81**
PL0946687	White	One	£0.88	**£0.81**
PL0946787	Orange	One	£0.88	**£0.81**
PL0946887	Black	Two	£1.38	**£1.26**
PL0946987	White	Two	£1.38	**£1.26**
PL0947087	Orange	Two	£1.38	**£1.26**

Cable Tidy - 35m Capacity

PRO-ELEC



SAVE OVER* 50%

1+	5+
74p	**66p**

order code PL1004087 631596

1 Way Trailing Sockets

PRO-ELEC



SAVE OVER* 45%

631529

		1+	10+
PLBOARD187	White	£0.58	**£0.44**
PL0040987	Black	£0.58	**£0.50**

2 Gang Socket



1+ 78p | 10+ 73p

order code PL0917187 631530

2 Gang Socket - 13A



1+ 88p | 10+ 79p

order code PL1295587 677362

3 Gang Extension Socket



1+ £1.33 | 10+ £1.19

order code PL0920087 631531

3 Gang Socket - 13A



1+ £1.59 | 10+ £1.38

order code PL1295687 677361

4 and 6 Gang Sockets - 13A



631532

			1+	10+
PL0917887	4 Gang	White	£1.64	£1.48
PL0919087	6 Gang	White	£1.98	£1.80
PL0919187	6 Gang	Black	£2.16	£1.95

4 Gang Socket - 13A



1+ £1.64 | 5+ £1.49

order code PL1295787 677360

3 Way Switched Adaptor



1+ £2.04 | 10+ £1.85

order code PL0950187 631669

4 Gang Fused Socket - 13A



1+ £3.45 | 5+ £3.10

order code PL0952887 631533

4 Gang Individual Switched Socket



1+ £3.30 | 5+ £2.92

order code PL0952587 631534

4 Gang Surge Protected Extension Socket - 13A



1+ £2.22 | 10+ £1.96

order code PL0920887 631832

Extension Socket 4 Way



1+ £1.10 | 10+ £0.93

order code PL1169787 655332

4 Way Adaptor



- Plug directly into 13A socket to give four outlets

1+ £2.98 | 10+ £2.60

order code PL1055887 631546

For more information visit cpc.co.uk

Switched 3 Way Adaptor



1+ £2.90 | 5+ £2.62

order code PL1003087 631548

Switched 4 Way Adaptor



- Surge and spike protected

1+ £3.98 | 5+ £3.70

order code PL1003187 631547

Timer Controlled 3 Way Adaptor



- 2 Switched sockets and 1 timer controlled socket
- Plug directly into 13A socket to give three outlets
- Built in surge protector to protect appliances
- Green indicator to show surge protection active

1+ £5.70 | 5+ £4.99

order code PL1086487 631864

1 Gang Extensions - 13A



693042

		1+	10+
PL1312887	0.5m	£1.35	£1.20
PL1397087	1m	£1.45	£1.32
PL0916587	2m	£1.80	£1.60
PL0916687	3m	£2.25	£2.10
PL0916787	5m	£3.20	£2.95
PL0916887	10m	£5.20	£4.80
PL0916987	15m	£7.45	£6.65
PL0917087	20m	£9.90	£8.82

1 Gang Extensions - 13A



677359

		1+	10+
PL1397187	0.5m	£1.35	£1.20
PL1397287	1m	£1.45	£1.32
PL1295987	2m	£1.80	£1.60
PL1296087	3m	£2.25	£2.08
PL1296187	5m	£3.25	£2.90
PL1296287	10m	£5.20	£4.86
PL1296387	15m	£7.45	£6.72
PL1296487	20m	£9.90	£8.95

Get FREE UK delivery online

Conditions apply. See website for details

All prices exclude VAT

Rubber 1 and 2 Gang Extensions

PRO-ELEC

SAVE OVER* 40%



631540

Orange		1+	5+
PL0951587	1 Gang 10m	£7.00	£6.75
PL1396687	1 Gang 15m	£9.45	£9.10
PL0951687	2 Gang 5m	£5.00	£4.73
PL0951787	2 Gang 10m	£7.00	£6.75
PL1396887	1 Gang 15m	£9.45	£9.10
Black			
PL0951887	1 Gang 5m	£5.00	£4.73
PL0951987	1 Gang 10m	£7.00	£6.75
PL1396487	1 Gang 15m	£9.45	£9.10
PL0952087	2 Gang 5m	£5.00	£4.73
PL0952187	2 Gang 10m	£7.00	£6.75
PL1396987	2 Gang 15m	£9.45	£9.10
White			
PL1396587	1 Gang 15m	£9.45	£9.10
PL1396787	2 Gang 15m	£9.45	£9.10

3 Gang Extension - 13A

PRO-ELEC

SAVE OVER* 40%



631545

White		1+	10+
PL1397587	1m	£2.29	£2.10
PL1397687	3m	£3.10	£2.90
PL0920287	5m	£4.10	£3.80
PL1297187	10m	£7.10	£6.65
Black			
PL1397787	1m	£2.29	£2.14
PL1397887	2m	£2.95	£2.80
PL1397987	3m	£3.10	£2.90
PL1398087	5m	£4.10	£3.80
PL1398187	10m	£7.10	£6.65

2 Gang Extensions - 13A

PRO-ELEC



SAVE OVER* 40%

676491

		1+	10+
PL1397487	1m	£1.90	£1.65
PL1296587	2m	£1.99	£1.77
PL1296687	3m	£2.55	£2.24
PL1296787	5m	£3.40	£2.96
PL1296887	10m	£5.45	£4.98
PL1296987	15m	£7.90	£7.45
PL1297087	20m	£10.65	£9.70

2 Gang Extensions

PRO-ELEC

SAVE OVER* 45%



631544

		1+	10+
PL1397387	1m	£1.55	£1.50
PL0917287	2m	£1.85	£1.70
PL0917387	3m	£2.40	£2.19
PL0917487	5m	£3.25	£2.98
PL0917687	15m	£7.40	£6.85
PL0917787	20m	£9.62	£8.98

3 Gang Switched Extension Lead - 13A

PRO-ELEC



SAVE OVER* 20%

694072

		1+	5+
PL1307987	1m	£2.60	£2.30
PL1308087	2m	£2.98	£2.70
PL1308187	5m	£4.20	£3.80
PL1308287	10m	£6.65	£6.10

6 Gang Fused Single Switched Socket

PRO-ELEC



SAVE OVER* 50%

1+ £3.99

10+ £3.66

order code PL0952287

631536

Individual Switched Extension - 2m

PRO-ELEC



SAVE OVER* 40%

1+ £4.00

5+ £3.65

order code PL0920387

663793

4 Gang Extensions with Neon

PRO-ELEC

SAVE OVER* 45%



645478

		1+	5+
PL1123187	0.5m	£1.50	£1.29
PL1098287	1m	£1.75	£1.51
PL1098387	2m	£2.05	£1.79
PL1298087	3m	£2.45	£2.16
PL1098487	5m	£3.60	£3.46
PL1098587	10m	£5.45	£5.25

4 Gang Extensions

PRO-ELEC



SAVE OVER* 55%

628007

White		1+	10+
PL1019787	0.5m	£1.44	£1.29
PL0918087	1m	£1.67	£1.50
PL0918187	2m	£1.80	£1.59
PL0918287	3m	£2.67	£2.42
PL0918387	5m	£3.76	£3.25
PL0918487	10m	£5.25	£4.89
PL1398287	15m	£7.95	£7.40
Black			
PL1398387	0.5m	£1.74	£1.60
PL0918687	1m	£1.88	£1.55
PL0918787	2m	£2.29	£2.04
PL1398487	3m	£2.86	£2.70
PL0918887	5m	£3.97	£3.60
PL0918987	10m	£5.70	£5.20
PL1398587	15m	£7.45	£7.10

Outdoor Enclosure with 4 Gang Extension Socket - 2m, IP64

PRO-ELEC



SAVE OVER* 35%

This weatherproof box is manufactured from tough, UV stabilised, durable white thermoplastic, and is intended for use in an outdoor environment.

- Protects against water and dust
- 6x Cable entry points with sealed glands for cable up to 9mm in diameter (4 on the front and 1 on each side)
- 6x Cable clamps inside to keep the cables secure once in place
- Deep lid to accommodate plug-in mains adaptors etc.
- The extension socket is free to move which also helps to accommodate mains adaptors etc.
- Keyhole slots for wall mounting
- Integral hanging bracket on the top
- Padlock feature, enabling the enclosure to be locked (5mm max. shackle, padlock not included)
- Internal dimensions (LxWxD): 270x185x105mm
- External dimensions (LxWxD): 300x225x120mm

1+ £11.50

3+ £9.89

order code PL1080687

627940

4 Gang Extension Twin Pack - 1m

PRO-ELEC



SAVE OVER* 50%

1+ £2.95

10+ £2.80

order code PL0918587

631549

4 Gang Extensions with Neon

PRO-ELEC



SAVE OVER* 40%

676492

		1+	5+
PL1297487	0.5m	£1.53	£1.38
PL1297587	1m	£1.71	£1.55
PL1297687	2m	£2.10	£1.94
PL1297787	3m	£2.68	£2.62
PL1297887	5m	£3.61	£3.42
PL1297987	10m	£5.56	£5.27

4 Gang Individual Switched Extensions - 13A

PRO-ELEC



SAVE OVER* 55%

631551

		1+	10+
PL1298187	1m	£4.10	£3.66
PL0952387	2m	£4.22	£3.85
PL0952487	3m	£4.50	£4.20
PL0952687	5m	£5.67	£4.90
PL1298287	10m	£7.25	£6.45

4 Gang Switched Extension Leads - 13A

PRO-ELEC



SAVE OVER* 25%

694073

		1+	5+
PL1308387	1m	£2.65	£2.40
PL1308487	2m	£3.35	£3.10
PL1308587	5m	£4.65	£4.20
PL1308687	10m	£6.85	£6.50

4 Gang Fused Single Switched Extension - 2m

PRO-ELEC

SAVE OVER* 35%



1+ £4.83


5+ £4.42

order code PL0955887

631908

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

6 Way Round Extension Lead



- Unique 6 socket extension lead with cable tidy
- Ideal for office use; Centre hole will fit a desk leg
- 3 Way surge protection across live, neutral and earth
- Wide socket spaces for bulky transformers
- Max. spike voltage: 775V
- Total max. spike current: 18000A
- Maximum load: 13A, 3kW
- 2m Cable length

SAVE OVER* 15%

1+ £7.95 | 5+ £7.20

order code PL1302587 698003

Surge Protected Extension Leads



SAVE OVER* 40%

628009

White		1+	5+
PL1097887	4 Gang 2m	£4.10	£3.80
PL1097987	4 Gang 5m	£5.25	£4.94
PL1098087	6 Gang 2m	£5.13	£4.74
PL1098187	6 Gang 5m	£7.10	£6.20
Black			
PL1401287	4 Gang 2m	£4.10	£3.80
PL1401387	4 Gang 5m	£5.25	£4.94
PL1401487	6 Gang 2m	£5.13	£4.74
PL1401587	6 Gang 5m	£7.10	£6.20

Surge Protected Extension Leads



SAVE OVER* 50%

645481

		1+	10+
PL1123287	4 Gang 1m	£2.55	£2.30
PL0920987	4 Gang 2m	£3.07	£2.62
PL0921087	4 Gang 5m	£4.51	£3.81
PL0921187	4 Gang 8m	£5.85	£5.01
PL1123387	6 Gang 1m	£2.77	£2.32
PL0921287	6 Gang 2m	£3.30	£3.17
PL1123487	6 Gang 5m	£4.45	£4.20
PL1123587	6 Gang 10m	£7.16	£6.47

4 Gang 2m Extension - 13A



SAVE OVER* 20%

1+ £1.69 | 5+ £1.45

order code PL1392987 697395

4 Gang Switched Extension with Thermal Cut Out



- Reset switch
- Wall mountable

1+ £5.25 | 5+ £4.88

order code PL1003287 631553

Surge Protected Extension Leads



SAVE OVER* 40%

645482

		1+	5+
PL1123687	1m	£2.78	£2.52
PL1123787	2m	£2.99	£2.73
PL1123887	5m	£4.59	£4.10
PL1123987	10m	£6.68	£6.08

Extension Leads Individually Switched with Neon - 2m



- Wall mountable

SAVE OVER* 45%

Technical Data

	Sockets	Dims. (LxWxD)mm
PL1049987	4	320x60x25
PL1050087	6	260x120x25
PL1050187	8	330x120x25

631555

		1+	10+
PL1049987	4 Sockets	£4.58	£4.25
PL1050087	6 Sockets	£5.50	£5.25
PL1050187	8 Sockets	£6.35	£6.05

Surge Protected Extension Lead, 2m



- Four gang extension with one switch
- Piano black finish with silver rim

1+ £8.95 | 5+ £7.65

order code PL1307787 693045

5 Gang Switched Extension Leads - 13A



SAVE OVER* 25%

694074

		1+	5+
PL1308787	1m	£3.69	£3.40
PL1308887	2m	£3.80	£3.64
PL1308987	5m	£5.36	£5.09
PL1309087	10m	£7.25	£6.85

6 Gang Extensions



SAVE OVER* 50%

645479

		1+	5+
PL1124087	White 0.5m	£1.83	£1.64
PL0919287	White 1m	£2.16	£1.90
PL0919387	White 2m	£2.47	£2.27
PL0919487	White 3m	£2.88	£2.63
PL0919587	White 5m	£3.80	£3.50
PL0919687	White 10m	£6.18	£5.61

6 Gang Extension Leads



SAVE OVER* 50%

645480

		1+	10+
PL1124187	0.5m	£2.05	£1.81
PL1124287	1m	£2.37	£2.17
PL0919987	2m	£2.52	£2.33
PL1297387	3m	£3.10	£2.90
PL1124387	5m	£4.22	£3.66
PL1124487	10m	£6.44	£6.08

6 Gang Switched Extensions with 13A Fuse and Neon




SAVE OVER* 50%

631557

		1+	5+
PL0920687	2m	£5.96	£5.54
PL0920787	5m	£9.12	£8.02

6 Gang Heavy Duty Surge Protected - 2m



SAVE OVER* 45%

- Surge and RFI protected

Technical Data

Operating voltage	240V
Max. Current rating	13A
Max. Surge current	4500A
Clamping voltage	775V

1+ £6.50 | 5+ £6.10

order code PL1003387 631831

4 & 6 Gang Extension Leads - 13A, 2m



SAVE OVER* 25%

- Piano black finish with curved edges

693046

		1+	5+
PL1307487	6 Gang	£4.79	£4.42
PL1307587	4 Gang	£2.99	£2.95

6 Gang Individually Switched Extensions - 13A



SAVE OVER* 65%

677358

		1+	5+
PL1294587	1m	£4.90	£4.45
PL1294687	2m	£5.10	£4.80
PL1294787	5m	£6.53	£6.08
PL1294887	10m	£10.86	£10.20

6 Gang Individually Switched Extensions - 13A



SAVE OVER* 50%

677357

		1+	5+
PL1294987	1m	£4.79	£4.39
PL1295087	2m	£5.36	£5.05
PL1295187	5m	£5.80	£5.34
PL1295287	10m	£10.35	£9.17

4 Gang Switched Extension Lead - 13A, 2m



SAVE OVER* 65%

1+ £3.49 | 5+ £3.24

order code PL1307887 692557

6 Gang Surge Protected Extension Leads - 13A



SAVE OVER* 40%

677356

		1+	10+
PL1298387	1m	£2.68	£2.54
PL1298487	2m	£3.20	£2.96
PL1298587	5m	£4.90	£4.45
PL1298687	8m	£5.65	£5.50
PL1298787	10m	£6.80	£6.46

Individually Switched Surge Protected Extension Leads



SAVE OVER* 45%

- Wall mountable
- Max. surge current 4500A
- Clamping voltage: 775V
- Max. Load 13A/250V
- BS 1363/A and BS 5733/A compliant


Technical Data

	Sockets	Dims. (LxWxD)mm
PL1049487	4	320x60x25
PL1049587	6	260x120x25
PL1049687	8	325x120x25

631823

			1+	5+
White				
PL1398687	1m	4	£3.75	**£3.42**
PL1398787	1m	6	£4.90	**£4.60**
PL1398887	1m	8	£5.85	**£5.45**
PL1049487	2m	4	£4.84	**£4.38**
PL1049587	2m	6	£5.25	**£4.80**
PL1049687	2m	8	£6.44	**£6.16**
PL1398987	5m	4	£5.45	**£5.10**
PL1399087	5m	6	£6.45	**£6.20**
PL1399187	5m	8	£8.10	**£7.85**
Black				
PL1399587	1m	4	£3.98	**£3.70**
PL1399687	1m	6	£5.10	**£4.90**
PL1399787	1m	8	£6.45	**£6.10**
PL1399887	5m	4	£6.10	**£5.80**
PL1399987	5m	6	£6.90	**£6.41**
PL1400087	5m	8	£8.25	**£7.70**

Surge Protected Extension Leads



SAVE OVER* 45%

- Ideal for use with computer, audio/video and other sensitive electrical devices
- Individually switched with full red neon switches
- Surge and spike protected
- Wall mountable
- BS 1363/A and BS 5733/A compliant
- 2m Lead
- Maximum surge current: 4,500A
- Clamping voltage: 775V
- Maximum load: 13A/250V
- Available with 6x or 8x outlets

714465

			1+	5+
PL1393287	6		£5.86	**£5.60**
PL1393387	8		£6.30	**£6.10**

10 Gang Extension Lead RFI and Surge Protected - 2m



SAVE OVER* 45%

- Wall mountable
- Max surge current 4500A
- 10 Outlet RFI and surge protected extension lead
- Telephone/modem protection

1+ £8.70 | 5+ **£7.93**

order code PL1003587 631828

Surge & RFI Protected Extension Leads - 2m



SAVE OVER* 40%

- Neon indicator for power flow
- Surge neon indicator showing protection active
- Thermal cut out for temperature rise and combustion
- Conforms to BS1363/A and BS5733/A

Technical Data

Operating voltage	240V
Max. Current rating	13A
Max. Surge Energy	375 Joules
Max. Surge current	13500A
Clamping voltage	775V
Response Time	<10nS

629272

		1+	5+
PL1088487	4 Gang	£6.03	**£5.05**
PL1088587	6 Gang	£12.50	**£11.25**


8 Gang Extensions



631559

		1+	5+
White			
PL1400687	1m	£3.69	**£3.20**
PL1021587	2m	£3.85	**£3.59**
PL1400787	5m	£5.85	**£5.35**
Black			
PL1400887	1m	£4.40	**£4.10**
PL1400987	2m	£4.60	**£4.10**
PL1401087	5m	£5.85	**£5.30**

10 Gang Switched Extension Tower with Surge Protection - 2m



Features 3x USB outlets, LAN and broadband/modem outlets, LED indicators and surge protection.

- Angled sockets, ideal for transformers
- Max. surge current 4500A
- Clamping voltage 775V

SAVE OVER* 40%

1+ £17.92 | 3+ **£16.58**

order code PL1050387 631827

10 Gang Surge Protected Extension Tower - 2m



- LED indicators
- Detachable base

SAVE OVER* 10%

1+ £11.59 | 5+ **£10.34**

order code PL1123087 645484

10 Gang Extension Tower - 2m



- Angled sockets, ideal for transformers.
- Detachable base
- Dimensions (Dia.xH): 150x400mm

SAVE OVER* 50%

1+ £5.61 | 5+ **£5.13**

order code PL1050287 631826

1 & 2 Gang Extension Leads



SAVE OVER* 15%

- Manufactured to the highest quality
- 1.25mm² 3 core PVC cable
- 13A Rated
- CE marked and conform to BS1363

699377

		1+	5+
PL1363787	5m 1x Socket	£4.50	**£3.70**
PL1363887	10m 2x Sockets	£7.80	**£6.95**

6 Socket Extension Lead



SAVE OVER* 20%

- Manufactured to the highest quality
- Individually switched 6 sockets
- 1.25mm² 3 Core PVC cable
- 13A Rated
- CE Marked and conform to BS1363

1+ £9.98 | 3+ **£9.36**

order code PL1365187 699245

Premium-Line, 6-Way Extension Leads - 3m



SAVE OVER* 10%

High quality, six-way extension sockets with a single illuminated switch to indicate power. Manufactured from break and shock resistant plastic, the sockets have two mounting holes on either side to allow mounting to walls or panels. The design of the socket allows the cable to be neatly wound around the body when not in use.

- Approximate socket length 53cm
- Max Load: 13A/3120W

631567

		1+	3+
PL0319187	Black	£8.86	**£8.24**
PL0319387	White	£10.09	**£8.86**

6 Gang Surge Protected Extension Lead - 13A, 1.35m

SAVE OVER* 25%



1+ £5.98 | 5+ **£5.70**

order code PL1307687 693048

Preston Contact Centre

8am - 7pm Mon to Fri
9am - 5pm Saturday
Now open Bank Holidays

Call us on
03447 88 00 88

10A In-Line Rubber Connectors 3 Pin

PRO-ELEC



SAVE OVER* 45%

631671

		1+	10+
PL0947487	Black	£1.38	**£1.24**
PL0947587	White	£1.38	**£1.24**

10A In-Line Rubber Connectors 2 Pin

PRO-ELEC

SAVE OVER* 50%



627989

		1+	10+
PL0947187	Black	£1.17	**£1.05**
PL0947387	Orange	£1.17	**£1.05**

Junction 2 and 3 Way

SAVE OVER* 65%



628947

	1+	10+
PLFLEX3872-Pin 250VAC 5A	£0.43	**£0.37**
PLFLEX4873-Pin 250VAC 13A	£0.50	**£0.46**

In Line Rocker Switch - 2A

PRO-ELEC

- Screw connection shell with screw terminals
- Suitable for 2 core cable



SAVE OVER* 45%

631797

		1+	10+
PL1001887	White	£0.27	**£0.23**
PL1124787	Black	£0.27	**£0.23**

Press Switch 2A

PRO-ELEC



Technical Data

Shank Length	8mm
Mounting Holes	4mm (Dia.)

1+ **66p** | 5+ **58p**

order code PL0100387

Pull Cord Switch - 2A

PRO-ELEC



A side action pull cord switch with screw terminals. Complies with CEI 23-11/III.

Technical Data

Mounting Hole	3mm (Dia.)
Cord	180mm

1+ **89p** | 5+ **72p**

order code PL0100487 631798

Connector Blocks - 5 Way

PRO-ELEC

- Heavy duty brass screw terminals
- Removable front lids

SAVE OVER* 45%



Technical Data

627957

	Type	Max. Conductor	Dims. (HxWxD)mm
PL0997587	60A SP	25mm	56x46x46
PL0997687	100A SP	35mm	56x46x46
PL0997787	60A DP	25mm	84x59x52
PL0997887	100A DP	35mm	98x63x65

			1+	3+
PL0997587	60A	SP	£1.96	**£1.80**
PL0997687	100A	SP	£2.27	**£1.96**
PL0997787	60A	DP	£4.02	**£3.75**
PL0997887	100A	DP	£5.45	**£5.00**

In-Line RCD Unit



SAVE OVER* 40%

Technical Data

Max. Current rating	13A
Trip current	30mA
Trip time	30ms

1+ **£4.70** | 3+ **£4.30**

order code PL1005187 631519

RCD Adaptor

PRO-ELEC

Technical Data

Maximum Load	3.12kW
Rated Trip Current	30mA
Trip time	<30ms



SAVE OVER* 20%

1+ **£6.50** | 3+ **£5.70**

order code PL1030687 627993

Rewireable RCD Adaptor

- Safety RCD adaptor to which the appliance is hard wired
- Continuously monitors the power supply and cuts off the power supply in less than 30ms if an earth current fault is detected, preventing electric shock
- Indicator shows that protection is present
- 13A Fuse fitted
- Complies with BS7071 : 1992



SAVE OVER* 25%

Technical Data

Voltage Rating	240V 50Hz
Maximum Current	13A
Maximum Load	3.12kW
Rated Trip Current	30mA
Trip time	<30ms
Dimensions (HxWxD)	110x50x44mm

1+ **£6.75** | 3+ **£6.10**

order code PL1047387 695767

Large 24Hr Mechanical Timer

SAVE OVER* 15%

- 240VAC, 13A, Max 3120W
- Minimum setting time 15 minutes
- W/Children protector
- Dimensions (HxWxD): 130x70x50mm



676744

		1+	5+
PL1307287	Single	£2.42	**£2.05**
PL1307387	Triple Pack	£6.49	**£5.80**

Digital 7 Day Timer

- Hi impedance for use with appliances that require a higher loading current such as heaters
- 98 Programmes per week
- Countdown and random function
- Summertime conversion
- AM/PM or 24 hour display
- Battery back-up
- 240VAC, 13(4)A, Max. 3120W



1+ **£4.80** | 5+ **£3.95**

order code PL1151887 657689

Quicktest

CLIFF



Constructed from tough impact resistant, flame retardant plastic. The lid incorporates a fuse and switching device. When the lid is open the cable clips are isolated from the supply. When closed the power is connected. A glowing neon lamp is visible with the lid open or closed indicating when power is connected to the device.The Quicktest provides a quick and secure method of temporarily connecting 2 or 3 core bare ended flexible leads to the mains. Maximum 13 amp.

Dimensions: 130x60x50mm

1+ **£27.50** | 3+ **£25.40**

order code PL1063887 631799

24 Hour Timer

brennenstuhl®

- Up to 96 on/off switching times per day can be set
- Shortest switching time: 15 minutes
- Easy to set
- Childproof socket



SAVE OVER* 25%

1+ **£2.36** | 3+ **£2.15**

order code PL1340287 700790

Remote Control Transmitter & Receivers Triple Pack



SAVE OVER* 15%

Model: RFE3TC

This remote control transmitter/receiver combines a simple 'plug and play' operation with the ability to save money and energy.

- Turns any plugged in appliance on and off, simply and easily
- Energy saving - no more standby
- Environmentally friendly
- RF remote control works even through walls and ceilings
- 25m Range
- Up to 1,000W max. load per receiver
- Supplied with CR2032 battery
- Additional socket also available (PL1317987), up to 3x per channel can be added

706805

		1+	5+
PL1317887	Transmitter & 3x Receivers	£12.95	**£11.50**
PL1317987	Additional Socket	£2.89	**£2.70**

All prices exclude VAT

Junction Box with 5 Terminals - IP55



SAVE OVER* 15%

- Dimensions (HxWxD): 100x100x55mm

1+ £1.67 | 5+ £1.52

order code PL1156987 652664

Shower Consumer Unit - IP55 PRO-ELEC



- Fitted with 63A RCD, 1x 40A MCB
- Locking lid
- 8 Knockouts, included complete with grommets
- BS EN60439 Compliant

SAVE OVER* 45%

1+ £16.25 | 5+ £14.80

order code PL1066587 627966

Garage/ Outbuilding Consumer Unit - IP55 PRO-ELEC



- Fitted with 63A RCD, 1x 6A and 1x 16A MCB
- Locking lid
- 8 Knockouts, supplied complete with grommets
- BS EN60439 Compliant

SAVE OVER* 50%

1+ £17.90 | 5+ £16.25

order code PL1066487 627965

2 Way Consumer Unit



- Fitted with 2P 100A isolators, leaving 2 free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x140x120mm

SAVE OVER* 50%

1+ £11.30 | 5+ £10.25

order code PL1066687 653396

10 Way Fully Loaded Consumer Unit PRO-ELEC



SAVE OVER* 45%

- Fitted with:
  - 2P 100A isolator
  - 1x 80A RCD
  - 3x 6A MCB
  - 2x 16A MCB
  - 4x 32A MCB
  - 1x 40A MCB
- Multiple knockouts
- Supplied with labels, blanking plate and spare clips
- IEC60439-3, EN60439-3
- Dimensions (WxHxD): 325x228x120mm

1+ £39.91 | 3+ £36.98

order code PL1067587 627960

12 Way Consumer Unit with Isolator PRO-ELEC



- Fitted with:
  - 2P 100A isolators
  - 2x80A RCDs
- Loaded with:
  - 3x 6A MCB
  - 2x 32A MCB
  - 2x 40A MCB

SAVE OVER* 60%

1+ £41.19 | 5+ £39.40

order code PL1067487 627967

16 Way Consumer Unit PRO-ELEC



SAVE OVER* 45%

- Fitted with 2P 100A isolator, leaving 16 free spaces
- Supplied with labels, blanking plates and clips
- Multiple knockouts
- IEC60439-3, EN60439-3
- Dimensions (HxWxD): 230x395x120mm

1+ £24.95 | 3+ £22.50

order code PL1067087 652625

For more information visit cpc.co.uk

8 Way Split Load Consumer Unit PRO-ELEC



SAVE OVER* 30%

- Fitted with:
  - 2P 100A Isolators
  - 2x 80A RCDs
- Each RCD controlled 6 ways for MCBs

1+ £41.18 | 3+ £36.93

order code PL1067387

Hair Dryer- 1000W PRO-ELEC



- 15 Minutes electronic timing
- Wind (power) control set
- Waterproof socket for electrical shaver & charge up

SAVE OVER* 35%

Technical Data

Current	4.5A	
Water Splash Proof	IPX1	
Blowing Volume	77m³/h	631502
Air Speed	15m/S	
Dimensions	495x440x375mm	

1+ £29.98 | 3+ £27.50

order code PL1098687

Heavy Duty Automatic Hand Dryers PRO-ELEC



- Powerful air speed, 10-15 seconds hand drying time
- 35 Seconds blow time from activation
- 360° Revolving nozzle

SAVE OVER* 45%

Technical Data

Rated Power	2500W	
Current	11.5A	
Water Splash Proof	IPX1	
Blowing Volume	270m³/h	
Air Speed	30m/S	628027

		1+	3+
PL1019387	Brushed Steel	£55.83	**£51.58**
PL1019487	Powder Coating	£55.83	**£51.58**

8.5kW Triton Enlight Showers



- Temperature control stabilised
- Power rating 8.5kW
- Combined start/stop and power control
- Rotary power control
- Temperature control
- Power on indicator
- Shower head diameter 93mm
- Rail Diameter 19mm
- Rail length 530mm
- Distance between rail brackets 530mm
- Shower head holder twist and lock
- Soap dish
- Hose length 1.25m
- Hose retainer
- Double interlocked stainless steel hose
- BEAB, CE, BSI Kitemark, IPX4
- Cold mains plumbing system
- Water entry: Right side, bottom, back, side
- Cable entry: Right side, top, back
- Outlet connection: ½" BSP
- Minimum running pressure/flow 1 Bar@8 l/min
- Maximum static pressure: 10 bar
- Dimensions (HxWxD): 308x211x95mm

SAVE OVER* 20%

698809

		1+	3+
PL1402987	8.5kW	£43.92	**£41.98**
PL1403087	9.5kW	£43.92	**£41.98**

380ml Soap Dispenser PRO-ELEC



- Durable ABS plastic with translucent bottle
- Compact design with anti-theft lock
- Touch button operation
- Suitable for hand soap, gel and shampoo
- 380ml capacity

SAVE OVER* 10%

1+ £3.45 | 5+ £2.98

order code HG0080487 714828

T30i Electric Handwash 3kW



Model: TRITON T30I

- Single control for start/stop and temperature selection
- Temperature control with numbered dial
- 200mm Swivel arm
- White/chrome finish
- Top, bottom and back cable entry points
- Bottom water entry
- Cold mains supplies
- Minimum pressure: 1 bar
- BEAB approved
- 1 Year manufacturer's guarantee
- Dimensions (WxH): 200x173mm

1+ £38.50 | 3+ £36.00

order code PL1130887 656101

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Single Pole MCBs - B Curve



- Rated voltage (Un): 230VAC
- Breaking capacity: 10kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm

SAVE OVER* 45%

655336

		1+	5+
PL1159987	6A	£1.64	**£1.48**
PL1160087	10A	£1.64	**£1.48**
PL1160187	16A	£1.64	**£1.48**
PL1160287	20A	£1.64	**£1.48**
PL1160387	32A	£1.64	**£1.48**
PL1160487	40A	£1.64	**£1.48**
PL1160587	50A	£1.64	**£1.50**
PL1160687	63A	£1.64	**£1.50**

Single Pole MCBs - C Curve



- Rated voltage (Un): 230VAC
- Breaking capacity: 6kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm

SAVE OVER* 45%

655337

		1+	5+
PL1159187	6A	£1.12	**£0.99**
PL1159287	10A	£1.12	**£0.99**
PL1159387	16A	£1.12	**£0.99**
PL1159487	20A	£1.12	**£0.99**
PL1159687	40A	£1.12	**£0.99**
PL1159787	50A	£1.12	**£0.99**
PL1159887	63A	£1.12	**£0.99**

Single Pole MCBs - C Curve



- Rated voltage (Un): 230VAC
- Breaking capacity: 10kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm

SAVE OVER* 35%

655335

		1+	5+
PL1160787	6A	£1.64	**£1.48**
PL1160887	10A	£1.64	**£1.48**
PL1160987	16A	£1.64	**£1.48**
PL1161087	20A	£1.64	**£1.48**
PL1161187	32A	£1.64	**£1.48**
PL1161287	40A	£1.64	**£1.48**
PL1161387	50A	£1.64	**£1.48**
PL1161487	63A	£1.64	**£1.48**

Incomer, 100A DP



- Terminal capacity: Cable up to 35mm²

SAVE OVER* 55%

1+ **£1.79**

5+ **£1.65**

order code PL1066087 627962

Single Pole MCBs - D Curve



- Rated voltage (Un): 230VAC
- Breaking capacity: 10kA
- Type of terminal: Lug type
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC60898, EN60898
- Dimensions (HxWxD): 83x17.6x74mm

SAVE OVER* 40%

655334

		1+	5+
PL1161587	6A	£1.53	**£1.39**
PL1161687	10A	£1.53	**£1.39**
PL1161787	16A	£1.53	**£1.39**
PL1161887	20A	£1.59	**£1.39**
PL1161987	32A	£1.53	**£1.39**
PL1162087	40A	£1.53	**£1.39**
PL1162187	50A	£1.53	**£1.39**
PL1162287	63A	£1.53	**£1.39**

Single Pole RCBOs



- Type B curve
- Breaking capacity: 6kA
- Terminal capacity: Cable up to 25mm²
- Width: 17.6mm/module
- IEC61009, EN61009

SAVE OVER* 45%

537504

		1+	3+
PL1065487	6A	£9.19	**£8.64**
PL1065587	10A	£9.19	**£8.64**
PL1065687	16A	£9.19	**£8.64**
PL1065787	20A	£9.19	**£8.64**
PL1065887	32A	£9.19	**£8.64**
PL1065987	40A	£9.19	**£8.64**

Double Pole RCDs



- Rated short circuit: 6kA
- Terminal capacity: Cable up to 35mm²

SAVE OVER* 55%

627964

		1+	3+
PL1066187	40A	£6.28	**£5.92**
PL1066287	63A	£7.00	**£6.49**
PL1066387	80A	£8.22	**£7.42**

Flush Steel Back Boxes



SAVE OVER* 60%

627949

Single Gang		Knock outs	1+	10+
PL0985887	72x72x16	11	£0.25	**£0.22**
PL0985987	72x72x25	12	£0.37	**£0.33**
PL0986087	72x72x35	11	£0.35	**£0.31**
PL0986187	72x72x47	10	£0.40	**£0.35**
Two Gang				
PL0986287	132x71x25	16	£0.39	**£0.35**
PL0986387	132x71x35	16	£0.47	**£0.40**
PL0986487	132x72x47	15	£0.55	**£0.50**

Flush Mounting Steel Box - 3 Gang



- 20mm dia. knock out

1+ **£3.58**

5+ **£2.94**

order code PL0063487 693939

Dry Lining Boxes



SAVE OVER* 50%

627955

	Depth	Gangs	1+	20+
PL0018987	35mm	1	£0.35	**£0.30**
PL0019087	35mm	2	£0.40	**£0.36**
PL1020487	47mm	1	£0.40	**£0.36**
PL1020587	47mm	2	£0.61	**£0.56**

Dual Flush Dry Lining Mount Box



Allowing 2x1 gang plate accessories to be mounted side by side.

Dry Lining Box: 35mm deep with horizontal and vertical mounting lugs

1+ **£1.95**

5+ **£1.44**

order code PL0053087 631737

Dry Lining Boxes - 35mm



- Will fit wall facing/ceilings 3-18mm thick
- Minimum recess; Single: 75x75mm; Double: 75x135mm

SAVE OVER* 65%

627950

		1+	10+
PL0430387	Single	£0.23	**£0.19**
PL0430487	Double	£0.34	**£0.29**

Round Dry Lining Box



SAVE OVER* 45%

1+ **27p**

20+ **24p**

order code PL0997387 627954

Dual Dry Lining Box - 35mm



SAVE OVER* 25%

1+ **74p**

20+ **66p**

order code PL0997287 627953

Dry Lining Boxes with Earth Terminals



SAVE OVER* 20%

- Large flange around the front prevents the boxes slipping into the cavity
- 2x Side knockout cable entries plus 1x 25mm base knockout
- Suitable for board thicknesses of 6.35 to 15mm

1+ **29p**

5+ **24p**

order code PL0266387 631738

Circular Dry Lining Box



- 35mm 1 Gang 2x 20mm knockouts
- 80mm Diameter
- Cut out dimensions: 63mm diameter

SAVE OVER* 25%

1+ **40p**

10+ **35p**

order code PL1177887

2 Gang Dry Lining Boxes



Model: SB629

SAVE OVER* 25%

- 35mm 2 Gang with adjustable lugs
- Dimensions: 143x83x36mm
- Cut out: 133x73mm
- Board thickness from 6.35 to 15mm
- Large flange around front
- Flame retardant thermoplastic
- Tough yellow nylon lugs
- 2 Side knockout cable entries
- 25mm Base knockout

Model: SB637

- 35mm Dual box for two 1 gang size accessories
- Dimensions: 168x83x36mm
- Cut out: 158x73mm

Model: SB631

- 47mm 2 Gang with adjustable lugs
- Dimensions: 143x83x48mm
- Cut out: 133x73mm

663758

			1+	10+
PL1178287	SB629		£0.39	**£0.34**
PL1177987	SB637		£0.55	**£0.52**
PL1178187	SB631		£0.67	**£0.62**

All prices exclude VAT

Surface Mount Pattress Boxes



SAVE OVER* 60%

627951

1 Gang	1+	20+
PL0914187 16mm	£0.22	£0.19
PL0429287 25mm	£0.27	£0.25
PL0429387 32mm	£0.27	£0.25
PL0429487 45mm With cable clamp & brass terminal	£0.48	£0.44
2 Gang		
PL0429687 25mm	£0.36	£0.33
PL0429787 32mm	£0.45	£0.41
PL0429887 45mm With cable clamp & brass terminal	£0.69	£0.62

Dual Pattress Box - 33mm



SAVE OVER* 35%

1+ 60p | 20+ 55p

order code PL1004287

627952

Dual Flush Steel Back Boxes



Accept 2x 1 gang type electrical face plates. The boxes can be mounted vertically or horizontally and the internal separating screen can be easily removed if not required. Manufactured to BS4662 where applicable. Dimensions (WxH): 154x68.3mm

1+ £1.18 | 5+ £0.95

order code PL0264187

709186

Steel Back Box

- 6-/8-Gang back box
- Galvanised steel with brass earth terminal
- Secure, but easy to use knock outs
- Fixed lugs
- Depth: 35mm



SAVE OVER* 25%

1+ 32p | 5+ 25p

order code PL1432787

708797

1 Gang Installation Boxes



SAVE OVER* 30%

PL1178487
- 16mm 1 gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x16mm

PL1178887
- 25mm 1 Gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x35mm

PL1179287
- 35mm 1 Gang flush steel box
- 1x Adjustable, 3x fixed lugs
- 12x 20mm Knockouts
- Dimensions: 68.3x68.3x35mm

698767

		1+	10+
PL1178487	16mm	£0.19	£0.15
PL1178887	25mm	£0.31	£0.28
PL1179287	35mm	£0.31	£0.27

2 Gang Installation Boxes



SAVE OVER* 25%

PL1178987
- 35mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x20mm Knockouts
- Dimensions: 154x68.3x35mm

PL1178387
- 47mm 2 Gang flush steel box
- 1x Adjustable, 1x fixed lug
- 4x 20/25mm Knockouts
- Dimensions: 129x68.3x47mm

PL1178787
- 25mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x 20mm Knockouts
- Dimensions: 154x68.3x25mm

PL1179087
- 35mm Dual box with fixed lugs
- For two 1 gang size accessories
- 16x 20mm Knockouts
- Dimensions: 154x68.3x35mm

663755

	1+	3+
PL1178987	£1.29	£1.22
PL1178387	£0.80	£0.74
PL1178787	£0.58	£0.48
PL1179087	£0.49	£0.45

Unswitched Sockets



SAVE OVER* 25%

- 1 or 2 Gang unswitched sockets
- White, moulded finish
- Conforms to BS 1363
- Rated at 13A, 250V



714829

	No. of Gangs	1+	5+
PL1407587	1	£0.65	£0.57
PL1407687	2	£0.70	£0.65

Seeklight

Model: 7009
- LED seek /night light
- Fits all 1 gang size light switches
- Light comes on when switch is off
- Requires filament type lamp to work correctly
- Dimensions: 94x94mm



SAVE OVER* 20%

1+ £1.60 | 10+ £1.48

order code PL1186187

655850

Finger Plate - 2 Pack



SAVE OVER* 30%

1+ 57p | 10+ 53p

order code PL1002787

631759

Wall Switches - 2 Way



SAVE OVER* 10%

- Terminals suitable for 4x1mm², 3x1.5mm², 1x2.5mm²
- BSEN60669-1

695162

		1+	3+
PL1274287	1 Gang	£1.02	£0.93
PL1274487	2 Gang	£1.60	£1.45
PL1274587	3 Gang	£2.37	£2.24
PL1274687	4 Gang	£3.24	£2.99

Surface Moulded Boxes

Model: 9041
- 1 Gang 44mm deep moulded back box
- BS 5733
- Dimensions: 87x87x44mm

Model: 9043
- 1 Gang 20mm deep moulded back box
- With earth terminal
- Dimensions: 87x87x20mm

Model: 9047
- 1 Gang 29mm deep moulded back box
- Dimensions: 87x87x29mm

Model: 9048
- 2 Gang 29mm deep moulded back box
- Dimensions: 147x87x29mm

Model: 9054
- 2 Gang 45mm deep moulded back box
- For slimline cooker control units
- Will accept 25x16mm mini trunking
- Fitted with cable clamp
- Dimensions: 89x147x45mm



SAVE OVER* 15%

656119

		1+	10+
PL1188187	9041	£1.33	£1.22
PL1188287	9043	£0.61	£0.56
PL1188387	9047	£0.79	£0.74
PL1188487	9048	£0.95	£0.89
PL1188587	9054	£1.36	£1.22

10 Amp Light Switches



SAVE OVER* 45%

627917

		1+	20+
PL0921887	1 Gang 1 Way	£0.33	£0.29
PL0921987	1 Gang 2 Way	£0.41	£0.36
PL0922087	2 Gang 2 Way	£0.67	£0.61
PL0922187	3 Gang 2 Way	£1.12	£1.02

10AX Plate Switches



Model: 4070
- 1 Gang 10AX 1 way SP switch
- White moulded surface mount
- BSEN 60669-1
- Dimensions: 86x86mm

SAVE OVER* 10%

Model: 4170
- 1 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4172
- 2 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4173
- 3 Gang 10AX 2 way SP switch
- Dimensions: 86x86mm

Model: 4174
- 4 Gang 10AX 2 way SP switch
- Dimensions: 146x86mm

Model: 4175
- 1 Gang 10AX intermediate
- Dimensions: 86x86mm

Model: 4176
- 6 Gang 10AX 2 way SP switch
- Dimensions: 146x86mm

- Two way switches can be wired as one way
- Fully rated for fluorescent or inductive loads

656113

	Model	1+	10+
PL1183087	4070	£0.82	£0.74
PL1183187	4170	£0.91	£0.77
PL1183287	4172	£1.42	£1.26
PL1183387	4173	£2.42	£2.27
PL1183487	4174	£2.99	£2.70
PL1183587	4175	£2.18	£1.98
PL1183687	4176	£18.69	£17.76

Dimmer Switches



Model: 4130/PU
- 1 Gang 2 way 250W dimmer
- BSEN 55014, BSEN 60669-2-1
- Dimensions: 86x86mm
- Minimum installation depth: 35mm
- Suitable for tungsten filament lamps

SAVE OVER* 15%

Model: 4132/PU
- 2 Gang 2 way 250W dimmer

Model: 4190/PU
- 1 Gang 2 way 400W dimmer

Model: 4132/PU
- 2 Gang 2 way 400W dimmer

2x 400W Dimmer modules on a 1 gang plate should have a combined rating of 500W maximum.

656114

	Model	1+	5+
PL1194587	4130/PU	£10.76	£9.99
PL1194687	4132/PU	£22.11	£20.86
PL1194787	4190/PU	£12.82	£11.81
PL1194887	4192/PU	£24.51	£22.30

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

13A Switched Sockets



SAVE OVER* 40%

627916

		1+	20+
PL0921787	1G Single Pole	£0.67	£0.63
PL0921587	2G Single Pole	£0.92	£0.85
PL0921687	2G Double Pole	£1.33	£1.24

13A Switched Socket



- Terminals suitable for 3x2.5mm², 2x4mm²

1+ £1.42 | 3+ £1.15

order code PL1275387 695170

13A Double Pole Switched Socket



- Terminals suitable for 3x2.5mm², 2x4mm²

1+ £1.71 | 3+ £1.55

order code PL1275487 695171

13A Switched Socket

SAVE OVER* 10%



- Terminals suitable for 3x2.5mm², 2x4mm²

1+ £2.51 | 3+ £2.28

order code PL1275687 695173

Architrave Switches

SAVE OVER* 10%



- BSEN60669-1 695177

		1+	5+
PL1276287	1 Gang, 1 Way	£0.85	£0.74
PL1276487	2 Gang, 2 Way	£1.76	£1.40

13A Double Pole Switched Socket



SAVE OVER* 10%

- Terminals suitable for 3x2.5mm², 2x4mm²

1+ £2.56 | 3+ £2.28

order code PL1275787 695174

45A Connection Plate

SAVE OVER* 45%



1+ £2.10 | 5+ £1.89

order code PL0923987 627922

Single Fused RCD Spur - 13A



- Urea construction
- 30mA Trip current
- Trip speed less than 40mS
- Twin earth terminals
- Passive operation - mechanically latched
- Dimensions (HxWxD): 85x85x36mm

1+ £12.31 | 3+ £11.43

order code PL1313087 676395

45A Cooker Control Switch



SAVE OVER* 15%

- 2 Gang 45A cooker control unit
- 1 Gang 13A switched socket & neon
- White moulded surface mount
- BS 4177, BS 1363

1+ £7.50 | 5+ £6.90

order code PL1195987 697990

Sales Counter
Open 7 days a week

Switched and Unswitched Socket Outlets



SAVE OVER* 35%

Unswitched
- Dimensions (HxWxD): 84x85x9mm
- White moulded • BS 546

Switched
- Dimensions (HxWxD): 84x85x9mm
- White moulded • BS 546 670839

		1+	5+
PL1298887	Unswitched 5A	£0.75	£0.68
PL1298987	Switched 15A	£1.08	£0.96

LOGIC PLUS Switched Outlets - DP

SAVE OVER* 20%



10 Year Guarantee. 631710

			1+	10+
1-Gang (Grey)				
PL1473387			£2.95	£2.50
1-Gang (White)				
PL0056487	With Neon		£6.75	£6.27
PL0056287			£2.04	£1.94
PL1474787	Red		£4.50	£3.90
2-Gang (White)				
PL0056587	With Neon		£9.94	£9.48
PL0056387			£3.86	£3.24

PIR Mains Switch



SAVE OVER* 45%

- The switch will allow fans or lights to operate up to a point where no moving body heat is detected
- Power Ratings: Max. 10A for incandescent lamps or 3A for energy savings lamps, fluorescent lights and exhaust fans

Suitable for fluorescent lights, incandescent lamps, energy saving lamps or exhaust fans 631872

		1+	5+
PL1085987	Unswitched	£7.31	£7.00
PL1107287	Switched	£8.03	£7.52

Floor Sockets



SAVE OVER* 25%

- Single dims: (HxWxD) 94x85x25mm
- Double dims: (HxWxD) 94x145x25mm 651061

Stainless Steel		1+	5+
PL1122487	1 Gang	£5.21	£4.37
PL1122587	2 Gang	£6.34	£5.62

20A Double Pole Switches



SAVE OVER* 50%

627918

		1+	10+
PL0924087	Switch Only	£1.48	£1.37
PL0924187	Switch with Neon	£1.60	£1.40

20A Double Pole Switch



Model: 4015
- Cord outlet suitable for 10mm outside diameter cord

Model: 4015/3
- As above with neon indicator

Model: 4015/31
- As above marked water heater

SAVE OVER* 15%

656110

	Model	1+	10+
PL1182687	4015	£2.04	£1.85
PL1192287	4015/3	£2.62	£2.33
PL1192387	4015/31	£2.62	£2.33

20A Switch with Neon



- 1 Gang 20A DP switch with neon printed 'WATER HEATER'
- Terminals suitable for 3x2.5mm², 2x4mm²
- BSEN60669-1

1+ £2.83 | 5+ £2.51

order code PL1274987 695165

Shaver Socket

SAVE OVER* 25%



1+ £7.19 | 10+ £6.70

order code PL0922287

All prices exclude VAT

Fused Connection Units

PRO-ELEC

SAVE OVER* 50%



627919

		1+	10+
PL0922587	Unswitched	£1.39	**£1.30**
PL0922687	Unswitched with Neon	£1.49	**£1.39**
PL0922387	Switched with Neon	£2.00	**£1.85**

13A Fused Connection Units

Crabtree



SAVE OVER* 15%

Model: 4827
- Fitted with knock out position
- For use with or without cord outlet
- Suitable for flexible cord up to 10mm outside diameter
- Fuse ASTA certified marked to BS1362
- Shallow back projection for ease of installation in a 25mm deep box
- Dimensions: 86x86mm

Model: 4827/3
- 1 Gang 13A DP switched fused connection unit with neon

Model: 4828
- 1 Gang 13A unswitched fused connection unit

Model: 4828/3
- 1 Gang 13A unswitched fused connection unit with neon

656117

	Model	1+	5+
PL1184487	4827	£2.27	**£2.11**
PL1196087	4827/3	£2.52	**£2.38**
PL1184587	4828	£2.27	**£2.11**
PL1287587	4828/3	£2.45	**£2.06**

Shaver Supply Unit

Crabtree

- Shaver supply unit
- BSEN 61558-2-5

SAVE OVER* 15%



1+ £10.55 | 3+ **£9.89**

order code PL1181687 667952

45A Cable Outlet

Crabtree

Model: 4506
- With terminals and cable clamp
- Terminals will accept 2x 10mm²
- Cable knock out in cover prevents access to terminals before outgoing cable is fitted
- Dimensions: 86x86mm



1+ £2.10 | 10+ **£1.84**

order code PL1184387 664379

45A Cooker Switch

Crabtree



Model: 4016/3
- Fitted with knockout position
- Use with or without cord outlet
- Cord outlet suitable for 10mm outside diameter cord
- Two earthing terminals are fitted
- Dimensions: 86x86mm
- As above fitted with neon indicator

SAVE OVER* 15%

1+ £4.84 | 10+ **£4.60**

order code PL1192487 656111

50A DP Control Switches

Crabtree

Model: 4500
- 2 Gang 50A DP control switch
- BSEN 60669-1
- BSEN 60947-3 rating 240V 50A category of duty AC2
- Dimensions: 86x146mm

Model: 4500/3
- 2 Gang 50A DP control switch with neon

Model: 4500/31
- 2 Gang 50A DP control switch marked cooker with neon

SAVE OVER* 15%



656116

	Model	1+	10+
PL1184287	4500	£7.10	**£6.59**
PL1195687	4500/3	£6.10	**£5.77**
PL1195787	4500/31	£7.19	**£6.49**

Blanking Plates

PRO-ELEC

SAVE OVER* 55%



627921

		1+	10+
PL0923087	Single Gang	£0.16	**£0.14**
PL0923187	Double Gang	£0.30	**£0.26**

Strip Light - Switched

PRO-ELEC



- Max - 60W, 240V tube
- 284mm Length

SAVE OVER* 35%

1+ £3.20 | 5+ **£2.90**

order code PL1002687 628145

Junction Boxes

PRO-ELEC

SAVE OVER* 45%



627924

		1+	20+
PL0922787	5 Amp, 4 Terminal	£0.45	**£0.39**
PL0922887	20 Amp, 4 Terminal	£0.72	**£0.64**
PL0922987	30 Amp, 3 Terminal	£0.72	**£0.65**

4 Terminal Mini Junction Boxes - 20A

PRO-ELEC



SAVE OVER* 45%

- 57mm Diameter
- Suitable for cable up to 2.50mm

627925

		1+	20+
PL1001687	White	£0.55	**£0.49**
PL1001787	Brown	£0.55	**£0.49**

Ceiling Pendants - T2

PRO-ELEC

SAVE OVER* 50%



627927

		1+	20+
PL0924387	6" Cable	£1.02	**£0.93**
PL0924487	9" Cable	£1.07	**£0.98**

6" Pendant Set

Crabtree

SAVE OVER* 15%



1+ £1.64 | 5+ **£1.47**

order code PL1182287 656108

1 to 3 Socket Converter

PRO-ELEC



SAVE OVER* 35%

1+ £4.02 | 5+ **£3.70**

order code PL0997487 627946

6A Pull Cord Ceiling Switch - 2 Way

PRO-ELEC



SAVE OVER* 35%

1+ £1.44 | 10+ **£1.26**

order code PL0925087 627931

Lighting Accessories

Crabtree



Model: 2041
- 6AX 1 Way SP ceiling switch
- Dimensions (ØxH): 68.5x 42.5mm
- 1.5m Long white pullcord
- Fully rated for fluorescent or inductive loads
- BSEN 60669-1

SAVE OVER* 15%

Model: 2141
- 6AX 2 Way SP ceiling switch
- Dimensions (ØxH): 68.5x42.5mm
- 1.5m Long white pullcord
- Fully rated for fluorescent or inductive loads
- Can be wired as one way
- BSEN 60669-1

Model: 2167
- 50A 1 Way DP ceiling pull switch
- Neon and mechanical indicator
- Integral pattress for surface mounting
- Can mount to large circular conduit box
- Complies with wiring regs BS7671 for use as isolating device
- Terminals will accept up to 10mm² cable
- 1.5m Long pull cord
- Suitable for use with 25mmx16mm trunking
- Rated for non-inductive loads only
- BSEN 60669-1

656105

	Model	1+	5+
PL1181387	2041	£2.04	**£1.85**
PL1181487	2141	£2.52	**£2.27**
PL1181587	2167	£7.82	**£7.57**

45A Pull Cord Ceiling Switch

PRO-ELEC




SAVE OVER* 35%

1+ £4.09 | 10+ **£3.88**

order code PL0923887 627923

Batten Lampholders - T2

PRO-ELEC



SAVE OVER* 55%

627928

		1+	20+
PL0924787	Straight Skirt - BC	£0.46	**£0.42**
PL0924887	HO Skirt - BC	£0.60	**£0.52**
PL0924987	HO Angled Skirt - BC	£0.58	**£0.50**

Batten Lampholders



Model: 3420
- Batten lampholder
- Straight skirt
- BSEN 61184
- Dimensions (HxWxD): 84x162x140mm
- 50.8mm Fixing centres
- Non-rising terminals
- Non-stick skirt
- Integral terminal block
- 3 Sets of knockouts supplied
- Heat resistant tails

SAVE OVER* 10%

Model: 3422
- As above but home office skirt

Model: 3432
- Angle batten lampholder
- BSEN 61184
- Home office skirt
- Seperate 4 way terminal block
- Supplied with integral backplate
- 50.8mm Fixing centres
- Non-rising terminals
- Non-stick skirt
- Fitted with heat resistant tails

656106

	Model	1+	10+
PL1181787	3420	£2.22	**£2.04**
PL1181887	3422	£2.22	**£2.04**
PL1181987	3432	£2.83	**£2.46**

Cord Grip Lampholder - BC



SAVE OVER* 50%

627926

		1+	20+
PL0924587	Switched - T2	£0.35	**£0.30**
PL0924687	Unswitched - T2	£0.35	**£0.31**

Pendant Lampholder



Model: 3442
- BS 67, BSEN 61184
- T2 Rating with spring plungers
- One piece thermoplastic interior

SAVE OVER* 10%

1+ **87p** | 10+ **79p**

order code PL1182087 656107

Brass Lampholders - BC



- Sprung contacts
- Available with ½" threaded cable entries.

1+ **£1.53** | 5+ **£1.34**

order code PL0288187 627929

IP66 Weatherproof 1 Gang 2 Way Outdoor Switch - 10A



- 5x 20mm Cable entries
- Dimensions (WxHxD): 100x100x70mm

SAVE OVER* 10%

627943

			1+	5+
PL1081187	1 Gang	£5.56		**£5.13**
PL1081287	2 Gang	£7.93		**£7.60**

Metalclad 10A Light Switches



SAVE OVER* 50%

627936

			1+	5+
PL0940687	1 Gang, 2 Way	£2.27		**£2.14**
PL0940787	2 Gang, 2 Way	£2.27		**£2.04**

Metalclad 13A Fused Spurs



- 40mm Depth mounting box

SAVE OVER* 50%

627937

			1+	5+
PL0941187	Unswitched	£3.97		**£3.43**
PL0941287	Switched	£4.02		**£3.54**

Order online at cpc.co.uk

Weatherproof 1 Gang Outdoor Socket - IP66



SAVE OVER* 30%

- 5x 20mm Cable entries
- Cable capacity: 3x 2.5mm²

1+ **£7.11** | 5+ **£6.16**

order code PL1080987 627941

Weatherproof 2 Gang Outdoor Switched Socket - IP66



- 8x 20mm Cable entries
- Cable capacity: 3x 2.5mm²

SAVE OVER* 35%

1+ **£7.99** | 3+ **£7.50**

order code PL1081087 627942

Junction Box with 5 Terminals - IP55



1+ **£1.24** | 5+ **£1.09**

order code PL1156787 650069

Junction Box with 5 Terminals - IP55



- Dimensions (HxWxD): 80x80x45mm

1+ **£1.42** | 5+ **£1.30**

order code PL1156887 652663

Splitline Power Distribution Unit - 240V



- Designed for managing power distribution on site
- One input to three outputs
- Constructed from tough thermoplastic moulding
- Tested Temperature range: -25°C to +40°C
- Non-Corrodible external screws
- Flash tested to 2000V
- Incorporates apertures for inserting cable ties allowing rapid temporary installation on scaffolding or rigging
- Fits easily into tool box
- IP44 Rated
- 16A Current
- Dimensions: 160x195x65mm

1+ **£14.88** | 3+ **£13.29**

order code PL1088687 536571

Metalclad 13A Switched Socket - 1G



SAVE OVER* 35%

1+ **£3.39** | + **£2.98**

order code PL0940987 627935

Metalclad 20A DP Switch



- 40mm Depth mounting box

1+ **£3.50** | 3+ **£3.32**

order code PL0941387 627938

Portable Site Transformers

A robust range of GRP-cased portable transformers, suitable for heavy duty site use.• Converts 240V to 110V
- Rubber cable with BS 1363, 13A plug
- 1 or 2x 110V, 16A EN60309 sockets
- Overload protected by input thermal device, centre tapped to earth • IP54 rated, sockets to IP44
- Commonly used with construction and industrial power tools

Technical Data

Power	Outlets	Dimensions (WxHxD)	
750W	1	240x190x260mm	PL1426487
1kW	1	240x190x260mm	PL1426587
1.5kW	2	280x190x260mm	PL1426687
2kW	2	260x210x285mm	PL1426787
3kW	2	260x210x285mm	PL1426887

		Outlets	1+	3+
PL1426487	750W	1	£32.65	**£31.10**
PL1426587	1kW	1	£33.90	**£32.04**
PL1426687	1.5kW	2	£36.62	**£35.00**
PL1426787	2kW	2	£39.98	**£37.40**
PL1426887	3kW	2	£45.50	**£41.45**

SAVE OVER* 10%



Single Socket



713698 Twin Socket

All prices exclude VAT

LAMPS, LIGHTING & TORCHES

1.5W, 12 LED GU10 Lamps



- Instant start
- Not dimmable

SAVE OVER* 15%

Technical Data

Equivalent (W)	10W
No of LEDs	12
Input Current	15mA
Power Voltage	220-240Vac
Dimensions (LxØ)	55x50mm

689935

		1+	5+
LP0706887	White	£1.84	**£1.51**
LP0706987	Blue	£1.84	**£1.51**
LP0707087	Green	£1.84	**£1.51**

3.3W GU10 LED Lamps

SAMSUNG



- Energy saving of 80% compared with conventional lamp
- Warm White light
- GU10 base
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

SAVE OVER* 15%

Technical Data

Equivalent (W)	20W
Dimensions (LxØ)	57x50mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

710338

3000K	Lumens	Beam Angle	1+	5+
LP0824587	220	40°	£2.10	**£1.85**
LP0825187	220	25°	£2.10	**£1.85**
2700K				
LP0825687	210	40°	£2.10	**£1.85**
LP0825587	210	25°	£2.10	**£1.85**

3.5W GU10 LED Lamps

PRO-ELEC



SAVE OVER* 20%

- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

Technical Data

	Warm White	Cool White	White
GLS Equivalent	25W	25W	25W
Luminous Flux	180lm	200lm	180lm
CCT (K)	3000K	6500K	4000K
Beam Angle	90°	90°	90°
Dimensions (HxW)	57.8x50 mm	57.8x50 mm	57.8x50 mm
Voltage	240V	240V	240V

709846

		1+	5+
LP0789587	Warm White	£1.89	**£1.68**
LP0789687	Cool White	£1.89	**£1.68**
LP0789787	White	£1.89	**£1.68**

5W MR16 LED Lamps

PRO-ELEC



- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

SAVE OVER* 30%

Technical Data

	Warm White	Cool White	White
GLS Equivalent	35W	35W	35W
Luminous Flux	290lm	350lm	290lm
CCT (K)	3000K	6500K	4000K
Beam Angle	90°	90°	90°
Dimensions (HxW)	55.1x50 mm	55.1x50 mm	55.1x50 mm
Voltage (AC/DC)			

709847

		1+	5+
LP0789887	Warm White	£2.20	**£1.99**
LP0789987	Cool White	£2.20	**£1.99**
LP0790087	White	£2.20	**£1.99**

5W GU10 LED Lamps

PRO-ELEC



- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

SAVE OVER* 30%

Technical Data

	Warm White	Cool White	White
GLS Equivalent	35W	35W	35W
Luminous Flux	290lm	350lm	290lm
CCT (K)	3000K	6500K	4000K
Beam Angle	90°	90°	90°
Dimensions (HxW)	58.7x50 mm	58.7x50 mm	58.7x50 mm
Voltage	100-240V	100-240V	100-240V

709848

		1+	5+
LP0790187	Warm White	£2.20	**£1.99**
LP0790287	Cool White	£2.20	**£1.99**
LP0790387	White	£2.20	**£1.99**

GU10 LED PowerSpot Reflector Lamps



- Save energy, up to 85% compared with halogen lamp
- Direct replacement of GU10 halogen lamp
- High lumen output
- Long life of 30,000 hours
- Instant start • Negligible UV output
- Mercury free

Technical Data

	LP0739487	LP0739587
Beam Angle	36°	36°
Colour Temperature	3000K	4000K
Luminous Flux	170lm	230lm
Power	4W	
Voltage	240V	
Dimensions (ØxL)	50x52.5mm	

700035

	Colour Temp.	Lumin. Flux	1+	5+
LP0739487	3000K	170lm	£2.80	**£2.60**
LP0739587	4000K	230lm	£2.95	**£2.70**

4W LED GU10



- Warm white (3000K) • Direct retrofit
- Superb 250 lumen output
- Energy class A
- Equivalent to a 35W Halogen
- 25,000 Hour lifetime
- Excellent 50° beam angle
- Dimensions (HxD): 56x50mm

1+ £3.12 | 5+ **£2.69**

order code LP0665887 686010

5W, GU10, PAR16 SMD LED Lamps



SAVE OVER* 10%

Technical Data

Equivalent (W)	40W
CCT (k)	6500K
Power Voltage	220-240Vac
Luminous Flux	350lm
Dimensions (LxØ)	53x50mm
Beam Angle (°)	80°

689926

		1+	5+
LP0692287	Warm White	£4.10	**£3.86**
LP0692387	Cool White	£4.10	**£3.86**
LP0692487	Daylight	£4.10	**£3.86**

5.3W LED GU10



- Warm white (3000K)
- Superb 350lumen output
- Energy class A
- Equivalent to a 50W Halogen
- 25,000 Hour lifetime
- Excellent 36° beam angle
- Dimensions (HxD): 52x50mm

1+ £3.70 | 5+ **£3.20**

order code LP0724987 693314

GU10 LED Lamps

PRO-ELEC

SAVE OVER* 25%



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc..
- Non-Dimmable • Beam Angle: 120°
- Dimensions (WxH): 50x58mm
- Voltage: 220 - 240Vac

	Warm White	Daylight	Cool White
3W			
Lumens Output	200 - 250lm	200 - 250lm	200 - 250lm
4W			
Lumens Output	300 - 340lm	300 - 340lm	300 - 340lm
5W			
Lumens Output	360 - 420lm	360 - 420lm	360 - 420lm

3W		1+	5+
LP0783187	Warm White	£1.68	**£1.39**
LP0783287	Daylight White	£1.68	**£1.39**
LP0783387	Cool White	£1.68	**£1.39**
4W			
LP0782587	Warm White	£2.00	**£1.79**
LP0782687	Daylight White	£2.00	**£1.79**
LP0782787	Cool White	£2.00	**£1.79**
5W			
LP0782887	Warm White	£2.10	**£1.80**
LP0783087	Cool White	£2.10	**£1.80**

4.6W GU10 LED Lamp

SAMSUNG



- Energy saving of 80% compared with conventional lamp
- Non-dimmable
- GU10 Base
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W)	35W
CCT	3000K Warm White
Luminous Flux	320lm
Dimensions (LxØ)	57x50mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

1+ £2.60 | 5+ **£1.80**

order code LP0828687 714985

5W LED GLS Mini Golf Ball Lamps

PRO-ELEC

- Replacement for compact fluorescent lamp and incandescent lamp
- Energy efficiency Class A+
- Long life of 30,000h
- Available in E14 (SES), E27 or BC base



SAVE OVER* 20%

Technical Data

GLS Equivalent	35W
Luminous Flux	400lm
CCT (K)	3000K
Beam Angle	240°
Voltage	230V

709843

	Base	Dimensions (HxW)mm	1+	5+
LP0788787	E14 (SES)	87.5x45	£1.90	**£1.72**
LP0788887	E27	88.5x45	£1.90	**£1.72**
LP0788987	BC	87.5x45	£1.90	**£1.72**

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

LED Candle Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc..
- Long life of 30,000 hours
- Non-Dimmable • Beam Angle: 120°
- Dimensions (HxW): 145x37mm
- Voltage: 220 - 240Vac

SAVE OVER* 15%

709932

Technical Data

	3.5W	5W
Lumens Output	200 - 250lm	360 - 420lm

3.5W		Base	1+	5+
LP0783487	WW	B22	£1.98	**£1.82**
LP0783587	CW	B22	£1.98	**£1.82**
LP0783687	WW	E27	£1.98	**£1.82**
LP0783787	CW	E27	£1.98	**£1.82**
LP0783887	WW	E14	£1.98	**£1.82**
LP0783987	CW	E14	£1.98	**£1.82**
LP0784087	WW	B15	£1.98	**£1.82**
LP0784187	CW	B15	£1.98	**£1.82**
5W				
LP0784287	WW	B22	£2.35	**£2.15**
LP0784487	WW	E27	£2.35	**£2.15**
LP0784587	CW	E27	£2.35	**£2.15**
LP0784687	WW	E14	£2.35	**£2.15**
LP0784787	CW	E14	£2.35	**£2.15**
LP0784887	WW	B15	£2.35	**£2.15**
LP0784987	CW	B15	£2.35	**£2.15**

LED G45 Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc.
- Long life of 30,000 hours
- Non-Dimmable
- Colour Temperature: Warm White 3000k
- Beam Angle: 180°
- Voltage: 220 - 240Vac
- Dimensions (HxW): 76x45mm

SAVE OVER* 15%

Technical Data

	3.5W	5W
Lumens Output	260 - 290lm	380 - 420lm

709931

3.5W	Base	1+	5+
LP0787087	E27	£2.10	**£1.86**
LP0787187	E14	£2.10	**£1.86**
LP0787287	B22	£2.10	**£1.86**
5W			
LP0787387	E27	£2.20	**£1.99**
LP0787487	E14	£2.20	**£1.99**
LP0787587	B22	£2.20	**£1.99**

Trade prices on over 100,000 stocked products

5.2W LED Dimmable Candle Lamp - Frosted



- 80% Energy saving compared to conventional lamp
- Warm White light
- E14 base
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W)	25W
CCT (k)	2700K
Luminous Flux	300lm
Dimensions (LxØ)	110x38mm
Voltage	220-240Vac

1+ **£2.40** 5+ **£1.90**

order code LP0824787

710488

LED GLS Lamps



- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc..
- Long life of 30,000 hours
- Non-Dimmable
- Beam Angle: 120°
- Voltage: 220 - 240Vac

SAVE OVER* 25%

Technical Data

	3.5W	5W	10W	12W
Lumens Output	250-300lm	360-420lm	760-800lm	950-1050lm
Dims (HxW) mm	110x60			128x70

709935

3.5W			1+	5+
LP0785087	WW	B22	£2.05	**£1.78**
LP0785187	WW	E27	£2.05	**£1.78**
LP0785287	WW	E14	£2.05	**£1.78**
LP0785387	CW	B22	£2.05	**£1.78**
LP0785487	CW	E27	£2.05	**£1.78**
LP0785587	CW	E14	£2.05	**£1.78**
5W				
LP0785687	WW	B22	£2.15	**£1.98**
LP0785787	WW	E27	£2.15	**£1.98**
LP0785887	WW	E14	£2.15	**£1.98**
LP0785987	CW	B22	£2.15	**£1.98**
LP0786087	CW	E27	£2.15	**£1.98**
LP0786187	CW	E14	£2.15	**£1.98**
10W				
LP0786287	WW	B22	£3.25	**£2.90**
LP0786387	WW	E27	£3.25	**£2.90**
LP0786487	CW	B22	£3.25	**£2.90**
LP0786587	CW	E27	£3.25	**£2.90**
12W				
LP0786687	WW	B22	£3.90	**£3.70**
LP0786787	WW	E27	£3.90	**£3.70**
LP0786887	CW	B22	£3.90	**£3.70**
LP0786987	CW	E27	£3.90	**£3.70**

7W LED GLS Lamps



SAVE OVER* 20%

- Replacement for compact fluorescent lamp and incandescent lamp
- Energy efficiency Class A+
- Long life of 30,000h
- Available in E27 or BC base

Technical Data

GLS Equivalent	40W
Luminous Flux	470lm
CCT (K)	3000K
Beam Angle	170°
Dimensions (LxW)	107.3x60mm
Voltage	220-240V

709842

		1+	5+
LP0788587	E27	£2.50	**£2.12**
LP0788687	BC	£2.50	**£2.12**

11.3W LED Dimmable GLS Lamp



- Energy saving of 80% compared with conventional lamp
- Warm White light
- E27 base
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W)	60W
CCT (k)	2700K
Luminous Flux	810lm
Dimensions (LxØ)	117x60mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

1+ **£3.40** 5+ **£2.50**

order code LP0824987

710493

6.7W GU10 PAR16 LED Dimmable Lamp



- Energy saving of 80% compared with halogen lamp
- Warm White light
- GU10 Base
- 25° Beam angle
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

SAVE OVER* 10%

Technical Data

Equivalent (W)	35W
Dimensions (LxØ)	61x50mm
Voltage	220-240Vac
Temperature Range	-20 to 40°C

1+ **£3.65** 5+ **£3.20**

order code LP0825987

710340

5W MR16 LED Lamps



- Energy saving of 80% compared with conventional lamp
- Warm White light
- GU5.3 base
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

SAVE OVER* 30%

Technical Data

Equivalent (W)	30W
Dimensions (LxØ)	51x50mm
Voltage	12V
Temperature Range	-20 to 40°C

710339

3000K	Lumens	Beam Angle	1+	5+
LP0825287	320	25°	£3.10	**£2.72**
LP0825387	320	40°	£2.50	**£1.98**
2700K				
LP0825787	310	25°	£3.10	**£2.72**
LP0825887	310	40°	£3.10	**£2.72**

2.5W MR16 LED Reflector Lamps



SAVE OVER* 35%

- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

Technical Data

	WW	CW	White
GLS Equivalent	20W	20W	20W
Luminous Flux	200lm	240lm	200lm
CCT (K)	3000K	6500K	4000K
Dims (HxW) mm	50x50	50x50	50x50
Voltage (AC/DC)			

709849

		1+	5+
LP0790487	Warm White	£1.50	**£1.24**
LP0790687	Cool White	£1.50	**£1.24**
LP0790587	White	£1.50	**£1.24**

5W MR16 LED Lamps



SAVE OVER* 35%

- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

Technical Data

	WW	CW	White
GLS Equivalent	35W	35W	35W
Luminous Flux	300lm	320lm	300lm
CCT (K)	3000K	6500K	4000K
Dims (HxW) mm	50x49.5	50x49.5	50x49.5
Voltage (AC/DC)			

709850

		1+	5+
LP0790787	Warm White	£1.69	**£1.54**
LP0790987	Cool White	£1.69	**£1.54**
LP0790887	White	£1.69	**£1.54**

Like us on Facebook
For the latest news
facebook.com/cpc.co.uk

All prices exclude VAT

3.5W MR16 LED Lamps



- Replacement for halogen lamps
- Energy efficiency Class A+
- Long life of 30,000h

SAVE OVER* 30%

Technical Data

	Warm White	Cool White	White
GLS Equivalent	25W	25W	25W
Luminous Flux	180lm	200lm	180lm
CCT (K)	3000K	6500K	4000K
Beam Angle	90°	90°	90°
Dimensions (HxW)	54.2x50 mm	54.2x50 mm	54.2x50 mm
Voltage (AC/DC)			

709845

		1+	5+
LP0789287	Warm White	£1.68	**£1.54**
LP0789387	Cool White	£1.68	**£1.54**
LP0789487	White	£1.68	**£1.54**

7W Dimmable MR16 LED Lamps



SAVE OVER* 25%

- Energy saving of 80% compared with conventional lamp
- GU5.3 Base • Long life of 25,000h
- Instant start • No UV or IR output
- Mercury & lead free

710342

Technical Data

Equivalent (W)	35W
Dimensions (LxØ)	55x50mm
Voltage	12V
Temperature Range	-20 to 40°C

Natural White (4000K)	Lumens		1+	5+
LP0825087	390	25°	£3.10	**£2.72**
LP0826287	390	40°	£3.10	**£2.72**
Warm White (3000K)				
LP0826687	370	40°	£3.10	**£2.72**
LP0826887	350	40°	£3.10	**£2.72**

For more information visit cpc.co.uk

MR16 LED Lamps



SAVE OVER* 40%

- Ideal replacement for halogen
- Suitable for living rooms, bedrooms, kitchens, conference rooms, universities, hotels etc..
- Non-Dimmable
- Beam Angle: 120°
- Dimensions (WxH): 50x50mm
- Voltage: 12-17V dc
- Available in 4W (Warm White, Daylight & Cool White) or 5W (Warm White, Daylight & Cool White)
- Lumens Output: 4W: 300-340lm; 5W: 360-420lm

709922

4W		1+	5+
LP0781987	WW	£1.79	**£1.63**
LP0782087	DL	£1.79	**£1.63**
LP0782187	CW	£1.79	**£1.63**
5W			
LP0782287	WW	£2.15	**£1.92**
LP0782387	DL	£2.15	**£1.92**
LP0782487	CW	£2.15	**£1.92**

Halogen Golf Ball Lamps



SAVE OVER* 20%

Technical Data

	18W	28W	42W
Equivalent Wattage	25W	37W	50W
Lamp Voltage	220-240V	220-240V	220-240V
Lamp Current	78mA	122mA	182mA
Lamp Luminous Flux	220lm	370lm	630ml

693013

18W		Lxmm	1+	5+
LP0714987	E14	78x45	£0.68	**£0.60**
28W				
LP0715187	B15	78x45	£0.68	**£0.60**
LP0715287	B22	72x45	£0.68	**£0.60**
LP0715387	E14	78x45	£0.68	**£0.60**
LP0715487	E27	78x45	£0.68	**£0.60**
42W				
LP0715587	B15	78x45	£0.68	**£0.60**
LP0715687	B22	72x45	£0.68	**£0.60**
LP0715787	E14	78x45	£0.68	**£0.60**
LP0715887	E27	72x45	£0.68	**£0.60**

Halogen Energy Saving Golf Ball



SAVE OVER* 20%

669457

B22 Cap			1+	5+
LP0425687	18W		£0.81	**£0.72**
LP0426087	28W		£0.81	**£0.72**
B15 Cap				
LP0426187	28W		£0.81	**£0.72**
LP0426487	42W		£0.81	**£0.72**
E27 Cap				
LP0425887	18W		£0.81	**£0.72**
LP0426287	28W		£0.81	**£0.72**
LP0426587	42W		£0.81	**£0.72**
E14 Cap				
LP0425987	18W		£0.81	**£0.72**
LP0426387	28W		£0.81	**£0.72**
LP0426687	42W		£0.81	**£0.72**

Halogen Saver GLS Lamps



- Lamp Voltage: 220-240V

SAVE OVER* 15%

Technical Data

	28W	42W	70W
Equivalent Wattage	40W	50W	100W
Lamp Current	125mA	182mA	315mA
Lamp Luminous Flux	320lm	630lm	1100lm
Dims (LxØ) mm	96x-888	95x-888	96x-888

693012

28W	Lamp Cap	1+	5+
LP0712687	B22	£0.71	**£0.63**
42W			
LP0712887	B22	£0.71	**£0.63**
LP0712987	E27	£0.71	**£0.63**
70W			
LP0713087	B22	£0.71	**£0.63**
LP0713187	E27	£0.71	**£0.63**

Halogen Classic Shape Lamps



- Lamp Voltage: 220-240V

SAVE OVER* 15%

Technical Data

	18W	28W	42W
Equivalent Wattage	25W	37W	50W
Lamp Current	78mA	122mA	182mA
Lamp Luminous Flux	220lm	370ml	630ml

690172

18W		(Lx)mm	1+	5+
LP0713287	B22	95x35	£0.74	**£0.61**
LP0713387	E14	95x35	£0.74	**£0.61**
28W				
LP0713487	B15	95x35	£0.74	**£0.61**
LP0713587	B22	95x35	£0.74	**£0.61**
LP0713687	E14	95x35	£0.74	**£0.61**
LP0713787	E27	95x35	£0.74	**£0.61**
42W				
LP0713887	B22	90x35	£0.74	**£0.61**
LP0713987	E14	95x35	£0.74	**£0.61**
LP0714087	E27	90x35	£0.74	**£0.61**

GU10 PAR16 Halogen Lamps



Technical Data

	25W	28W	42W
Lamp Voltage		220-240V	
Lamp Current	109mA	122mA	183mA
Lamp Luminous Flux	150lm	260lm	370lm
Dimensions		53x50mm	

693021

		1+	5+
LP0715987	20W	£0.52	**£0.44**
LP0716087	35W	£0.52	**£0.44**
LP0716187	50W	£0.52	**£0.44**

GU10 Halogen Lamp



- 2,000 Hours average life
- Aluminium coated reflector
- Beam Angle: 40° (Flood)
- Dimensions (LxDia): 50x50mm
- Voltage: 230V

SAVE OVER* 50%

1+ 50p | 5+ 46p

order code LP0569287 681018

12V G5.3 Halogen Reflector Lamp



- Fused to prevent the lamps from explosion
- Dimmable
- Voltage: 12V
- Beam Angle: 36°
- Available in dichroic or aluminium reflectors

SAVE OVER* 20%

693016

20W		1+	5+
LP0716387	Dichroic	£0.35	**£0.30**
35W			
LP0716487	Aluminium	£0.35	**£0.30**
LP0716587	Dichroic	£0.35	**£0.30**
50W			
LP0716687	Aluminium	£0.35	**£0.30**
LP0716787	Dichroic	£0.35	**£0.30**

4W, GU10, PAR16 SMD LED Lamps



Technical Data

Equivalent (W)	32W
CCT (k)	6500K
Luminous Flux	270lm
Dimensions (Lx)	53x50mm
Beam Angle (°)	80°

689951

		1+	5+
LP0691987	Warm White	£3.30	**£2.60**
LP0692187	Daylight	£3.30	**£2.60**

G4 Halogen Capsule Lamps



- Dimmable
- Bulb Type: Clear

SAVE OVER* 20%

Technical Data

	10W	20W
Lamp Voltage	12-12V	12-12V
Lamp Luminous Flux	140ml	320lm

693029

		1+	5+
LP0717487	10W	£0.20	**£0.15**
LP0717587	20W	£0.20	**£0.15**

Halogen Energy Saving Reflectors



- Energy saving of up to 30%
- Double the life time of incandescents
- 100% Dimmable
- No flickering
- Immediate start of light
- No hazardous waste
- Excellent colour rendering
- Dimensionally identical to incandescent equivalents
- 30° Beam angle
- 2800K Colour

SAVE OVER* 25%

657690

R50 SES (E14)		1+	5+
LP0429187	28W	£1.02	**£0.93**
R63 ES (E27) Diffused			
LP0429387	42W	£1.08	**£0.99**
R80 ES (E27)			
LP0429487	42W	£1.23	**£1.11**
LP0429587	70W	£1.23	**£1.11**

Rough Service

GE Lighting



- Can be used on or around machinery where vibration occurs
- 1500 Hour average life

SAVE OVER* 35%

497814

40W		1+	5+
LP0227287	BC 200/250V	£0.98	**£0.86**
LP0227787	ES 200/250V	£0.98	**£0.86**
60W			
LP0227487	BC 200/250V	£0.98	**£0.86**
100W			
LP0227587	BC 110/120V	£0.98	**£0.86**
LP0228087	ES 110/120V	£0.98	**£0.86**
LP0228187	ES 200/250V	£0.98	**£0.86**

R7s Eco Halogen Lamps



- Dimmable
- Constructed from glass
- Clear
- 2000 Hours average life
- Voltage: 240V
- Colour Temperature: 2900K

SAVE OVER* 35%

Technical Data

Wattage	80W	120W	120W	230W	400W
Lumen output (lm)	1300	2250	2250	4650	8600
Lumens per Watt (lm)	16	19	19	20	22
Dims (LxØ) mm	78x10	78x10	117x10	117x10	117x10
Weight (kg)		0.05	0.09	0.09	0.09

697980

		1+	5+
LP0723487	80W	£0.44	**£0.35**
LP0723587	120W (78x10mm)	£0.44	**£0.35**
LP0723687	120W (117x10mm)	£0.44	**£0.35**
LP0723787	230W	£0.44	**£0.35**
LP0723887	400W	£0.44	**£0.35**

DD Compact Fluorescent Lamps



SAVE OVER* 20%

- Save energy up to 80% comparing with incandescent lamps
- Long Life of 12000h, 12 times longer than incandescent lamp
- Amalgam technology to achieve premium performance and minimum Hg content (2mg)
- High efficient tri-phosphor coating with excellent colour rendering
- Energy Class: B
- Ambient Temperature: 0 to 40°C
- Available in 2 (GR8) or 4 (GR10q) pin bases

Technical Data

	Luminous Flux	Dims (LxWxØ)
16W Lamps	1050lm	140x138x13mm
21W Lamps	1350lm	140x138x13mm
28W Lamps	2050lm	200x198x18mm
38W Lamps	2850lm	200x198x18mm
55W Lamps	3900lm	200x198x18mm

707790

16W	No of Pins	CCT (k)	1+	5+
LP0683087	2	2700K	£1.06	**£0.95**
LP0683187	2	3500K	£1.06	**£0.95**
LP0683287	2	4000K	£1.06	**£0.95**
LP0683387	2	6500K	£1.06	**£0.95**
LP0683487	4	2700K	£1.24	**£1.10**
21W				
LP0683887	4	3500K	£1.24	**£1.10**
28W				
LP0684087	2	2700K	£1.55	**£1.35**
LP0684187	2	3500K	£1.55	**£1.35**
LP0684387	4	2700K	£1.55	**£1.35**
LP0684487	4	3500K	£1.55	**£1.35**
LP0684587	4	4000K	£1.55	**£1.35**
LP0684687	4	6500K	£1.55	**£1.35**
38W				
LP0684787	4	2700K	£1.75	**£1.54**
LP0684887	4	3500K	£1.75	**£1.54**
LP0684987	4	4000K	£1.75	**£1.54**
55W				
LP0685087	4	2700K	£1.90	**£1.68**
LP0685187	4	3500K	£1.90	**£1.68**
LP0685287	4	4000K	£1.90	**£1.68**

T5C Compact Fluorescent Lamps



- Save energy up to 80%
- Long Life of 12000h
- Colour temperature: 4000k
- Base: 4 pin (2GX13)

SAVE OVER* 25%

Technical Data

	22W	40W
Luminous Flux	1800lm	3300lm
Diameter	228mm	302mm
Energy Class	B	B
Power Voltage	220 - -888V	220 - -888V

693005

		1+	5+
LP0685387	22W	£1.64	**£1.44**
LP0685487	40W	£2.04	**£1.85**

Sales Counter
Open 7 days a week

Spiral Compact Fluorescent Lamps



- Save energy up to 80% compared with filament lamp
- High lumen output
- Long life of 8,000h
- Energy Class: A

SAVE OVER* 25%

Technical Data

	GLS Equiv	Dimensions (LxØ)
9W	43W	102x49mm
11W	52W	105x49mm
15W	66W	113x49mm
18W	100W	113x49mm
20W	83W	123x49mm
24W	100W	141x49mm

689919

9W		CCT (k)	1+	5+
LP0673187	B22	WW	£1.53	**£1.39**
LP0673287	E27	WW	£1.53	**£1.39**
11W				
LP0673387	B22	WW	£1.53	**£1.39**
LP0673487	B22	CW	£1.53	**£1.39**
LP0673687	E27	WW	£1.53	**£1.39**
LP0673787	E27	CW	£1.53	**£1.39**
LP0673887	E27	DL	£1.53	**£1.39**
15W				
LP0673987	B22	WW	£1.53	**£1.39**
LP0674087	B22	CW	£1.53	**£1.39**
LP0674187	B22	DL	£1.53	**£1.39**
LP0674287	E27	WW	£1.53	**£1.39**
LP0674387	E27	CW	£1.53	**£1.39**
LP0674487	E27	DL	£1.53	**£1.39**
18W				
LP0674587	B22	WW	£1.53	**£1.39**
LP0674687	B22	CW	£1.53	**£1.39**
LP0674787	B22	DL	£1.53	**£1.29**
LP0674887	E27	WW	£1.53	**£1.39**
LP0674987	E27	CW	£1.53	**£1.39**
LP0675087	E27	DL	£1.53	**£1.39**
20W				
LP0675187	B22	WW	£1.53	**£1.39**
LP0675287	B22	CW	£1.53	**£1.39**
LP0675387	B22	DL	£1.53	**£1.39**
LP0675487	E27	WW	£1.53	**£1.39**
LP0675587	E27	CW	£1.53	**£1.39**
LP0675687	E27	DL	£1.53	**£1.39**
24W				
LP0675787	B22	WW	£2.04	**£1.90**
LP0675887	B22	CW	£2.04	**£1.90**
LP0675987	B22	DL	£2.04	**£1.90**
LP0676087	E27	WW	£2.04	**£1.90**
LP0676187	E27	CW	£2.04	**£1.90**
LP0676287	E27	DL	£2.04	**£1.90**

G9 Halogen Saver Capsule Lamps



- Dimmable
- Bulb Type: Clear

SAVE OVER* 15%

Technical Data

	28W	42W
Equivalent (W)	40W	60W
Lamp Voltage	220-240V	220-240V
Lamp Current	122mA	183mA
Lamp Luminous Flux	400lm	750lm

695862

		1+	5+
LP0717087	24W	£0.38	**£0.33**
LP0717287	28W	£0.38	**£0.33**
LP0717387	42W	£0.38	**£0.33**

Spiral Compact Fluorescent Lamps



- Not dimmable
- Save energy up to 80% compared with filament lamp
- High lumen output
- Long life of 10,000h
- Energy Class: A

SAVE OVER* 20%

Technical Data

	7W	9W	11W
Dims (LxØ)	98x39 mm	104x39 mm	108x39 mm
GLS Equiv	34W	43W	51W

689918

7W	Cap		1+	5+
LP0670187	B15	2700K WW	£1.53	**£1.29**
LP0670287	B22	2700K WW	£1.53	**£1.29**
LP0670387	B22	4000K CW	£1.53	**£1.29**
LP0670487	B22	6500K DL	£1.53	**£1.29**
LP0670587	E14	2700K WW	£1.53	**£1.29**
LP0670687	E14	4000K CW	£1.53	**£1.29**
LP0670787	E14	6500K DL	£1.53	**£1.29**
LP0670887	E27	2700K WW	£1.53	**£1.29**
LP0670987	E27	4000K CW	£1.53	**£1.29**
LP0671087	E27	6500K DL	£1.53	**£1.29**
9W				
LP0671187	B15	2700K WW	£1.53	**£1.29**
LP0671387	B22	4000K CW	£1.53	**£1.29**
LP0671487	B22	6500K DL	£1.53	**£1.29**
LP0671587	E14	2700K WW	£1.53	**£1.29**
LP0671787	E14	6500K DL	£1.53	**£1.29**
LP0671887	E27	2700K WW	£1.53	**£1.29**
LP0671987	E27	4000K CW	£1.53	**£1.29**
LP0672087	E27	6500K DL	£1.53	**£1.29**
11W				
LP0672287	B22	2700K WW	£1.53	**£1.29**
LP0672387	B22	4000K CW	£1.53	**£1.29**
LP0672487	B22	6500K CW	£1.75	**£1.50**
LP0672587	E14	2700K WW	£1.53	**£1.29**
LP0672687	E14	4000K CW	£1.53	**£1.29**
LP0672787	E14	6500K DL	£1.53	**£1.29**
LP0672887	E27	2700K WW	£1.53	**£1.29**
LP0672987	E27	4000K WW	£1.53	**£1.29**
LP0673087	E27	6500K DL	£1.53	**£1.29**

T8 LED Tube Lamps

PRO-ELEC

- Direct replacement of fluorescent T8 tube
- Designed for safety with live and neutral placed at the same end
- Easy installation
- Long Life of 30000h, 3 times longer than fluorescent T8 lamp
- Beam Angle: 120°
- Operating temperature: -20°C to 50°C

SAVE OVER* 15%

Technical Data

	10W	15W	18W	21W
Length (mm)	600	900	1200	1500
Lumen Output (Warm White)	880-920lm	1100-1200lm	n/a	n/a
Lumen Output (Daylight)	900-950lm	1200-1300lm	n/a	n/a
Lumen Output (Cool White)	n/a	n/a	1800-2000lm	n/a

709939

10W		1+	5+
LP0787687	Warm White	£7.58	**£7.10**
LP0787787	Daylight White	£7.58	**£7.10**
15W			
LP0787887	Warm White	£8.40	**£8.10**
LP0787987	Daylight White	£8.40	**£8.10**
18W			
LP0788087	Cool White	£10.90	**£10.10**
21W			
LP0788187	Cool White	£14.60	**£13.45**

All prices exclude VAT

5.2W LED Dimmable Candle Lamp



- 80% Energy saving compared to conventional lamp
- Warm White light
- E14 base
- Dimmable
- Long life of 25,000h
- Instant start
- No UV or IR output
- Mercury & lead free

Technical Data

Equivalent (W)	25W
CCT (k)	2700K
Luminous Flux	300lm
Dimensions (LxØ)	110x38mm
Voltage	220-240Vac

SAVE OVER* 25%

1+ £2.40 | 5+ £1.90

order code LP0824787 710488

Compact Fluorescent Candle Lamps



- Energy saving of up to 80% compared with incandescent lamps
- 8,000 Hour average lifetime
- Colour temperature: 2700K
- Dimensions 5W & 7W (LxW): 105x37mm
- Dimensions 9W & 11W (LxW): 115x37mm

711659

	Power	Fitting	1+	5+
LP0679987	5W	B22	£1.90	**£1.75**
LP0680087	5W	E14	£1.90	**£1.75**
LP0680187	5W	E27	£1.90	**£1.75**
LP0680287	7W	B15	£1.90	**£1.75**
LP0680387	7W	B22	£1.90	**£1.75**
LP0680487	7W	E14	£1.90	**£1.75**
LP0680587	7W	E27	£1.90	**£1.75**
LP0680687	9W	B15	£1.90	**£1.75**
LP0680787	9W	B22	£1.90	**£1.75**
LP0680887	9W	E14	£1.90	**£1.75**
LP0680987	9W	E27	£1.90	**£1.75**
LP0681087	11W	B15	£1.90	**£1.75**
LP0681187	11W	B22	£1.90	**£1.75**
LP0681287	11W	E14	£1.90	**£1.75**
LP0681387	11W	E27	£1.90	**£1.75**

BS Approved Fluorescent Starters

SAVE OVER* 20%



637365

			1+	10+
LA0233087	FSU	4-80	£0.24	**£0.20**
LA0233187	FS2	4-22	£0.46	**£0.41**
LA0233287	FS125	100-125	£0.77	**£0.73**

GU10 Compact Fluorescent Lamp

SAVE OVER* 15%



1+ £1.64 | 5+ £1.44

order code LP0739987 700046

Flexi Desk Lamp



- Flexible arm for easy adjustment
- Base mounted on/off switch
- 40W E14 Lamp holder (lamp not included)
- Dimensions (height x base) 380x145mm
- Lead length: 1.5m

SAVE OVER* 30%

1+ £4.49 | 3+ £4.15

order code LP0791487 711297

			1+	3+
LP0714987	18W, E14 Halogen Lamp		£0.68	**£0.60**

60W Heavy Duty Rubber Inspection Lamps

SAVE OVER* 35%



Technical Data

Voltage	240V ac or 110V ac
Lamp Type	60W BC
IP Rating	-
Dimensions (LxDia)	290x123mm
Weight	1.04kg

530822

Inspection Lamps	Type	1+	5+
LA0085387	240V ac (BC)	£7.50	**£6.20**
LA0085487	110V ac (ES)	£8.95	**£7.70**

Spare Rough Service Lamps			1+	5+
LP0227287	40W	BC	£0.98	**£0.86**
LP0227787	40W	ES	£0.98	**£0.86**
LP0227387	60W	BC	£0.98	**£0.86**
LP0227487	60W	BC	£0.98	**£0.86**
LP0227887	60W	ES	£0.98	**£0.86**
LP0227987	60W	ES	£0.98	**£0.86**
LP0228087	100W	ES	£0.98	**£0.86**
LP0228187	100W	ES	£0.98	**£0.86**

T5 Electronic Ballasts



- Energy efficient design
- Long life of 30,000 hours
- High PFC, Low THD
- Abnormal Protection
- Temperature: -10°C to 50°C
- Input Voltage: 220 - 240Vac
- Dimensions (LxWxH): 360x30x22mm

14W
- Lamp configuration: 4x 14W

54W
- Lamp configuration: 2x 54W

SAVE OVER* 10%

709873

			1+	5+
LA0518387	14W		£4.97	**£4.62**
LA0518487	54W		£5.28	**£4.98**

T8 Electronic Ballasts



- Lamp configuration: 2 lamps in parallel
- Energy efficient design
- Long life of 30,000 hours
- High PFC, Low THD
- Abnormal Protection
- Temperature: -10°C to 50°C
- Input Voltage: 220 - 240Vac

SAVE OVER* 15%

Technical Data

	36W	58W
Dimensions (LxWxD)mm	238x36x29	360x30x22

709872

		1+	5+
LA0518187	36W	£3.94	**£3.68**
LA0518287	58W	£5.55	**£5.17**

Firelamps

Rough service construction.



SAVE OVER* 35%

Technical Data

Voltage	200/250V
Average Rated Life	2,000 hours
Finish	Fireflame
Fitting	BC (B22)
Dimensions (LxDia.)	103x60mm

530813

		1+	5+
LP0164487	40W	£0.68	**£0.58**
LP0164587	60W	£0.68	**£0.58**

Harlequin Lamps



SAVE OVER* 20%

Technical Data

Voltage	200/250V
Power	25W
Dimensions (LxDia.)	103x60mm BC (B22) 105x60mm ES (E27)

530814

	Colour	Fitting	1+	5+
LP0163387	Amber	BC (B22)	£0.98	**£0.86**
LP0163487	Blue	BC (B22)	£0.98	**£0.86**
LP0163587	Green	BC (B22)	£0.98	**£0.86**
LP0163687	Red	BC (B22)	£0.98	**£0.86**
LP0163787	Yellow	BC (B22)	£0.98	**£0.86**
LP0163887	Amber	ES (E27)	£0.98	**£0.86**
LP0163987	Blue	ES (E27)	£0.98	**£0.86**
LP0164087	Green	ES (E27)	£0.98	**£0.86**
LP0164187	Red	ES (E27)	£0.98	**£0.86**
LP0164287	Yellow	ES (E27)	£0.98	**£0.86**

Halogen Bulb Remover



SAVE OVER* 10%

1+ £2.83 | 5+ £2.40

order code LP0325187 636035

12V Dimmable Lighting Transformer



SAVE OVER* 25%

- ITS/EMC approved, SELV tested
- Short circuit, overload and surge protected
- Thermal cut-off
- RFI suppression in accordance with EN55015
- Ambient temp (max): 50°C
- Case temp (max): 85°C
- Dimensions (LxWxH): 120x30x22mm

Technical Data

Input Voltage	230-240V 50Hz
Input Current	0.27A 60W
Rated Power	60VA 20-60W
Output Voltage	11.6V-eff
Power Factor	0.99

1+ £2.10 | 5+ £1.82

order code LA0308187 628148

GU10 Lampholder



SAVE OVER* 25%

- 190mm of cable supplied
- Dimensions (HxW): 23x32mm

1+ 77p | 5+ 68p

order code LA0452587 676481

GU5.3 Lampholder



SAVE OVER* 20%

- 150mm of cable supplied
- Dimensions (HxW): 10x17mm

1+ 77p | 5+ 68p

order code LA0452687 676482

E27 (ES) and E14 (SES) Ceramic Lampholders

SAVE OVER* 30%



Technical Data

Fitting	Dimensions (HxW)	Hole Size for Mounting Screws
E27 (ES)	44x43mm	5.2x4.2mm
E14 (SES)	44x30mm	3.6mm

639167

		1+	5+
LP0083787	E27 (ES)	£0.99	**£0.89**
LP0083887	E14 (SES)	£2.35	**£1.98**

Constant Current LED Drivers



SAVE OVER* 15%

- Constant current driver
- Terminal block connections
- Short circuit and overload protection
- IP rating: IP20
- Input voltage: 100 - 240Vac, 50/60Hz
- Ambient Temperature: -10°C to 50°C

Technical Data

	7W	12W	22W	30W
Output Voltage	15-24V	24-40V	15-35V	21-43V
Output Current	350mA	350mA	700mA	700mA
Dimensions (LxWxH)mm	88x39 x23	115x45 x28	115x45 x28	140x45 x30

709901

		1+	5+
LA0517587	7W	£1.98	**£1.70**
LA0517687	12W	£3.20	**£2.90**
LA0517787	22W	£4.50	**£4.32**
LA0517887	30W	£5.40	**£4.45**

Fluorescent Electronic Ballasts



SAVE OVER* 20%

- Lamp configuration: 2 lamps in parallel
- Energy efficient design
- Long life of 30,000 hours
- High PFC, Low THD
- Abnormal Protection
- Temperature: -10°C to 50°C
- Input Voltage: 220 - 240Vac
- Dimensions (LxWxH): 123x67x30mm

709871

		1+	5+
LA0517987	18W	£3.10	**£2.95**
LA0518087	26W	£3.42	**£3.10**

IP65 LED Floodlight 70W



SAVE OVER* 20%

- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 70W Power gives 5600 lumen output
- Daylight (6400K)
- Dimensions (HxWxD): 405x328x120mm

1+ £95.22 | 5+ **£90.54**

order code LA0448887 675446

IP65 LED Floodlights

SAVE OVER* 20%



These floodlights must be installed by a qualified electrician in accordance with current building and IET wiring regulations

- Suitable for walls, driveways, buildings, security lighting, porch lighting, workshop lighting and area flood lighting
- CCT: Cool White, 6500K
- High efficiency long life span and stable performance
- Life time: 30,000 hours
- Silver Aluminium casing
- IP rating: IP65
- Operating Temperature: -20°C to 50°C
- Beam Angle: 120°
- Power Cord: 0.3m x 0.75mm²
- Input voltage: 220 - 240Vac

Technical Data

Power	Lumen Output	(WxHxD)mm
10W	700 to 800lm	114x86x75
20W	1300 to 1500lm	180x140x98
30W	1800 to 2000lm	223x185x113
50W	2700 to 3000lm	286x237x155

709918

		1+	3+
LP0781087	10W	£7.49	**£6.80**
LP0781187	20W	£12.90	**£12.10**
LP0781287	30W	£17.50	**£16.90**
LP0781387	50W	£26.00	**£23.70**

LED Floodlights

Models: V-FL Series



A range of IP65 rated floodlights, with COB LED, aluminium die-cast alloy body and toughened glass.

- 45x45mm Single COB (chip-on-board) panel
- Fitted with toughened silicon sealed glass
- Powder coated paint finish to prevent corrosion
- Stainless steel external bolts and screws
- 80% energy saving when compared with halogen floodlights
- 50,000 hours life, so low maintenance unlike halogen bulbs
- Rated at 85V-265V 50/60Hz
- Supplied with 1m rubber connecting cable

SAVE OVER* 10%

Technical Data

Colour Temp.	Lumen Output	Power Rating	Dimensions (WxHxD) mm
6000K	900lm	10W	115x86x81
6000K	1800lm	20W	180x140x105
6000K	2700lm	30W	225x185x120

707789

		1+	5+
LA0508187	10W	£9.60	**£8.50**
LA0508287	20W	£16.40	**£14.20**
LA0508387	30W	£26.10	**£24.05**

IP65 LED Floodlight 100W



- 1m of cable supplied
- Hexagonal key and stainless steel screws included
- 100W power gives 9000 lumen output
- Weight: 4.75kg
- Daylight (6000K)
- 85-265V ac
- Dimensions (HxWxD): 360x290 x100mm

SAVE OVER* 15%

1+ £163.77 | 5+ **£158.72**

order code LA0448987 675389

120W PIR Floodlights - IP44



SAVE OVER* 25%

- Fitted with an energy saving C class halogen lamp
- Vertical and horizontally adjustable PIR head
- Adjustable lux level
- Time on adjustable 5 sec - 8 min
- 12 Metre detection range
- 180° Detection zone
- Dimensions (HxWxD): 190x135x130mm

703385

		1+	5+
SR0860487	Black	£8.95	**£8.25**
SR0860587	White	£8.95	**£8.25**

400W PIR Floodlights - IP44



SAVE OVER* 25%

- Fitted with an energy saving C class halogen lamp
- Vertical and horizontally adjustable PIR head
- Adjustable lux level
- Time on adjustable 5 sec-8 min
- 12 Metre detection range
- 180° Detection zone
- Dimensions (HxWxD): 245x185x135mm

701445

		1+	3+
SR0860687	Black	£9.95	**£9.24**
SR0860787	White	£9.95	**£9.24**

Rechargeable LED Floodlights with Stand

Model: LEDRCF10 / LEDRCF20



- Floodlight contains built-in LED lamp (lamp cannot be changed)
- Full charge provides 4 hours illumination
- 2x Lighting levels available: Full power and energy saving
- 30,000 Hour rated life
- Floodlight tilts up and down on stand and has 360° rotation, allowing the light to be directed at different angles
- Insulated handle grip
- Safety glass cover
- IP65 rated
- Supplied with mains charger, car charger and rechargeable batteries

SAVE OVER* 15%

Technical Data

	LEDRCF10	LEDRCF20
Power Rating	10W	20W
Lumen Output	650lm	1200lm
Colour Temp.	6000k	6000k
Dimensions (WxHxD)	150x250x165 mm	215x280x185 mm

711460

			1+	5+
LA0518587	LEDRCF10	£20.55	**£18.90**
LA0564187	LEDRCF20	£37.50	**£35.40**

25W LED Floodlight with PIR



- Bright Lumen output
- Dusk to dawn - can identify day and night
- Adjustable time delay
- Energy savings of 85% and low maintenance costs
- 180° Detection angle
- 12m Detection range
- Black steel and PC case
- Power: 25W
- LED colour: 4,000-4,500K
- LED luminous flux: 1,700lm
- Input Voltage: 220240V AC

1+ £44.90 | 5+ **£42.50**

order code SR0923087 710886

Order online at cpc.co.uk

LED PIR Floodlights



- LED floodlights with PIR sensor
- 12m Detection distance
- 120° Beam angle
- Black, die-cast aluminium
- 640-2,700 Lumens
- Lifetime: >30,000 hours
- Rated at 10W, 20W 30W or 50W

			1+	5+
SR0906587	10W	640lm	£16.30	**£14.86**
SR0906687	20W	1300lm	£23.80	**£22.10**
SR0906787	30W	1900lm	£33.98	**£31.60**
SR0906887	50W	2700lm	£43.91	**£39.60**

711296

LED Security Light



SAVE OVER* 40%

- Powerful 12W (250-300W halogen equivalent) versions
- Uses powerful, super-reliable Samsung 90 lumens/watt LEDs
- Fully adjustable PIR sensor for optimum detection
- Weather resistant (IP44)
- 120° Detection angle
- 5 Year manufacturers warranty

1+ £19.99 | 5+ **£18.45**

order code SR0833987 672630

All prices exclude VAT

3W LED Maintained Bulkhead Light

PRO-ELEC



SAVE OVER* 15%

- 50 Ultra bright White LEDs, 0.06W per LED
- Polycarbonate base
- 24 Hour recharging time
- Lumen Output: 130lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- IP rating: IP65
- 3.6V, 1.5Ah Nickel Cadmium battery
- Dimensions (LxWxD): 350x120x75mm

1+	3+
£10.75	£9.50

order code LA0518687 709906

Weatherproof Emergency Bulkhead



SAVE OVER* 10%

- Non-maintained or maintained bulkhead
- Compact and tough construction
- External and internal use
- Easy to install
- Self extinguishing fire properties
- Wall or ceiling mounted
- BESA fixing and rear cable entry
- 3 Way mains terminal block
- Screw down diffuser • IP65 rated
- Vandal resistant polycarbonate base and diffuser
- Hinged gear tray
- 6x 20mm knock outs for additional functions
- 8W T5 fluorescent lamp included
- Designed BS EN 60598-2-22
- Emergency lumens: 96 lumen
- Ballast lumen factor: 0.24
- Dimensions (HxWxD): 72x350x118mm
- Ideal for: Public buildings, car parks, industrial facilities, general lighting of stairwells, canopies or corridors etc.

Technical Data

Supply Voltage	230V
Lamp	8W
IP Rating	IP65
Dimensions (LxWxD)	350x118x118mm

1+	5+
£12.50	£10.25

order code LA0329387 704098

3W LED Bulkhead Emergency Lights

PRO-ELEC



SAVE OVER* 20%

- 50 Ultra bright White LEDs, 0.06W per LED
- Polycarbonate base
- 24 Hour recharging time
- Lumen Output: 130lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- IP rating: IP65
- 3.6V, 1.5Ah Nickel Cadmium battery
- Dimensions (LxWxD): 345x106x76mm
- Available in Maintained or Non-maintained

709907

		1+	5+
LA0518787	Maintained	£9.98	**£8.90**
LA0518887	Non-Maintained	£9.50	**£8.65**

Maintained Emergency LED Bulkhead - IP65

Eterna



SAVE OVER* 30%

- Hinged gear tray and push fit terminal block
- 20mm Gland entries as standard
- Minimum 3 hours in emergency mode
- Light output: 7W, 235lm (mains connection) and 150lm (battery connection)
- Remote Switching and Non-Maintained modes
- 35,000 Hours average life
- Self-adhesive legend set included with a combination of symbols: allowing multiple exit designation paths
- Dimensions (LxHxD):350x110x70mm

1+	5+
£11.50	£9.95

order code LA0450787 676351

IP65 Slimline LED Floodlights

PRO-ELEC

SAVE OVER* 25%



- Suitable for walls, driveways, buildings, security lighting, porch lighting, workshop lighting and area flood lighting
- CCT Cool White, 6500K
- High efficiency long life span and stable performance
- Life time: 30,000 hours
- Silver Aluminium casing
- IP rating: IP65
- Operating Temperature: -20°C to 50°C
- Beam Angle: 110°
- Power Cord: 1.5m x 0.75mm²
- Input voltage: 220 - 240Vac
- Dimensions (WxHxD): 174x140x65mm

Technical Data

Power	Lumen Output
10W	850 to 1000lm
20W	1800 to 2000lm
25W	2050 to 2250lm

709919

		1+	5+
LP0781687	10W	£12.75	**£11.29**
LP0781787	20W	£18.55	**£16.95**
LP0781887	25W	£22.35	**£19.92**

3W LED Maintained Emergency Exit Sign

PRO-ELEC



SAVE OVER* 20%

- 15 Ultra bright White LEDs, 0.9W per LED
- Wall or ceiling mountable
- 24 Hour recharging time
- Lumen Output: 20lm
- Over charge and over discharge protection
- Continuous illumination: > 3 Hours
- 3.6V, 900mAh Nickel Cadmium battery
- Voltage input: 220 - 240Vac
- Dimensions (LxWxD): 392x190x61mm
- Available in Single side maintained (SM), Single side non-maintained (SNM), Double side maintained (DSM) or Double side non-maintained (DSNM) 709908

		1+	5+
LA0518987	SM	£11.45	**£9.98**
LA0519087	SNM	£11.45	**£9.98**
LA0519187	DSM	£14.25	**£12.50**
LA0519287	DSNM	£13.20	**£11.50**

Emergency Twinspot





SAVE OVER* 15%

- Designed with high ceiling applications in mind
- Directional twin heads
- Ideal source of emergency lighting for warehouses and sports halls

Technical Data

Voltage	240V
Lamp	20W HA3 (x2)
Emergency Duration	3 Hours
Control Gear	Non-maintained
IP Rating	IP20
Battery	Sealed Lead Acid - 12V/7.0Ah (x2 in 3 HR model)
Dimensions (LxWxDia)	Head: 70x138x65mm Body: 232x312x73mm

1+	5+
£36.90	£34.75

order code LA0437987 668039

LED Emergency Downlight

Eterna



SAVE OVER* 25%

- Aluminium construction
- Pre-wired for easy installation
- 104 Lumens in emergency mode
- Minimum 3 hour functionality in emergency mode
- 1.5W Super bright white LED
- Dimensions (LxHxD):40x21x40mm

1+	5+
£21.36	£19.20

order code LA0450887 676352

Corner Mounting Lights - IP65

Eterna



SAVE OVER* 15%

- Requires 1x BC GLS lamp, 100W max. (not included)
- Supplied with corner mounting bracket
- Dimensions (HxD): 220x230mm

1+	5+
£19.80	£18.11

order code LA0272287 450931

PIR Lanterns

Eterna



SAVE OVER* 15%

- Fittings are rated at 60W max.
- Polycarbonate construction: corrosion resistant
- One piece lens: quick and easy assembly
- 12 Metre max detection range
- Time on 3 minutes +/- 20 sec
- 120° Detection zone
- Factory preset PIR - no override facility
- Requires 1x suitable ES energy saving lamp (not included) 680885

		1+	3+
SR0842787	Black	£16.65	**£15.72**
SR0842887	White	£16.65	**£15.72**

90° PIR Lantern - IP44

Eterna



SAVE OVER* 20%

- Polycarbonated plastic construction
- 10m Range with sensitivity adjustment control
- Time on adjustable 5 sec - 4min
- 60W Incandescent load capacity
- 90° Detection zone
- BS EN 60598, BS EN 61347
- Requires 1xES GLS lamp max. 60W (not included) 643540

		1+	3+
SR0721087	Black	£15.50	**£14.99**
SR0721187	White	£15.50	**£14.99**

110° & 180° PIRs - IP44

Eterna



SAVE OVER* 15%

- ABS casing
- Vertically and axially adjustable head
- Adjustable lux level • 12m Range
- Time on adjustable 5sec - 5min
- 1000W Incandescent, 300W fluorescent load capacity
- BS EN 60730-2-7
- Dimensions (HxWxD): 150x95x120mm

639745

			1+	3+
SR0700387	110°	Black	£9.93	**£8.57**
SR0700487	110°	White	£9.93	**£8.57**
SR0700787	180°	Black	£10.22	**£9.41**
SR0700887	180°	White	£10.22	**£9.41**

Polycarbonate Wall Lanterns - IP44

Eterna

- Requires 1x ES GLS lamp, 60W max. (not included)
- Dimensions (HxD): 393x230mm



651950

		1+	5+
LA0303087	Black	£9.98	**£8.16**
LA0303187	White	£9.98	**£8.16**

Outdoor Sensor Lights



- Outdoor light with latest infrared sensor technology
- 180° Angle for best detection up to 12m
- Recessed bulb socket for modern illuminants
- Sensor vertically adjustable

Note: Lamp not Included.

Technical Data

Angle of Coverage	180°
Detection Range	12m
IP Rating	IP44
Lamp Type	Edison Screw / E27
Time Setting	8 sec. - 35 min.
Output	60W
Voltage	240V
Dimensions (WxHxD)	215x307x228mm

710621

		1+	3+
SR0934287	Black	£22.90	**£22.45**
SR0934387	White	£22.90	**£22.45**

Stand Alone PIR 360°

SAVE OVER* 10%



- ABS casing
- Adjustable lux level
- 4.5m Radius range
- 360° Detection zone
- Time on adjustable 10sec - 4min
- Max. 1000W incandescent load capacity
- Max. 300W fluorescent load capacity
- BS EN 60730-2-7
- IP20 Rated
- Dimensions (HxWxD): 110x110x25mm

1+ £15.97 | 3+ **£14.40**

order code SR0700987 467610

External PIR Light Controller



SAVE OVER* 30%

An adjustable angle 180° motion sensor with the ability to switch lighting loads up to 1kW @ 240Vac. The unit utilises a passive infra red detector that senses body heat movement and can switch on the load accordingly, turning it off after an adjustable length of time. The units IP44 rating makes it suitable for outdoor use and as such is ideal for use with a security/courtesy light. An internal photocell switches the unit off during daylight to save energy and unwanted daytime usage. Supplied with installation instructions and fixing screws. TUV approved.

Technical Data

Voltage Rating	240Vac
Power Rating	1100W maximum
Detection Range	12m @ 180°

1+ £10.29 | 3+ **£9.99**

order code SR0019987 527012

2300W PIR Light Controller



- 12m Detection range
- 180° Area detection
- Pan and tilt feature
- Light ON times from 5 seconds to 5 minutes
- Adjustable light level control
- IP55 Weatherproof
- Total PIR switching 2300W incandescent/halogen, 500W fluorescent, 80W low energy
- 3 Year warranty

1+ £14.79 | 3+ **£13.90**

order code SR0848687 687523

360° Occupancy Sensors





A choice of fully automatic occupancy sensors which are capable of controlling up to 2000W incandescent or 1500W fluorescent lighting using the passive infrared sensor which reacts to changes in heat patterns created by movement.

- Ideal for security or reducing energy costs
- Time ON adjustable from 5 seconds to 40 minutes
- Adjustable Lux levels
- Surface or flush mounted options available

690618

		1+	3+
SR0864587	Flush Mount	£19.35	**£18.18**
SR0864687	Surface Mount	£20.57	**£19.83**

External PIR Detector

- ABS Construction
- Vertically & horizontally adjustable PIR head
- Bracket included for optional corner mounting: versatile installation options to suit a wide range of requirements
- Adjustable lux level
- 12 Metre detection area
- 360° Detection zone
- Time on adjustable 5 sec - 5 min
- 2000W Incandescent lamp/ 500W fluorescent load capacity
- IP44 Rated • 240V

SAVE OVER* 35%



1+ £15.45 | 3+ **£14.25**

order code SR0842687 679855

Twin Solar LED PIR Light

A super-bright, twin-head, LED security light. Perfect for illuminating your door, driveway, garage, garden and shed or deterring potential intruders.


- 2x High intensity LED lights
- Amorphous solar panel charges the internal battery throughout the day
- LED lights will turn on whenever motion is detected by the built-in PIR sensor
- 1.8m Extension cable
- Fully adjustable light time and sensitivity
- Adjustable spotlight heads
- 3.2V, 800mAh 18500 Li-ion battery
- Detection area: 5m, 120°
- Dimensions (WxHxD): 250x280x120mm



1+ £29.99 | 3+ **£27.65**

order code SR0902987 704861

Ultraslim Link Triphosphor Fittings



SAVE OVER* 15%

- Each fitting supplied with 1x T4 fluorescent tube (3400K) (Tube length shown without/with pins)
- Up to 6 fittings can be linked to a 6-way connector block
- 6-Way connector block comes complete with 2m mains cable and 3 amp fused plug
- Fitting dimensions (HxD): 43x19mm

672145

White Plastic Fittings		(mm)	1+	5+
LA0274387	6W	270	£7.40	**£6.80**
LA0274487	10W	390	£8.75	**£7.90**
LA0274587	16W	520	£9.20	**£8.55**
LA0274687	20W	620	£9.95	**£9.20**
Spare Tubes				
LA0274787	6W	220/231	£2.20	**£1.90**
LA0274887	10W	341/352	£2.50	**£2.10**
LA0274987	16W	468/479	£2.60	**£2.28**
LA0275087	20W	567/571	£2.80	**£2.40**
Accessories (Link Lead)				
LA0275287	250mm		£1.15	**£0.98**
LA0275387	500mm		£1.45	**£1.25**
LA0275187	1m		£1.80	**£1.60**

7.5W LED Fire Rated Downlights



Fire Rated Downlights with integrated LED light engine achieves high lumen efficiency.

- Save up to 85% energy usage compared to traditional halogen fittings
- Class II, IP40
- BS476 Part 21 fire rated to 90 minutes
- High lumen output
- Non Dimmable
- Long life of 35,000h
- Instant start
- No UV output
- Mercury free

SAVE OVER* 15%

Technical Data

	Warm White	Daylight
GSL Equivalent	61W	69W
Current (mA)	61mA	61mA
Beam Angle	45°	45°
Luminous Flux	490lm	530lm
Dimensions (LxØ)	115x82mm	115x82mm
Voltage	220-240V	220-240V

708357

White		1+	5+
LA0471887	6500K DL	£15.50	**£14.44**
Chrome			
LA0471487	3000K WW	£15.50	**£14.44**

Mains Voltage Fireproof Downlights

Tilting



SAVE OVER* 25%

- Fire tested and assessed for up to 90 minutes
- Easy to install, with strong springs for a better ceiling fit
- Ventilation holes in top for cooler operation
- Complies to BS476: Parts 21 & 23: 1987 and Hospital Regulation HTM 81
- Part "E" compliant (Acoustics)
- Lamps not included

Technical Data

	Fixed	Tilted
Voltage	230V	230V
Wattage	50W	50W
Base	GU10	GU10
Panel Cut-out Diameter	65mm	75mm
External Diameter	85mm	85mm

632012

Fixed Downlights		1+	5+
LA0298587	White	£3.59	**£2.95**
LA0298687	Satin Chrome	£3.59	**£2.95**
LA0298787	Chrome	£3.59	**£2.95**
LA0298887	Brass	£3.59	**£2.95**
Tilting Downlights			
LA0298987	White	£3.59	**£2.95**
LA0299087	Satin Chrome	£3.59	**£2.95**
LA0299187	Chrome	£3.59	**£2.95**
LA0299287	Brass	£3.59	**£2.95**

Linkable LED Strip Light



- IP20 Rated
- Conforms to: BSEN 60598

SAVE OVER* 10%

Technical Data

	LEDs	Power Rating	Dims (LxWxD)
LA0373687	9	0.72W	270x18x35mm
LA0373587	27	2.15W	620x18x35mm

611594

	LEDs	1+	5+
LA0373687	9	£16.50	**£15.20**
LA0373587	27	£27.50	**£24.44**
Accessory Leads			
LA0275287	250mm Link	£1.15	**£0.98**
LA0275387	500mm Link	£1.45	**£1.25**
LA0275187	1m Link	£1.80	**£1.60**

Get FREE UK delivery online

Conditions apply. See website for details

All prices exclude VAT

LED Solar Stainless Steel Light



- Ideal for borders or pathways
- Light-activated sensor turns light on/off automatically
- Ground spike - just push into soil
- Solar power convenience

1+	5+
95p	80p

order code LA0515587 702125

Solar LED Garden Light

PRO-ELEC



- Stainless steel solar light
- White LED
- Supplied with rechargeable AA battery
- Solar panel: 50mAh
- Brightness: 11,000 - 13,000MCD
- Dimensions (ØxH): 76x390mm

1+	5+
£1.69	£1.52

order code LP0739287 702158

Solar LED Garden Light

PRO-ELEC



- Solar light with white LED
- Supplied with rechargeable AAA battery
- Solar panel: 50mAh
- Brightness: 11,000 - 13,000MCD
- Dimensions (ØxH): 55x365mm

1+	5+
69p	62p

order code LP0739387 702159

LED Solar Garden Security Spotlight



- Instant lighting for flower borders, pathways and patios
- Ground spike - just push into soil
- Adjustable swivel head
- Light-activated sensor turns spotlight on/off automatically
- Solar power convenience

SAVE OVER* 15%

1+	5+
£2.48	£1.95

order code LA0515187 702123

LED Solar Garden Lantern Light



- Ideal for gardens, patios and outdoor decoration
- Light-activated sensor turns lantern on/off automatically
- Solar power convenience
- Dimensions (ØxH): 105x115mm

1+	5+
£1.58	£1.25

order code LA0515287 702921

LED Solar Carriage Light



- Ideal for borders and pathways
- Light-activated sensor turns light on/off automatically
- Ground spike - just push into soil
- Solar power convenience
- Dimensions (HxWxD): 280x85x85mm

SAVE OVER* 15%

1+	5+
£1.75	£1.40

order code LA0515387 702922

LED Solar String Lights



- 100x LED string lights
- Ideal for gardens, patios and outdoor use
- 3x Lighting settings: Static/ flashing/off
- Light-activated sensor turn lights on/off automatically
- Solar power convenience
- Over 9m of lights with 10mm between each light
- 2m From sensor to first light
- Available with white or coloured LEDs

701583

		1+	5+
LA0515687	White LEDs	£7.60	£6.20
LA0515887	Coloured LEDs	£7.60	£6.20

LED Solar Garden Shed Light



- Garden shed light with 5x LEDs
- Ideal for locating on fences, sheds, garden buildings or outside walls
- Light-activated sensor turns light on/off automatically
- Solar power convenience
- Supplied with ground spike and fixtures

SAVE OVER* 15%

1+	5+
£5.40	£4.30

order code LA0515487 702124

Bathroom Opal Globe Light



- Die-cast aluminium body
- Requires 60W ES lamp (not included)
- Dimensions (HxDia): 190x153mm

SAVE OVER* 25%

1+	5+
£3.55	£2.99

order code LA0221787 701817

10pc Solar Mini Chinese Lanterns



SAVE OVER* 35%

- Traditional Chinese style lanterns
- IP44 5 Colour assorted
- Blue, red, green, yellow & white
- Super white LED lamp
- Solar panel
- 1x NiMH 600mAh rechargeable battery supplied
- Works for 6-8 hours on a full charge
- Size each set: 430cm
- Between lanterns: 30cm
- Lantern diameter: 7.6cm

1+	5+
£4.95	£4.40

order code CP0615787 678174

Flexi Desk Lamps

PRO-ELEC



SAVE OVER* 15%

- Flexible arm
- Base mounted on/off switch
- 40W E27 lamp holder (bulb not included)
- Dimensions (height x base) 350x120mm
- Lead length: 1.5m

710570

		1+	3+
LP0791287	Black	£3.28	£2.80
LP0791387	White	£3.28	£2.80

Clip-on Lampholder with Extension Lead

PRO-ELEC

SAVE OVER* 50%



A clip-on lampholder with a 13A plug (with 5A fuse) and 2m lead. Suitable for use with bulbs with a maximum power rating of 60W.

1+	5+
£1.79	£1.55

order code PL0203987 631637

Flexi Neck Magnifying Lamp



SAVE OVER* 10%

- Flexi-neck magnifier table lamp
- Self standing 12W daylight lamp
- Round glass lens
- Versatile flexi-neck for multi positioning
- Ideal for intricate work
- 12W Circular energy saving tube
- Shadow free light with no heat emission
- Ergonomic design with table base & lens cap
- Quality 100mm (4") lens, 3 dioptre (1.75x mag.)
- Suitable for mobile use
- Cable length 1.5m

1+	5+
£19.50	£18.20

order code LA0477987 711231

Magnifier Lamp 90 LED 4.25" Lens

PRO-ELEC



SAVE OVER* 20%

- Compact, stylish magnifier lamp with table base
- Adjustable arm and head allows for the lamp to be moved to suit your position
- 90 White LED lights
- 3 Diopter
- Lens size: 4.25"
- Supply voltage: 220-240V ac

1+	3+
£39.54	£36.97

order code LA0483587 705151

Magnifier Lamp 72 LED 5" Lens

PRO-ELEC



SAVE OVER* 25%

- Compact, stylish magnifier lamp with table base
- Adjustable arm and head allows for the lamp to be moved to suit your position
- 3 Diopter
- Lens size: 5"
- Supply voltage: 220-240V ac

1+	3+
£31.62	£28.84

order code LA0483687 705152

Trade prices on over 100,000 stocked products

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Battery Powered Push Light



- Requires 4x AA batteries (not included)

631504

		1+	5+
PL1002187	White	£0.82	**£0.75**
PL1396287	Black	£1.08	**£0.96**

LED Flexible Book Light



- Super bright LED
- Provides over 100,000 hours of use
- Simple adjustable lamp arm
- Supplied with 2x CR1220 batteries

SAVE OVER* 10%

1+ £1.29 | 5+ **£1.02**

order code LA0486187 698002

LED Night Light



- Automatic on-off
- Light sensor switches on at dusk and off at dawn
- Simply plugs directly into a 3 pin 13 amp plug
- For use all around the home
- A gentle light for comfort and home safety

SAVE OVER* 15%

1+ £1.89 | 5+ **£1.70**

order code LP0572487 693040

ECO Wedge Solar Motion LED Welcome Light



- This light is solar powered and does not require mains power to work
- A well positioned solar panel will enable this product to work in typical UK winter conditions
- Brightness is equivalent to a 50W incandescent bulb
- Once motion is detected, this light can activate up to 250 times a night
- Installs in minutes
- Superbright white SMD LED bulbs
- Detects motion up to 3m away
- IP64 Waterproofing
- Battery and fixings included
- 1-Year manufacturer's warranty

1+ £11.95 | 3+ **£10.50**

order code SR0908187 706800

Dusk Till Dawn Bulkhead



- With a built-in dusk till dawn photocell that offers automatic low-level illumination throughout the night
- Automatically switches on at dusk and off at dawn
- Maximum 60W lamp B22 fitting
- Operating temperature of -20°C to 40°C

SAVE OVER* 10%

1+ £12.95 | 3+ **£12.24**

order code SR0749787 643542

IP65 Bulkheads



SAVE OVER* 10%

- Dimensions (WxHxD): 133x240x102mm

628178

		1+	5+
LA0271887	Black - Polycarbonate	£6.75	**£5.99**
LA0302587	White - Polycarbonate	£6.75	**£5.99**
LA0271987	Grey - Aluminium	£6.75	**£5.99**

Wall Mount Outdoor PIR Sensors



SAVE OVER* 10%

- LED floodlight compatible, up to 300W
- 180° Coverage with up to 12m detection
- Adjustable time delay
- Adjustable ambient light level
- Prismatic lens ensures high sensitivity for accurate motion detection
- Automatically adjusts to temperature changes keeping sensitivity and coverage consistent
- Built-in surge protection
- Suitable for interior or exterior use
- IP44 rated

710887

		1+	3+
SR0923187	Black	£12.50	**£11.99**
SR0923287	White	£12.50	**£11.99**

Rechargeable Solar LED Spots with PIR Sensor



Practical solar LED spotlights, suitable for outside use, IP44 rated.

- Solar lamps with PIR sensor and separate solar module
- Free and environmentally friendly charging with solar energy
- Can operate independent of the mains
- 8x High performance LEDs for illumination of large areas
- LED spots horizontally and vertically adjustable
- Infrared sensor with max. 130° angle of reach (horizontal) and max. of 8m of surrounding
- Operating time adjustable between 10 and 60 seconds
- Response intensity adjustable by twilight switch
- Sensitivity adjustable
- 3x Rechargeable AA batteries included
- Light on time is approx. 90 minutes with fully charged batteries
- Cable length: 4.75m
- Available in black or grey white

SAVE OVER* 20%

713072

		1+	3+
SR0851287	White	£29.92	**£25.76**
SR0851387	Black	£29.92	**£25.76**

Mini Work Light



- 24 White LEDs
- Foldable hanging hook
- Push switch
- Requires 3x AAA batteries (not included)
- Dimensions (LxWxD): 70x70x35mm

SAVE OVER* 20%

1+ £1.34 | 5+ **£1.13**

order code LP0574287 711233

Telescopic Light



- 2 in 1 torch and telescopic magnet
- 6 LEDs
- Requires 4x AG13 batteries
- Dimensions (LxDia): 175x28mm

1+ £3.74 | 3+ **£3.40**

order code LP0573987 680786

Curve Solar Motion LED Light



- Beautifully designed aluminium solar welcome light
- Lights for 30 seconds each time it detects motion within 3m
- Ideal for lighting doorways, entrances, pathways
- A well positioned solar panel will enable this product to work in typical UK winter conditions
- This light is solar powered and does not require mains power to work
- Brightness is equivalent to a 50W incandescent bulb
- Once motion is detected, this light can activate up to 250 times a night
- Simple and safe to install, can be set up in minutes and everything you need is in the box
- Fully waterproof
- LED bulbs last for 10 years or more
- 1-Year manufacturer's warranty

1+ £11.24 | 3+ **£10.65**

order code SR0908087 706799

13A Night Light with Photocell



SAVE OVER* 35%

1+ £2.14 | 5+ **£2.00**

order code PL1001987 628164

72 LED Inspection Light



- Inspection lamp with 3 magnets on the reverse for mounting on most metal objects
- Ideal for car use, in the garage and in case of emergencies
- Optional hook for hanging
- Supplied complete with 4x AA batteries

SAVE OVER* 15%

1+ £5.67 | 5+ **£4.78**

order code LA0479087 693703

24 LED Mini Work Light



- Foldable hanging hook
- Push switch
- Requires 3x AAA batteries (not included)
- Dimensions (LxWxD): 106x62x35mm

1+ £1.70 | 5+ **£1.45**

order code LP0574387 680788

14 LED Pocket Worklight



SAVE OVER* 25%

- Magnet on the back
- Complete with hanging hook
- Requires 3x AAA batteries (not included)
- Dimensions (LxWxD): 120x60x22mm

1+ £1.53 | 5+ **£1.37**

order code LP0718787 705158

All prices exclude VAT

2 in 1 Torch & Worklight with Magnet

PRO-ELEC



SAVE OVER* 30%

- 1x Super bright 0.5W LED on head
- 20x LEDs on body
- Magnet on the back
- Requires 3x AAA batteries (not included)
- Dimensions (HxDia): 222x32mm

1+ £2.04 | 5+ £1.83

order code LP0718387 705154

28 LED Worklight with Magnet

PRO-ELEC



SAVE OVER* 25%

- 4x LEDs on head
- 24x LEDs on body
- Magnet on the back
- Complete with hanging hook
- Requires 3x AA batteries (not included)
- Dimensions (LxWxD): 232x50x20mm

1+ £2.68 | 5+ £2.38

order code LP0718587 705156

24 LED Worklight with Magnet

PRO-ELEC



SAVE OVER* 20%

- 3x LEDs on head
- 21x LEDs on body
- Magnet on the back
- Complete with hanging hook
- Requires 4x AAA batteries (not included)
- Dimensions (LxWxD): 205x53x35mm

1+ £2.27 | 5+ £1.96

order code LP0718687 705157

30 + 7 LED Worklight



- ABS housing
- Strong magnet on the reverse for attaching onto metal surfaces
- Includes a swivel hook that adjusts to many angles
- Comes complete with 2x AA batteries

SAVE OVER* 15%

1+ £4.38 | 5+ £3.79

order code LA0480387 693714

360 LED Rechargeable Lamp

concept



SAVE OVER* 20%

The unique LED360 has 60 super-bright LED bulbs on 3 sides providing all round illumination for all manner of uses at work, home and in the garden.

- Rechargeable
- 60 super bright LEDs
- 3 sides/3 modes of use (1, 2 or 3 sides illuminated)
- Mains charger and in-car charger
- Magnetic clip
- Detachable shade
- Up to 7 hours continuous use from one charge
- Only 2 hours to recharge
- Integrated hook
- Freestanding
- Water, oil and shock resistant
- Non-slip rubber grip
- Short bodied
- Eco-friendly
- Dimensions (LxØ): 300x40mm

1+ £17.50 | 5+ £15.25

order code LA0312487 703387

1W LED Headtorch

PRO-ELEC



SAVE OVER* 20%

- Adjustable headstrap
- Aluminium headtorch
- 3 Settings: high, low & flashing
- 90° Rotational swivel
- Beam distance: 50m
- Brightness: 80 Lumens
- 100,000 Hour lifetime
- Up to 12 hours run time
- Requires 3x AAA batteries (not included)
- Dimensions: 75x40x45mm
- Weight: 120g

1+ £2.78 | 5+ £2.54

order code LA0512487 710318

3W LED Headtorch

PRO-ELEC



SAVE OVER* 20%

- Adjustable head strap
- Aluminium Headtorch
- 3 Settings: high, low & flashing
- 90° Rotational swivel
- Beam distance: 100m
- Brightness: 90 Lumens
- 100,000 Hour life
- Up to 12 hours run time
- Requires 3x AAA batteries (not included)
- Dimensions: 47x75mm
- Weight: 130g

1+ £3.21 | 5+ £2.98

order code LA0512587 710319

6W LED Headtorch

PRO-ELEC



SAVE OVER* 10%

- 6W Cree T6 LED
- Aluminium Headtorch
- Adjustable head strap
- 3 Settings: high, low & flashing
- 90° rotational swivel
- Beam distance: 200m
- Brightness: 90 - 300 Lumens
- 100,000 Hour life
- Up to 6 hours run time
- Requires 3x AAA batteries (not included)
- Dimensions: 43x36mm
- Weight: 132g

1+ £6.59 | 3+ £5.97

order code LA0512687 710320

LED Headtorch

PRO-ELEC



SAVE OVER* 50%

- 12x High intensity LEDs (100,000 hours average life)
- 4 Mode operation - 4 LED, 8 LED, 12 LED, 12 LED Flashing
- Adjustable head strap with padded front section for comfort
- Adjustable position head for work area focus
- Torch head dimensions (WxHxD): 70x55x60mm
- Requires 3x AAA batteries (not included)

1+ £1.39 | 5+ £1.18

order code LA0306487 701821

LED Headtorch

PRO-ELEC



SAVE OVER* 25%

- CREE Q3 headlamp
- Functions: on/off
- Brightness:130-150 Lumens
- Requires 3x AAA batteries
- Dimensions (LxWxD): 75x40x25mm
- A full battery can last 5 hours

1+ £6.28 | 3+ £5.92

order code LA0500487 694522

8 LED Headlamp

PRO-ELEC



SAVE OVER* 15%

- Push switch
- Adjustable brightness
- Adjustable headstrap
- Requires 3x AAA batteries (not included)
- Dimensions (LxDxH): 80x52x42mm

1+ £1.28 | 3+ £1.02

order code LP0574087 680795

30 LED Headtorch

PRO-ELEC



SAVE OVER* 30%

- LED headtorch
- 30 Superbright LEDs
- 4 Modes of operation
- Flashing option
- Adjustable headstrap with padded front
- Dimensions (HxWxD): 55x83x66mm
- Requires 3x AA batteries (not included)

1+ £3.69 | 5+ £3.25

order code LA0500287 694521

Zoom Telescopic Headtorch

PRO-ELEC



SAVE OVER* 30%

- Zoom telescopic headlamp
- Functions: Half/full/flashing/off
- 45-50 Lumens
- Requires 3x AAA batteries (not included)
- Dimensions: 55x45x70mm

1+ £3.45 | 5+ £3.22

order code LA0500387 694524

Super Spot LED Headlight



SAVE OVER* 10%

Model: HL13

- Concentrated spot beam
- 150m Beam range
- Duration time of up to 18 hours high beam, 24 hours low beam
- Weight: 220g
- Supplied with head strap, rechargeable battery pack and mains charger

1+ £18.50 | 3+ £17.20

order code LA0446887 691830

5 LED Torch



- Shock and water resistant
- Quality LED with 100,000 hour lifespan
- Anodized finish
- Tailcap rotate on/off switch
- Lightweight and compact
- Small, convenient for carrying and storage
- Supplied with lanyard
- Requires 1x AA battery (not included)
- Beam effective distance: 15m
- Beam colour: White
- Light source: Super bright LED x5
- External diameter: 24mm
- External length / Height: 88mm

694509

		1+	5+
LA0498587	Blue	£2.04	**£1.85**
LA0498687	Black	£2.04	**£1.85**

Dynamo Camping Lantern



- 12 Superbright LEDs
- Quality LEDs with 100,000 hour lifespan
- Requires 1x NI-Mh battery (included)
- Dimensions (HxWxD): 260x125x125mm
- Material: ABS
- Light range: 6m²

SAVE OVER* 15%

1+ £7.95 | 3+ **£7.68**

order code LA0499587 694516

LED Camping Lamp



- Super bright 6 LED
- Simple push button operation
- Light mode 2 LED/4 LED/ 6 LED/flash/off
- Supplied with 3x AA batteries
- Complete with hanging facility

SAVE OVER* 15%

1+ £6.75 | 5+ **£5.50**

order code LA0487287 699385

Rechargeable LED Torch



- High output 0.5W LED spotlight
- 20 Hours of continuous use from a full charge, 60 hours on energy save flash function
- Multi-directional pivoting head
- Wall-mountable docking charger
- Auto switch on if mains power fails
- Red LED lamp indicates charging and helps locating the light in the dark
- Powerful magnetic base
- Dimensions (WxHxD): 216x103x94mm

SAVE OVER* 15%

1+ £9.80 | 5+ **£8.40**

order code LA0461387 713394

LED Lantern



- 5 Superbright LEDs
- Weatherproof and will float
- Tough and durable lantern
- Twin stand for superb support
- Extremely versatile and lightweight
- Requires 4x D cell batteries
- Dimensions (LxHxW): 205x120x120mm

SAVE OVER* 15%

1+ £6.75 | 5+ **£5.40**

order code LA0118587 495638

1W LED Torch



- Convex lens
- Clip allows hands free use
- Aluminium alloy construction, waterproof and shockproof
- 90-120 Lumens
- Requires 1x AA battery (not included)
- Dimensions:103x25mm
- Weight: 85g

SAVE OVER* 15%

1+ £4.54 | 5+ **£4.05**

order code LA0499487 694515

LED Lantern

- Sturdy rubber casing
- Requires 4x D batteries (not included)
- Dimensions (HxWxD): 102x102x202mm

SAVE OVER* 45%



1+ £4.30 | 3+ **£3.99**

order code LA0392287 637339

Aluminium LED Torch



- Requires 3x AAA batteries (not included)
- Supplied with lanyard

SAVE OVER* 45%

637352

		1+	5+
LA0322887	Blue	£2.78	**£2.06**
LA0322987	Black	£2.52	**£2.06**

LED Rope Lights



- 13mm rope light
- Available in a variety of lengths and colours
- 216 (9m), 360 (15m) or 576 (24m) LEDs
- 230Vac operation
- Plug to first LED distance: 2m
- LED to LED distance: 4.16cm (24 LEDs per metre)
- Suitable for outdoor use

SAVE OVER* 10%

714775

9m		1+	3+
LP0815287	White	£15.59	**£13.94**
LP0815387	Warm White	£15.59	**£13.94**
LP0815487	Blue	£15.59	**£13.94**
LP0815587	Red	£15.59	**£13.94**
LP0815687	Multi	£15.59	**£13.94**
15m			
LP0815787	White	£23.19	**£21.96**
LP0815887	Warm White	£23.19	**£21.96**
LP0815987	Blue	£23.19	**£21.96**
LP0816087	Red	£23.19	**£21.96**
LP0816187	Multi	£23.19	**£21.96**
24m			
LP0816287	White	£32.54	**£29.98**
LP0816387	Warm White	£32.54	**£29.98**
LP0816487	Blue	£32.54	**£29.98**
LP0816587	Red	£32.54	**£29.98**
LP0816687	Multi	£32.54	**£29.98**

3D LED Olaf Light



- Taken from the film Frozen this 3D Olaf looks amazing breaking through your wall
- Apply crack sticker and then attach Olaf
- Requires 3x AA batteries (not included)
- Dimensions: 32x15.5x18cm

SAVE OVER* 10%

1+ £19.94 | 3+ **£18.68**

order code LA0529187 706712

3D LED Spiderman Mask Light



- 3D FX Marvel Spiderman mask, looks amazing breaking through your wall. Apply crack sticker and then attach the Spiderman's face
- Requires 3x AA batteries (not included)
- Dimensions: 17.8x15.2x22.9cm

1+ £18.50 | 3+ **£17.34**

order code LA0529287 706713

3D LED Thor Hammer Light



- 3D FX Marvel Thor Hammer, looks amazing breaking through your wall. Apply crack sticker and then attach the Hammer
- Requires 3x AA batteries (not included)
- Dimensions: 27.4x18.3x15.7cm (approx)

1+ £19.50 | 3+ **£17.69**

order code LA0529087 706711

3D LED Fighter Jet Light



- 3D Fighter jet Light with crack sticker, making it appear like the object has broken through the wall
- Requires 3x AA batteries (not included)
- Dimensions: 28x17cm (approx)

1+ £12.92 | 3+ **£11.48**

order code LA0514987 706686

3D Teenage Mutant Ninja Turtle LED Lights



Supplied with crack back sticker, making it appear like they have broken through the wall.

- Requires 3x AA batteries (not included)

706684

Dimensions:

- Donatello: 19x21x8.5cm (approx)
- Raphael: 23x19.5x9.5cm (approx)
- Leonardo: 22x18x8.5cm (approx)
- Michelangelo: 20x20.5x8.5cm (approx)

		1+	3+
LA0514487	Donatello	£16.64	**£14.47**
LA0514587	Raphael	£16.64	**£14.47**
LA0514687	Leonardo	£16.64	**£14.47**
LA0514787	Michelangelo	£16.64	**£14.47**

FANS

4" Mini USB Desk Fan



- USB powered
- Modern design and quiet operation ideal for offices
- 360° Pivot
- ON/OFF control switch
- Power Consumption: 2W
- Dimensions: 155x85x160mm
- Lead length: 1.2m
- Weight: 390g

1+ £2.50 | 5+ £2.15

order code HG0086887 711175

6" Clip-On Fan



- 6" Mains powered desk fan
- Low and high speed settings
- Easily clips onto tables, desks, shelves etc
- Swivels easily into any position
- 360° Pivot

SAVE OVER* 25%

1+ £4.95 | 3+ £4.50

order code HG0065587 677807

6" Mini Desk Fan



- 3 Blades and radial grill
- 2 Speed operation
- Tiltable head
- Power: 17W
- Dimensions: 200x160x300mm
- Weight: 550g

SAVE OVER* 10%

1+ £4.98 | 3+ £4.55

order code HG0087887 711176

Desk Fans



- 9, 12 or 16" Desk top fans
- 3 Speeds (9" 2 settings only)
- Oscillation on/off
- 80° Head tilt
- White finish

SAVE OVER* 25%

711178

	Blade Diameter	1+	3+
HG0065687	9" (22cm)	£7.50	£6.98
HG0065787	12" (30cm)	£8.10	£7.45
HG0065887	16" (40cm)	£10.25	£9.50

Metal Desk Fans



SAVE OVER* 30%

- Antique look desk fans
- Metal construction
- 3 speed settings
- Stationary or oscillation modes


12" Fan
- Power: 35W
- Dimensions: 340x240x420mm
- Weight: 3kg

16" Fan
- Power: 50W
- Dimensions: 450x280x520mm
- Weight: 3.7kg

711179

		1+	3+
HG0087587	12"	£16.69	£15.95
HG0087687	16"	£19.98	£18.50

16" Metal Pedestal Fan



- Sleek & modern metal design
- High velocity motor for maximum air circulation
- Tilt adjustment for flexible use
- Triple speed selection
- Precision fan blades for powerful wind but low-noise
- Chrome stand
- Thermal protection to prevent overheating of motor
- Dimensions: 450x400x1250mm
- Weight: 6.3kg

SAVE OVER* 20%

1+ £23.33 | 3+ £21.50

order code HG0087787 711180

16" Pedestal Fan



SAVE OVER* 15%

- 16" Fan blade
- 3 Speed settings
- Oscillation option
- 80° Tilting head
- Height adjustable 105 to 125cm
- White finish

1+ £11.50 | 3+ £9.98

order code HG0065987 677815

Hand Held Fans



- Hand held pocket size fans
- Supplied individually or as a counter top display of 48
- Powerful motor
- Extra safe foam blades
- Ideal for summer holidays and travel
- Available in green, blue, red and purple
- Requires 2x AA batteries (not included)
- Colour will vary

1+ 59p | 10+ 50p

order code HG0072387 699101

High Velocity Fans



SAVE OVER* 20%

- 14, 18 & 20" High velocity fans
- Complete metal structure
- Chrome finish
- 3 Speed settings
- Head is adjustable through 130°

711181

		1+	3+
HG0066087	14"	£16.50	£15.95
HG0066287	18"	£21.69	£19.98
HG0066387	20"	£26.50	£24.49

14" Mini Tower Fan



- 3 Speed options
- Oscillation function
- Power: 30W
- Dimensions: 135x130x350mm
- Weight: 1.45kg

SAVE OVER* 20%

1+ £12.68 | 3+ £11.94

order code HG0088087 711182

29" Tower Fans



- 3 Speed options
- Oscillation function
- 120 Minute timer function
- Power: 50W
- Dimensions: HG0088187:245x245 x760mm HG0088287:260x260 x810mm
- HG0088287 is supplied with remote

SAVE OVER* 30%

711183

		1+	3+
HG0088187	TF-29N	£13.75	£12.50
HG0088287	TF-29GR	£17.48	£16.10

Order online at cpc.co.uk

Portable Air Conditioning Units



Models: KYR-25CO/X1C & KYR-35GW/X1C
- High efficiency performance
- Adjustable fan speeds for rapid cooling or minimum noise
- Plug and Play anywhere operation
- Oscillating air vanes for dissipation of cold air
- A timer feature that will turn the unit on and off automatically
- High efficiency air filters to remove odours and particles
- Anti-mould coating for hygienic operation
- Digital display to show operational settings and temperature

Model: KYR-25CO/X1C
- Remote control (supplied with 2x AAA batteries)

Model: KYR-35GW/X1C
- Remote control with luminous night-light (supplied with 2x AAA batteries)
- Heat-pump model provides heating as well as cooling
- A 'Smart Air' feature that will recall previous settings at the push of a button.


Technical Data

	HG0072687	HG0072787
Model	KYR-25CO/X1C	KYR-35GW/X1C
Air Flow	370 m^3/h	480 m^3/h
Dehumid	1.0L/h	1.2L/h
Exhaust Hose Length	1.7m	2.0m
Exhaust Hose Diameter	150mm	
Window Extraction Kit	Yes	
Dims (WxHxD)	352x753x378 mm	600x830x480 mm
Weight	35kg	42kg

701221

			1+	3+
HG0072687	KYR-25CO/X1C		£240.00	£235.00
HG0072787	KYR-35GW/X1C		£285.00	£280.00

8 Litre Evaporative Cooler



Model: DiET 8i

Sleek and stylish, the DiET 8i is a cool addition to your décor. This chic model consumes bare minimum space and energy.

- Dura-pump technology for long life of the pump
- Empty Water Tank alarm provides consumer convenience
- Intelligent Remote, full function remote with timer (supplied with 2x AAA batteries)
- Feather-touch digital control panel for ease of operation
- System Restore function remembers and restores previous settings
- Powerful air throw with Auto Swing for faster cooling
- Cool Flow dispenser, channelised water distribution for superior cooling
- Large tank capacity gives uninterrupted night-long cooling
- Whisper-quiet performance for sound sleep
- Consumes only 115W
- Also works on inverter power
- Use it inside or outside
- Delivers fresh, filtered cool air

Technical Data

Air Flow	600 m^3/h
Fan Speed	3 Positions
Power Consumption	115W
Watertank Capacity	8 Litres
Dimensions (WxHxD)	330x780x300mm
Weight	7.3kg

1+ £108 | 3+ £105

order code HG0072887 702031

CABLE, CONNECTORS & FUSES

Standard Non-Releasable Cable Ties

pro-POWER



SAVE OVER* 65%

628920

Natural	(mm)		1+	10+
CB1766887	80x2.50	100	£0.18	**£0.16**
CBBR666687	100x2.50	100	£0.19	**£0.16**
CBBR666787	100x2.50	1000	£1.80	**£1.55**
CB1767087	120x2.50	100	£0.25	**£0.22**
CB1767687	120x3.50	100	£0.47	**£0.43**
CBBR667087	142x2.50	100	£0.30	**£0.27**
CBBR667287	142x3.20	100	£0.47	**£0.42**
CB1767287	150x2.50	100	£0.32	**£0.28**
CB1767887	150x3.50	100	£0.54	**£0.49**
CBBR667487	150x8.00	100	£1.59	**£1.42**
CBBR667787	160x4.80	1000	£7.92	**£6.84**
CB1768487	180x4.50	100	£0.80	**£0.74**
CB1769487	180x6.80	100	£1.89	**£1.70**
CBBR667887	200x2.50	100	£0.42	**£0.38**
CBBR667987	200x2.50	1000	£3.98	**£3.70**
CBBR668187	203x3.60	100	£0.63	**£0.54**
CBBR668287	203x3.60	1000	£5.70	**£5.32**
CBBR668387	203x4.60	100	£0.84	**£0.80**
CBBR668487	203x4.60	1000	£9.02	**£7.79**
CB1767487	250x2.90	100	£0.72	**£0.64**
CB1768287	250x3.50	100	£0.92	**£0.86**
CB1768687	250x4.50	100	£1.20	**£1.04**
CBBR668587	250x8.00	100	£2.45	**£2.19**
CBBR668687	292x3.60	100	£0.99	**£0.89**
CBBR668787	292x3.60	1000	£9.70	**£8.72**
CBBR668887	300x4.50	100	£1.43	**£1.24**
CBBR668987	300x4.80	1000	£13.76	**£12.00**
CB1472387	300x7.50	100	£4.02	**£3.32**
CB1771687	300x12.70	100	£7.10	**£6.80**
CB1769087	350x4.80	100	£1.80	**£1.66**
CBBR669087	370x3.60	100	£1.20	**£1.04**
CBBR669287	370x4.80	100	£1.62	**£1.47**
CBBR669387	370x4.80	1000	£15.80	**£14.25**
CBBR669487	370x7.60	100	£3.49	**£3.09**
CBBR669587	400x5.00	100	£2.22	**£1.89**
CB1769887	400x7.50	100	£3.95	**£3.46**
CB1771887	400x12.70	100	£9.98	**£9.60**
CB1769287	450x4.80	100	£2.30	**£2.10**
CB1770087	450x7.50	100	£4.40	**£4.16**
CB1770487	450x9.00	100	£7.10	**£6.45**
CBBR669687	500x5.00	100	£2.64	**£2.27**
CB1770287	500x7.50	100	£5.10	**£4.80**
CB1772087	540x12.70	100	£14.80	**£14.10**
CB1770687	650x9.00	100	£8.50	**£8.20**
CB1772287	650x12.00	100	£14.10	**£13.70**
CB1770887	760x9.00	100	£9.90	**£9.20**
CB1772487	780x12.70	100	£19.00	**£17.36**
CB1771087	920x9.00	50	£6.35	**£6.10**
CB1771287	1020x9.00	50	£6.85	**£6.60**
CB1771487	1350x9.00	100	£19.95	**£18.70**

Black			1+	10+
CB1766987	80x2.50	100	£0.18	**£0.16**
CBBR669787	100x2.50	100	£0.23	**£0.18**
CB1767187	120x2.50	100	£0.25	**£0.22**
CB1767787	120x3.50	100	£0.47	**£0.43**
CBBR669987	120x4.80	100	£0.66	**£0.56**
CBBR724187	120x4.80	1000	£6.05	**£5.23**
CBBR724287	142x2.50	100	£0.30	**£0.26**
CBBR724387	142x2.50	1000	£2.90	**£2.50**
CBBR724487	142x3.20	100	£0.50	**£0.43**
CBBR724587	142x3.20	1000	£4.40	**£4.09**
CB1767387	150x2.50	100	£0.32	**£0.28**
CB1767987	150x3.50	100	£0.54	**£0.49**
CBBR724687	150x8.00	100	£1.59	**£1.32**
CBBR724787	165x2.50	100	£0.36	**£0.31**
CBBR724887	160x4.80	100	£0.86	**£0.69**
CBBR724987	160x4.80	1000	£7.74	**£6.80**
CB1769587	180x6.80	100	£1.89	**£1.70**
CBBR725087	200x2.50	100	£0.45	**£0.39**
CBBR725187	200x2.50	100	£3.80	**£3.56**
CBBR725287	200x8.00	100	£1.82	**£1.68**
CBBR725387	203x3.60	100	£0.70	**£0.61**
CBBR725587	203x4.60	100	£0.94	**£0.81**
CBBR725687	203x4.60	100	£8.90	**£7.60**
CB1767587	250x2.90	100	£0.72	**£0.64**
CB1768387	250x3.50	100	£0.92	**£0.86**
CB1768787	250x4.50	100	£1.20	**£1.04**
CBBR725787	250x8.00	100	£2.70	**£2.20**
CBBR725887	292x3.60	100	£1.05	**£0.88**
CBBR725987	292x3.60	1000	£10.34	**£8.20**
CBBR726087	300x4.80	100	£1.30	**£1.18**
CBBR726187	300x4.50	1000	£12.40	**£11.80**
CB1769787	300x7.50	100	£2.88	**£2.64**
CB1771787	300x12.70	100	£7.10	**£6.80**
CB1769187	350x4.80	100	£1.80	**£1.66**
CBBR726287	370x3.60	100	£1.28	**£1.09**
CBBR726487	370x4.80	100	£1.70	**£1.55**
CBBR726587	370x4.80	1000	£16.80	**£15.20**
CBBR726687	370x7.60	100	£3.40	**£3.18**
CBBR726787	400x5.00	100	£1.98	**£1.81**
CB1769987	400x7.50	100	£3.95	**£3.46**
CB1771987	400x12.70	100	£8.49	**£8.10**
CB1769387	450x4.80	100	£2.30	**£2.10**
CB1770187	450x7.50	100	£4.40	**£4.16**
CB1770587	450x9.00	100	£7.10	**£6.45**
CBBR726887	500x5.00	100	£2.40	**£2.18**
CB1770387	500x7.50	100	£5.10	**£4.80**
CB1772187	540x12.70	100	£12.80	**£11.70**
CB1770787	650x9.00	100	£8.50	**£8.20**
CB1772387	650x12.00	100	£14.10	**£13.70**
CB1770987	760x9.00	100	£9.90	**£9.20**
CB1772587	780x12.70	100	£18.50	**£17.60**
CB1771187	920x9.00	50	£6.35	**£6.10**
CB1771387	1020x9.00	50	£6.85	**£6.60**
CB1771587	1350x9.00	100	£19.95	**£18.70**

Weather Resistant Cable Ties

pro-POWER



SAVE OVER* 70%

- Permanent locking
- UL recognised (E97527)
- Supplied in packs of 100

628921

		1+	10+
CBBR770287	100x2.50mm	£0.23	**£0.19**
CBBR770387	120x4.80mm	£0.70	**£0.64**
CBBR770487	140x2.50mm	£0.32	**£0.30**
CBBR770587	142x3.20mm	£0.57	**£0.49**
CBBR770687	160x2.50mm	£0.38	**£0.33**
CBBR770787	160x4.80mm	£0.98	**£0.87**
CBBR770887	200x2.50mm	£0.47	**£0.41**
CBBR770987	200x3.60mm	£0.78	**£0.68**
CBBR771087	200x4.50mm	£1.02	**£0.92**
CBBR771187	300x3.50mm	£1.24	**£1.09**
CBBR771287	300x4.50mm	£1.75	**£1.46**
CBBR771387	370x3.50mm	£1.75	**£1.46**
CBBR771487	370x4.50mm	£2.04	**£1.90**
CBBR771587	370x7.50mm	£4.02	**£3.49**

Nylon Coloured Cable Ties



SAVE OVER* 30%

- Cable ties suitable for bundling cable
- Resistant to petrol, oils, greases and alkalis
- UL flammability to 94V2
- Supplied in packs of 100
- Available in a range of colours and sizes

Technical Data

711584

Dimensions (LxW)	Max. Bundle Dia.	Tensile Strength
100x2.5mm	25mm	18lb
150x3.6mm	39mm	40lb
203x3.6mm	55mm	40lb
300x4.8mm	85mm	50lb

		Dims (LxW) mm	1+	5+
CB1836487	Blue	100x2.5	£0.30	**£0.25**
CB1836587	Green	100x2.5	£0.28	**£0.24**
CB1836687	Orange	100x2.5	£0.28	**£0.24**
CB1836787	Red	100x2.5	£0.28	**£0.24**
CB1836887	Yellow	100x2.5	£0.28	**£0.24**
CB1836987	Blue	150x3.6	£0.72	**£0.64**
CB1837087	Green	150x3.6	£0.72	**£0.64**
CB1837187	Orange	150x3.6	£0.72	**£0.64**
CB1837287	Red	150x3.6	£0.72	**£0.64**
CB1837387	Yellow	150x3.6	£0.72	**£0.64**
CB1837487	Blue	203x3.6	£1.25	**£1.12**
CB1837587	Green	203x3.6	£1.25	**£1.12**
CB1837687	Orange	203x3.6	£1.25	**£1.12**
CB1837787	Red	203x3.6	£1.25	**£1.12**
CB1837887	Yellow	203x3.6	£1.38	**£1.26**
CB1837987	Blue	300x4.8	£2.40	**£2.20**
CB1838187	Orange	300x4.8	£2.10	**£1.90**
CB1838287	Red	300x4.8	£2.10	**£1.90**
CB1838387	Yellow	300x4.8	£1.30	**£1.10**

Weather Resistant Cable Ties



SAVE OVER* 20%

- Weather resistant cable ties suitable for bundling cable
- UL flammability to 94V2
- Supplied in packs of 50 or 100
- Available in a range of sizes

Technical Data

Dims (LxW)	Max. Bundle Dia.	Tensile Strength
100x2.5mm	25mm	18lb
150x3.6mm	39mm	40lb
203x3.6mm	55mm	40lb
203x4.6mm	55mm	50lb
300x4.8mm	85mm	50lb
385x4.8mm	110mm	50lb
500x4.8mm	145mm	50lb
550x8mm	166mm	175lb
1219x9mm	380mm	175lb

713396

	Dims (LxW) mm	Pack Qty.	1+	10+
CB1838487	100x2.5	100	£0.38	**£0.35**
CB1838587	150x3.6	100	£0.82	**£0.76**
CB1838687	203x3.6	100	£1.35	**£1.20**
CB1838787	203x4.6	100	£1.35	**£1.20**
CB1838887	300x4.8	100	£2.29	**£2.10**
CB1838987	385x4.8	100	£2.55	**£2.28**
CB1839087	500x4.8	100	£5.70	**£5.30**
CB1839187	550x8	50	£5.30	**£4.85**
CB1839287	1219x9	50	£12.10	**£11.43**

Round Cable Clips



- Round cable clips, suitable for wires from 2-26mm
- Thick steel nail prevents snapping and long length gives good pull out value
- Clips boast good self-grip design
- Made from high grade tough polyethylene for low temperature flexibility
- Excellent stress crack resistance and chemical inertness
- Supplied in packs of 50 or 100
- Available in a variety of colours and sizes

Technical Data

712105

Dimensions (Hx)	Suitable Cable Size
4.3x2.8mm	2-3mm
5.6x2.9mm	3-5mm
8x5.3mm	5-7mm
9.5x6.8mm	7-10mm
13x9.4mm	10-14mm
17.1x13.1mm	14-20mm
19.5x16.4mm	18-22mm
24x19.5mm	22-26mm

Transparent	(Hx) (mm)		1+	5+
CB1806287	4.3x2.8	100	£0.89	**£0.82**
CB1806387	5.6x2.9	100	£0.89	**£0.82**
CB1806587	8x5.3	100	£0.89	**£0.82**
White				
CB1806487	5.6x2.9	100	£0.89	**£0.82**
CB1806687	8x5.3	100	£0.89	**£0.82**
CB1806887	9.5x6.8	100	£0.79	**£0.72**
CB1807287	13x9.4	100	£0.79	**£0.72**
CB1807487	17.1x13.1	50	£0.89	**£0.82**
CB1807687	19.5x16.4	50	£0.89	**£0.82**
CB1807887	24x19.5	50	£0.78	**£0.72**
Black				
CB1806787	8x5.3	100	£0.89	**£0.82**
CB1806987	9.5x6.8	100	£0.78	**£0.72**
CB1807387	13x9.4	100	£0.78	**£0.72**
CB1807587	17.1x13.1	50	£0.89	**£0.82**
CB1807787	19.5x16.4	50	£0.89	**£0.82**
CB1807987	24x19.5	50	£0.78	**£0.72**
Brown				
CB1807087	9.5x6.8	100	£0.78	**£0.72**
Red				
CB1807187	9.5x6.8	100	£0.78	**£0.72**

Inside Marker Cable Ties



SAVE OVER* 15%

- Cable ties suitable for bundling cable
- Each cable tie comes with an inside marker to allow for easier identification
- Resistant to petrol, oils, greases and alkalis
- Manufactured from Nylon 6.6
- UL flammability to 94V2
- Supplied in packs of 100
- Marker dimensions (WxD): 25x8mm

1+ **82p** | 5+ **71p**

order code CB1891687

710588

Canister Packed Cable Tie Kit with Tie Gun

pro-POWER



SAVE OVER* 10%

- 500x Assorted size/colour cable ties
- Manufactured from Nylon 66
- Tie gun for adjusting/trimming cable ties
- Supplied in a robust, plastic canister

Technical Data

Dimensions (LxW)	Quantity x Colour
100x2.50mm	50x Blue, 50x Green, 50x Red, 50x Yellow
150x2.50mm	100x Black, 100x Natural
180x4.80mm	100x Natural

1+ **£4.86** | 3+ **£4.30**

order code CB1758987

711374

All prices exclude VAT

Dual Coax Clips



SAVE OVER* 40%

- Dual coax cable clips suitable for securing coax cable (RG59+2C and HYCF dual)
- Supplied with an inserted fixing nail (2.5x25mm)
- Thickness of the nail is designed to prevent snapping while the long length gives good pull out value
- Clips boast good self-grip design
- Made from high grade tough polyethylene for low temperature flexibility
- Excellent stress crack resistance and chemical inertness
- Suitable for 4/6mm (FT&E - flat twin and earth) or 10/16mm (T&E - twin and earth) cables
- Supplied in packs of 100

712104

		1+	5+
CB1835087	4/6mm, FT&E Black	£2.04	**£1.85**
CB1835187	4/6mm, FT&E White	£2.04	**£1.85**
CB1835287	10/16mm, T&E Grey	£0.99	**£0.92**

Flat Cable Clips



SAVE OVER* 10%

- Flat cable clips, suitable for a range of wires
- Thick steel nail prevents snapping and long length gives good pull out value
- Clips boast good self-grip design
- Made from high grade tough polyethylene for low temperature flexibility
- Excellent stress crack resistance and chemical inertness
- Supplied in packs of 100
- Available in a variety of colours and sizes

713803

Standard Clips	Dims (Hx) (mm)	1+	10+
CB1808087	2x4 Transparent	£0.90	**£0.84**
CB1808187	3x5 Transparent	£0.90	**£0.84**
CB1808287	4x6 Transparent	£0.90	**£0.84**
T&E Clips (1-1.5mm² Cable)			
CB1808387	7.5x7.9 Grey	£0.50	**£0.46**
T&E Clips (2.5mm² Cable)			
CB1808487	8.2x9.8 Grey	£0.50	**£0.46**
T&E Clips (4-6mm² Cable)			
CB1808587	9.3x11.8 Grey	£0.60	**£0.54**
T&E Clips (10-16mm² Cable)			
CB1808687	12.2x16.7 Grey	£0.60	**£0.54**
Double Clips			
CB1808787	5x8 Grey	£1.00	**£0.90**
CB1808887	6x10 Grey	£0.80	**£0.70**
Oval Conduit Clips			
CB1808987	11x22 White	£0.60	**£0.55**
CB1809087	6x10 White	£0.70	**£0.60**

Flat Grey Cable Clips



A range of popular sizes of grey cable clips with inserted fixing nail (size 2x25mm).

SAVE OVER* 25%

- Thick steel nail prevents snapping and long length gives good pull out value
- Suitable for use with flat twin and earth cable of 1.0mm, 1.5mm and 2.5mm thickness
- Made from high grade tough polyethylene for low temperature flexibility
- Cable clips boast good stress crack resistance and chemical inertness
- All cable clips are packaged in a handy, transparent tub with re-sealable lid and carry handle
- For internal and external use
- Supplied with 800x clips, 400x suitable for 1.0/1.5mm wires and 400x suitable for 2.5mm wires

Technical Data

Suitable Wires	Nail Size	Width	Height
1.0/1.5mm	2x25mm	7.9mm	7.5mm
2.5mm	2x25mm	9.8mm	8.2mm

1+	5+
£8.95	**£7.90**

order code CB1795187 — 710266

Round Cable Clips - 100 Pack



SAVE OVER* 60%

628912

	Cable	1+	10+
CBBR726987	3.5mm White	£0.28	**£0.24**
CBBR727087	3.5mm Black	£0.28	**£0.24**
CBBR727187	4.0mm White	£0.28	**£0.24**
CBBR727287	4.0mm Black	£0.29	**£0.25**
CBBR727387	5.0mm White	£0.30	**£0.26**
CBBR727487	5.0mm Black	£0.30	**£0.26**
CBBR727587	6.0mm White	£0.40	**£0.35**
CBBR727687	6.0mm Black	£0.41	**£0.38**
CBBR727787	7.0mm White	£0.44	**£0.40**
CBBR727887	7.0mm Black	£0.44	**£0.40**
CBBR727987	8.0mm White	£0.57	**£0.52**
CBBR728087	8.0mm Black	£0.57	**£0.52**
CBBR728687	12.0mm Black	£0.91	**£0.84**

Flat Cable Clips - 100 Pack




SAVE OVER* 60%

628913

	Cable	1+	10+
CBBR729587	1.00mm Grey	£0.57	**£0.53**
CBBR729687	1.00mm White	£0.57	**£0.53**
CBBR729787	1.50mm Grey	£0.71	**£0.65**
CBBR729887	1.50mm White	£0.69	**£0.59**
CBBR729987	2.50mm Grey	£0.76	**£0.70**
CBBR730087	2.50mm White	£0.76	**£0.70**
CBBR730387	6.00mm Grey	£0.95	**£0.88**

Coaxial Cable Clips - 100 Pack



SAVE OVER* 50%

628914

		1+	10+
CBBR730587	5-6mm Brown	£0.37	**£0.33**
CBBR730687	5-6mm White	£0.37	**£0.33**
CBBR730887	6-7mm Brown	£0.52	**£0.46**
CBBR730987	6-7mm White	£0.52	**£0.46**
CBBR731087	6-7mm Black	£0.52	**£0.46**

Cable Tie and Mount Kit



- 450x Assorted size/colour cable ties
- 40x Assorted size tie mounts
- Mounts are self-adhesive and fix securely to most surfaces
- Supplied in a robust, plastic container

SAVE OVER* 20%

Technical Data

Cable	Dimensions (LxW)	Quantity x Colour
Ties	100x2.50mm	100x Blue, 100x Natural, 100x Red
	190x4.80mm	150x White
Tie Mounts	Dimensions (WxHxD)	
	19x19x4.60mm	30x White
	28x28x6.40mm	10x White

1+	3+
£4.20	**£3.79**

order code CB1806187 — 713804

Stainless Steel Cable Ties



Coated

Uncoated

SAVE OVER* 20%

- Securely holds cable
- Coated or uncoated versions
- Supplied in packs of 50 or 100
- Available in various sizes

710872

Coated	Dims (LxW)	Qty.	1+	3+
CB1816487	100x4.6mm	100	£8.90	**£8.50**
CB1816587	150x4.6mm	100	£11.20	**£9.50**
CB1816687	200x4.6mm	100	£13.75	**£11.50**
CB1816787	260x4.6mm	100	£16.65	**£15.25**
CB1816887	360x4.6mm	100	£19.10	**£16.50**
CB1816987	520x4.6mm	100	£23.35	**£19.80**
CB1817087	150x7.9mm	50	£8.98	**£8.20**
CB1817187	200x7.9mm	50	£10.45	**£9.30**
CB1817287	360x7.9mm	50	£10.90	**£9.20**
Uncoated				
CB1817387	100x4.6mm	100	£10.90	**£9.20**
CB1817587	200x4.6mm	100	£11.65	**£10.70**
CB1817887	150x7.9mm	50	£8.25	**£6.98**
CB1817987	200x7.9mm	50	£14.90	**£12.54**
CB1818087	260x7.9mm	50	£15.40	**£12.90**
CB1818187	360x7.9mm	50	£5.35	**£4.90**

Cable Ties-Marker



SAVE OVER* 70%

- Manufactured from natural Polyamide 6.6
- Operating temperature: -40 to +85°C
- 100 Per bag
- Horizontal write on area 25x8mm

Technical Data — 629406

	Length (mm)	Width (mm)	Maximum Bundle Dia. (mm)	Tensile Strength (kg)
CB1369987	100	2.5	22	8
CB1370087	205	4.8	22	18

		1+	10+
CB1369987		£0.66	**£0.58**
CB1370087		£1.33	**£1.13**

Releasable Cable Ties



SAVE OVER* 55%

- Manufactured from Nylon 66, 94V-2
- UL Recognised (E97527)
- Supplied in packs of 100
- Max. Tensile Strength: 22kg

Technical Data — 628922

	Length (mm)	Width (mm)	Max. Bundle Dia. (mm)
CBBR772287	125	7.60	30
CBBR772787	125	7.60	30
CBBR772387	150	7.60	35
CBBR772887	150	7.60	35
CBBR772487	200	8.00	50
CBBR772987	200	8.00	50
CBBR772587	250	7.60	65
CBBR773187	350	8.00	80

		1+	10+
CBBR772287	Black	£2.27	**£2.02**
CBBR772787	Natural	£2.10	**£2.04**
CBBR772387	Black	£2.00	**£1.94**
CBBR772887	Natural	£2.05	**£2.04**
CBBR772487	Black	£2.73	**£2.38**
CBBR772987	Natural	£2.60	**£2.49**
CBBR772587	Black	£3.05	**£2.63**
CBBR773187	Natural	£3.20	**£3.19**

Releasable & Reusable Cable Ties



SAVE OVER* 60%


- Use time and time again
- Packs of 10 and a mixed pack of 40
- Mixed pack contains 5x each colour in 135mm and 210mm sizes
- Available in various colours and lengths

Technical Data — 653473

Length (mm)	Width (mm)	Maximum Bundle Dia. (mm)	Colour	
135	12	33	Black	CB1370587
135	12	33	Red	CB1370687
135	12	33	Yellow	CB1370787
135	12	33	Blue	CB1370887
200	16	50	Black	CB1371187
200	16	50	Red	CB1371287
200	16	50	Yellow	CB1371587
250	12	65	Black	CB1772887
250	12	65	Red	CB1772987
250	12	65	Yellow	CB1773087
250	12	65	Blue	CB1773187
310	12	85	Black	CB1773287
310	12	85	Red	CB1773387
310	12	85	Yellow	CB1773487
310	12	85	Blue	CB1773587
400	12	105	Black	CB1773687
400	12	105	Red	CB1773787
400	12	105	Yellow	CB1773887
400	12	105	Blue	CB1773987
500	12	145	Black	CB1774087
500	12	145	Red	CB1774187
500	12	145	Yellow	CB1774287
500	12	145	Blue	CB1774387

		1+	10+
CB1370587	Black	£0.95	**£0.88**
CB1370687	Red	£0.95	**£0.88**
CB1370787	Yellow	£0.95	**£0.88**
CB1370887	Blue	£0.95	**£0.88**
CB1371187	Black	£1.88	**£1.60**
CB1371287	Red	£1.88	**£1.60**
CB1371587	Yellow	£1.60	**£1.52**
CB1371687	Mixed Pack	£6.98	**£6.38**
CB1772887	Black	£2.20	**£1.90**
CB1772987	Red	£2.20	**£1.90**
CB1773087	Yellow	£2.20	**£1.90**
CB1773187	Blue	£2.20	**£1.90**
CB1773287	Black	£2.90	**£2.74**
CB1773387	Red	£2.90	**£2.74**
CB1773487	Yellow	£2.90	**£2.74**
CB1773587	Blue	£2.90	**£2.74**
CB1773687	Black	£3.39	**£3.22**
CB1773787	Red	£3.39	**£3.22**
CB1773887	Yellow	£3.39	**£3.22**
CB1773987	Blue	£3.39	**£3.22**
CB1774087	Black	£4.40	**£4.10**
CB1774187	Red	£4.40	**£4.10**
CB1774287	Yellow	£4.40	**£4.10**
CB1774387	Blue	£4.40	**£4.10**

Reusable Knot Cable Ties



SAVE OVER* 60%

- Strong and reusable
- Manufactured from nylon 66 material
- **Supplied in packs of 100**

Technical Data — 629405

Length (mm)	Maximum Bundle Dia. (mm)	Tensile Strength (kg)	
100	25	8	CB1369487
120	25	8	CB1772687
150	45	8	CB1369687
180	45	8	CB1772787

		1+	5+
CB1369487	100mm	£0.55	**£0.48**
CB1772687	120mm	£0.55	**£0.48**
CB1369687	150mm	£0.74	**£0.68**
CB1772787	180mm	£0.99	**£0.88**

Cable Tie Guns



- Cable tie guns for fastening and cutting cable ties of between 2.5-5mm
- Available in metal or plastic

713805

		1+	5+
CB1850887	Metal	£16.80	**£15.45**
CB1850987	Plastic	£6.20	**£5.80**

Cable Tie Bases

pro-POWER

SAVE OVER* 35%



Supplied in packs of 10. 628924

Natural		1+	5+
CBBR09138	19x19x4mm	£0.18	**£0.15**
CBBR09148	28x28x5mm	£0.29	**£0.26**
Black			
CBBR09158	19x19x4mm	£0.18	**£0.15**
CBBR09168	28x28x5mm	£0.29	**£0.26**

Cable Tie Bases, Mounts & Wall Plugs

SAVE OVER* 25%



A range of cable tie bases, mounts and wall plugs designed specifically for holding cable bundles. They offer a secure fixing and can be used with a variety of cable ties. Supplied in packs of 100.

Bases
- Black or natural colour
- Self-adhesive base for secure fixing
- Available in various sizes

Saddle Mounts
- Black or natural colour
- For use with cable ties up to 9mm wide

Wall Plugs
- For use with up to 9.7mm wide cable ties
- Length: 44mm

712103

Bases		(LxW) mm	1+	5+
CB1835487	Black	19x19	£2.55	**£2.36**
CB1835587	Natural	19x19	£2.55	**£2.36**
CB1835687	Black	28x28	£3.40	**£3.20**
CB1835787	Natural	28x28	£3.40	**£3.20**
CB1835887	Black	38x38	£3.40	**£3.20**
CB1835987	Natural	38x38	£3.40	**£3.20**
Saddle Mounts (Wide Wings)				
CB1836387	Black		£1.85	**£1.70**
Saddle Mounts (Narrow Wings)				
CB1836187	Black		£0.90	**£0.84**
CB1836087	Natural		£1.10	**£0.95**
Wall Plugs				
CB1836287			£0.79	**£0.70**

P Clips



- Nylon P clips, suitable for a variety of applications
- Secures cable, hose and nylon tubes
- Screw fixing
- Supplied in packs of 50 or 100

SAVE OVER* 25%

711229

	Internal	Qty.	1+	5+
CB1849587	3.2mm	100	£0.40	**£0.35**
CB1849687	4.8mm	100	£0.40	**£0.35**
CB1849787	6.35mm	100	£0.44	**£0.38**
CB1849887	12.70mm	100	£0.70	**£0.65**
CB1849987	15.80mm	50	£0.39	**£0.32**
CB1850087	25.40mm	50	£0.59	**£0.55**
CB1850187	27.50mm	50	£1.29	**£1.22**
CB1850287	31.80mm	50	£1.39	**£1.30**
CB1850387	36.70mm	50	£1.65	**£1.50**

Saddle Tie Mounts



- Accept either a 4.8 or 8.0mm wide cable tie
- Nylon 6.6
- Continuous working temperature -40°C to +85°C
- SM2 takes cable ties up to 4.8mm wide & accepts M3 screw
- SM3 takes cable ties up to 8.0mm wide & accepts M6 screw

SAVE OVER* 35%

627365

		1+	5+
CB1369087	SM2 Natural	£1.30	**£1.20**
CB1369187	SM2 Black	£1.30	**£1.20**
CB1369287	SM3 Natural	£2.30	**£2.06**
CB1369387	SM3 Black	£2.20	**£2.00**

Metric Nylon Cable Glands



- Metric threads
- Made from Polyamide 6
- Fitted with locknut and washer
- IP68 rated
- Black, grey, red or white glands
- Supplied in packs of 5 or 10
- Available in a range sizes

SAVE OVER* 20%

711588

Technical Data

Thread Size	Cable Range	Length	Pack Qty.
M12	3-6.5mm	15mm	10
M16	5-10mm	22mm	10
M20	6-12mm	24mm	10
M20L	10-14mm	27mm	10
M25	13-18mm	33mm	10
M32	18-25mm	42mm	10
M40	22-32mm	53mm	5
M50	30-38mm	60mm	5
M63	34-44mm	65mm	5

Packed in 10's			1+	5+
CB1795487	M12	Black	£1.66	**£1.50**
CB1795587	M12	Grey	£1.66	**£1.50**
CB1795687	M12	Red	£1.80	**£1.65**
CB1795787	M12	White	£1.80	**£1.65**
CB1795887	M16	Black	£2.10	**£1.88**
CB1795987	M16	Grey	£2.10	**£1.88**
CB1796087	M16	Red	£2.10	**£1.88**
CB1796187	M16	White	£2.10	**£1.88**
CB1796287	M20	Black	£1.80	**£1.65**
CB1796387	M20	Grey	£1.80	**£1.65**
CB1796487	M20	Red	£1.80	**£1.65**
CB1796587	M20	White	£1.80	**£1.65**
CB1796687	M20L	Black	£1.98	**£1.70**
CB1796787	M20L	Grey	£1.98	**£1.70**
CB1796887	M20L	Red	£1.58	**£1.40**
CB1796987	M20L	White	£2.00	**£1.80**
CB1797087	M25	Black	£2.98	**£2.70**
CB1797187	M25	Grey	£2.98	**£2.70**
CB1797287	M25	Red	£2.98	**£2.70**
CB1797387	M25	White	£2.98	**£2.70**
CB1797487	M32	Black	£6.00	**£5.70**
CB1797587	M32	Grey	£6.00	**£5.70**
CB1797687	M32	Red	£6.00	**£5.70**
CB1797787	M32	White	£6.00	**£5.70**
Packed in 5's				
CB1797887	M40	Black	£7.00	**£6.25**
CB1797987	M40	Grey	£7.00	**£6.25**
CB1798087	M40	Red	£7.00	**£6.25**
CB1798187	M40	White	£7.00	**£6.25**
CB1798287	M50	Black	£9.98	**£9.42**
CB1798387	M50	Grey	£9.98	**£9.42**
CB1798487	M50	White	£9.98	**£9.42**
CB1798587	M63	Black	£13.85	**£12.50**
CB1798687	M63	Grey	£13.85	**£12.50**
CB1798787	M63	White	£13.85	**£12.50**

Cable Cleats

- Ensures the safe retention and support of cables
- Supplied in packs of 20, 50 or 100



711587

	Internal	Qty.	1+	5+
CB1800687	12.7mm	100	£2.90	**£2.66**
CB1800787	15.2mm	100	£3.20	**£2.90**
CB1800887	17.8mm	100	£3.70	**£3.45**
CB1800987	20.3mm	100	£4.10	**£3.80**
CB1801087	22.8mm	100	£4.30	**£4.10**
CB1801187	25.4mm	100	£6.20	**£5.90**
CB1801287	30mm	50	£6.10	**£5.90**
CB1801387	35.6mm	50	£7.10	**£6.70**
CB1801487	40.6mm	20	£2.90	**£2.60**
CB1801587	45.7mm	20	£4.90	**£4.20**
CB1801687	50.4mm	20	£3.30	**£3.10**

Saddle Mounting Cable Clips

pro-POWER



- Securely holds cable
- Manufactured from Nylon 6.6
- Screw fixing
- Supplied in packs of 100
- Max. bundle diameter of 16-20mm or 25mm

SAVE OVER* 15%

713806

	Dims (WxLxInt.)	1+	5+
CB1758587	15.4x74x20mm	£1.69	**£1.55**
CB1758687	15.4x90x25mm	£2.00	**£1.80**

Saddle Type Cable Clips

pro-POWER



- Securely holds cable
- Manufactured from Nylon 6.6
- Supplied in packs of 100
- Available in various sizes
- Available with or without cable tie holder (CTH)


SAVE OVER* 10%

713807

With CTH	Dims (WxHxInt.)	1+	5+
CB1757987	22x26x16mm	£2.00	**£1.80**
CB1758087	26x28x20mm	£2.40	**£2.10**
CB1758187	30x35x25mm	£3.20	**£2.90**
Without CTH			
CB1758287	22x26x16mm	£3.70	**£3.40**
CB1758387	26x28x20mm	£4.10	**£3.90**
CB1758487	30x35x25mm	£5.00	**£4.80**

2:1, 3:1 & 4:1 Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- Approved to UL224, 125°C 600V VW-1, CSA22.2 No.198.1 125°C 600V, OFT
- 2:1 Normal wall tubing
- 3:1 & 4:1 Dual wall tubing
- Contains 140x black sleeves
- Sizes range from 3.2mm to 16.0mm diameter

SAVE OVER* 15%

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Shrink Ratio	Quantity
3.20mm	45mm	2:1	50
4.80mm	45mm	2:1	30
6.40mm	45mm	2:1	20
9.50mm	70mm	3:1	20
12.70mm	70mm	3:1	10
16.0mm	70mm	4:1	10

1+ **£12.98** 5+ **£12.20**

order code CB1781087 711373

Insulated Crimp Terminal Kit - 163 Piece

PRO-ELEC

- Partitioned box loaded with common types of insulated crimp terminals
- Internationally recognised colour coded sizes



SAVE OVER* 40%

Technical Data

Ring Terminals - Red 20A

Stud Size (mm)	Width (mm)	**Quantity**
3.7	4.3	10
5.3	4.3	10
4.3	4.9	10

Ring Terminals - Blue 28A

Stud Size (mm)	Width (mm)	**Quantity**
3.7	5	10
5.7	5	10
6.5	5	10

Ring Terminals - Yellow 45A

Stud Size (mm)	Width (mm)	**Quantity**
5.3	6.7	5
6.5	6.7	5

Fork Terminals - Red 15A

Stud Size (mm)	Width (mm)	**Quantity**
3.2	8.1	10
5.3	5.7	10
5.3	8.1	10

Female Push On Terminals - Red 12A

Tab Size (mm)	Length (mm)	**Quantity**
7.4x0.4	21	10
7.4x0.4	21	10

Female Push On Terminals - Blue 15A

Tab Size (mm)	Length (mm)	**Quantity**
7.4x0.4	21	10

Push On Blade Terminals - Red 12A

Tab Size (mm)	Length (mm)	**Quantity**
6.3x4.3	21	10

Push On Blade Terminals - Blue 15A

Tab Size (mm)	Length (mm)	**Quantity**
6.3x4.3	21	10

Butt Splice - Red 15A x10
Butt Splice - Blue 25A x10
Butt Splice - Yellow 45A x5

1+ **£4.10** 5+ **£3.89**

order code CB1371787 554060

Heatshrink Kits 2:1 and 3:1

pro-POWER



SAVE OVER* 50%

- Approved to MIL-1-23053/5 and UL224/CSA (E307734)
- Contains 180 heatshrinks
- Sizes range from 3.2mm diameter to 12.7mm diameter

Kit Contents 628932

Unshrunk	Colour	Length (mm)	Qty
3.20mm	Black	50	15
	Blue	50	15
	Yellow	50	15
	Red	50	15
	White	50	15
4.80mm	Black	50	6
	Blue	50	6
	Yellow	50	6
	Red	50	6
	White	50	6
9.50mm	Black	50	10
	Blue	50	10
	Yellow	50	10
	Red	50	10
	White	50	10
12.70mm	Black	70	5
	Blue	70	5
	Yellow	70	5
	Red	70	5
	White	70	5

		1+	5+
CB1046787	2:1 Kit	£8.37	**£7.11**
CB1046887	3:1 Kit	£14.32	**£13.61**

All prices exclude VAT

Polyester Expandable Braided Sleeving

pro-POWER

SAVE OVER* 15%

- Used to cover cables, wire harnesses, tubes and industrial hoses where good mechanical protection is required
- Open weave construction allows for easy installation
- Durable abrasion resistance
- Flame retardant
- Melt point: 240±10°C
- Operating temperature: -50°C to +150°C
- Supplied in various lengths
- Available in black and grey



713808

Black	Nom. Dia.	Length	1+	5+
CB1824687	3mm	5m	£0.51	**£0.45**
CB1824787	3mm	10m	£1.10	**£0.94**
CB1824887	3mm	25m	£2.40	**£2.20**
CB1824987	3mm	50m	£4.90	**£4.60**
CB1825087	3mm	100m	£9.78	**£9.50**
CB1825187	6mm	5m	£0.56	**£0.52**
CB1825287	6mm	10m	£1.11	**£1.02**
CB1825387	6mm	25m	£2.78	**£2.50**
CB1825487	6mm	50m	£5.40	**£5.10**
CB1825587	6mm	100m	£12.10	**£11.05**
CB1825687	8mm	5m	£0.69	**£0.64**
CB1825787	8mm	10m	£1.39	**£1.25**
CB1825887	8mm	25m	£3.70	**£3.45**
CB1825987	8mm	50m	£6.89	**£6.35**
CB1826087	8mm	100m	£13.49	**£12.25**
CB1826187	10mm	5m	£0.99	**£0.93**
CB1826287	10mm	10m	£1.98	**£1.80**
CB1826387	10mm	25m	£4.98	**£4.70**
CB1826487	10mm	50m	£10.25	**£9.40**
CB1826587	10mm	100m	£19.89	**£18.45**
CB1826687	12mm	5m	£1.14	**£1.04**
CB1826787	12mm	10m	£2.23	**£2.02**
CB1826887	12mm	25m	£5.45	**£5.10**
CB1826987	12mm	50m	£11.45	**£10.70**
CB1827087	12mm	100m	£21.90	**£19.47**
CB1827187	16mm	5m	£1.56	**£1.40**
CB1827287	16mm	10m	£3.10	**£2.80**
CB1827387	16mm	25m	£7.45	**£7.10**
CB1827487	16mm	50m	£15.90	**£14.70**
CB1827587	16mm	100m	£29.90	**£28.05**
CB1827687	19mm	5m	£1.80	**£1.60**
CB1827787	19mm	10m	£3.68	**£3.30**
CB1827887	19mm	25m	£9.00	**£8.45**
CB1827987	19mm	50m	£17.90	**£16.65**
CB1828087	19mm	100m	£36.60	**£35.10**
CB1828187	25mm	5m	£2.35	**£2.10**
CB1828287	25mm	10m	£4.70	**£4.40**
CB1828387	25mm	25m	£12.20	**£10.35**
CB1828487	25mm	50m	£22.90	**£22.20**
CB1828587	25mm	100m	£45.25	**£42.90**
CB1828687	32mm	5m	£3.21	**£2.90**
CB1828787	32mm	10m	£6.30	**£5.70**
CB1828887	32mm	25m	£16.25	**£15.70**
CB1828987	32mm	50m	£32.96	**£31.40**
CB1829087	32mm	100m	£62.58	**£59.70**
CB1829187	40mm	5m	£4.25	**£3.90**
CB1829287	40mm	10m	£8.79	**£8.20**
CB1829387	40mm	25m	£21.85	**£20.45**
CB1829487	40mm	50m	£45.65	**£42.90**
CB1829587	45mm	5m	£5.90	**£5.25**
CB1829687	45mm	10m	£11.45	**£10.25**
CB1829787	45mm	25m	£28.65	**£27.10**
CB1829887	50mm	5m	£6.20	**£5.80**
CB1829987	50mm	10m	£11.98	**£10.98**
CB1830087	50mm	25m	£31.00	**£27.90**

Grey			1+	5+
CB1843987	3mm	5m	£0.54	**£0.48**
CB1844087	3mm	10m	£1.04	**£0.93**
CB1844187	3mm	25m	£2.60	**£2.40**
CB1844287	3mm	50m	£5.10	**£4.80**
CB1844387	3mm	100m	£10.35	**£9.40**
CB1844487	6mm	5m	£0.60	**£0.54**
CB1844587	6mm	10m	£1.20	**£1.05**
CB1844687	6mm	25m	£2.90	**£2.70**
CB1844787	6mm	50m	£5.90	**£5.45**
CB1844887	6mm	100m	£11.20	**£10.45**
CB1844987	8mm	5m	£0.70	**£0.63**
CB1845087	8mm	10m	£1.35	**£1.24**
CB1845187	8mm	25m	£3.35	**£3.10**
CB1845287	8mm	50m	£7.10	**£6.80**
CB1845387	8mm	100m	£13.60	**£12.65**
CB1845487	10mm	5m	£1.04	**£0.96**
CB1845587	10mm	10m	£2.10	**£1.90**
CB1845687	10mm	25m	£5.10	**£4.80**
CB1845787	10mm	50m	£10.05	**£9.70**
CB1845887	10mm	100m	£19.90	**£18.60**
CB1845987	12mm	5m	£1.14	**£0.99**
CB1846087	12mm	10m	£2.10	**£1.90**
CB1846187	12mm	25m	£5.40	**£5.10**
CB1846287	12mm	50m	£11.35	**£10.90**
CB1846387	12mm	100m	£21.25	**£19.70**
CB1846487	16mm	5m	£1.50	**£1.38**
CB1846587	16mm	10m	£3.21	**£2.90**
CB1846687	16mm	25m	£7.79	**£7.40**
CB1846787	16mm	50m	£15.20	**£14.70**
CB1846887	16mm	100m	£29.90	**£28.05**
CB1846987	19mm	5m	£1.80	**£1.66**
CB1847087	19mm	10m	£3.78	**£3.45**
CB1847187	19mm	25m	£8.90	**£8.45**
CB1847287	19mm	50m	£18.45	**£17.21**
CB1847387	19mm	100m	£36.20	**£34.45**
CB1847487	25mm	5m	£2.40	**£2.10**
CB1847587	25mm	10m	£4.65	**£4.42**
CB1847687	25mm	25m	£11.90	**£11.45**
CB1847787	25mm	50m	£22.90	**£21.05**
CB1847887	25mm	100m	£44.98	**£43.14**
CB1847987	32mm	5m	£3.30	**£2.94**
CB1848087	32mm	10m	£6.65	**£6.10**
CB1848187	32mm	25m	£15.90	**£14.85**
CB1848287	32mm	50m	£33.32	**£31.90**
CB1848387	32mm	100m	£64.98	**£59.80**
CB1848487	40mm	5m	£4.45	**£4.10**
CB1848587	40mm	10m	£8.76	**£8.50**
CB1848687	40mm	25m	£21.45	**£19.70**
CB1848787	40mm	50m	£44.36	**£41.80**
CB1848887	45mm	5m	£5.54	**£5.10**
CB1848987	45mm	10m	£10.98	**£10.25**
CB1849087	45mm	25m	£28.25	**£26.00**
CB1849187	50mm	5m	£6.20	**£5.85**
CB1849287	50mm	10m	£12.45	**£11.52**
CB1849387	50mm	25m	£32.25	**£29.00**

Earth Sleeving



- Green/yellow coloured earth sleeving
- Length: 100m
- Available in a range of diameters

710271

		1+	5+
CB1802887	2mm	£2.95	**£2.80**
CB1802987	3mm	£3.25	**£3.03**
CB1803087	4mm	£4.25	**£4.10**
CB1803187	5mm	£7.58	**£7.10**
CB1803287	6mm	£7.62	**£7.56**

3:1 Dual Wall Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- Approved to UL224, 125°C 600V VW-1
- 3:1 Dual wall tubing
- Contains 120x black sleeves
- Sizes range from 3.2mm to 19.1mm diameter

SAVE OVER* 15%

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Quantity
3.20mm	45mm	50
4.80mm	45mm	30
9.50mm	70mm	20
12.70mm	70mm	10
19.1mm	70mm	10

1+ **£14.90** 5+ **£13.25**

order code CB1781187 711605

4:1 Adhesive-Lined Dual Wall Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- Approved to UL224, 125°C 600V VW-1
- 4:1 Adhesive-lined, dual wall tubing
- Contains 120x black sleeves
- Sizes range from 4.0mm to 16.0mm diameter

SAVE OVER* 20%

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Quantity
4.0mm	45mm	50
6.0mm	45mm	30
8.0mm	70mm	20
12.0mm	70mm	10
16.0mm	70mm	10

1+ **£17.45** 5+ **£16.80**

order code CB1781287 713809

2:1 Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- 2:1 Normal wall tubing
- Contains 180x clear sleeves
- Sizes range from 3.2mm to 12.7mm diameter

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Quantity
3.20mm	50mm	75
4.80mm	50mm	30
9.50mm	70mm	50
12.70mm	70mm	25

1+ **£7.79** 5+ **£7.25**

order code CB1781387 713810

Trade prices on over 100,000 stocked products

2:1 Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- Approved to UL224, 125°C 600V VW-1
- 2:1 Normal wall tubing
- Contains 180x yellow/green sleeves
- Sizes range from 3.2mm to 12.7mm diameter

SAVE OVER* 10%

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Quantity
3.20mm	50mm	75
4.80mm	50mm	30
9.50mm	70mm	50
12.70mm	70mm	25

1+ **£9.20** 5+ **£8.45**

order code CB1781487 713811

2:1 Adhesive-Lined Heatshrink Kit

pro-POWER



- Irradiated polyolefin heatshrink tubing
- Approved to UL224, 125°C 600V VW-1, CSA22.2 No.198.1 125°C 600V, OFT
- 2:1 Adhesive-lined, normal wall tubing
- Contains 80x black and 50x red sleeves
- Sizes range from 4.8mm to 12.7mm diameter

Technical Data

Dielectric strength	20kV/mm
Temperature range	-55°C to 125°C
Shrink Temperature	70°C

Kit Contents

Unshrunk	Length	Quantity
4.8mm	50mm	20x Black, 20x Red
6.4mm	50mm	20x Black, 15x Red
9.5mm	70mm	20x Black, 10x Red
12.7mm	100mm	20x Black, 5x Red

1+ **£7.76** 5+ **£7.20**

order code CB1781587 713812

Adhesive Lined Heatshrink Sleeving 4 : 1 Ratio

pro-POWER



SAVE OVER* 55%

- Operating Temperature -55°C to 125°C
- Shrink Temperature 110°C

635105

1.2m	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	1+	5+
CB1001287	4	1	£1.29	**£1.08**
CB1001387	6	1.5	£1.46	**£1.19**
CB1001487	8	2	£1.55	**£1.46**
CB1001587	12	3	£2.16	**£1.84**
CB1001687	16	4	£2.72	**£2.28**
CB1001787	20	5	£3.51	**£2.99**
CB1001887	24	6	£4.76	**£3.96**
CB1001987	32	8	£7.82	**£6.59**
CB1002087	52	13	£11.18	**£10.16**
5m				
CB1002187	4	1	£8.55	**£7.46**
CB1002287	6	1.5	£9.52	**£8.47**
CB1002387	8	2	£11.22	**£9.51**
CB1002487	12	3	£13.91	**£12.33**

IP68 Nylon Cable Glands - Metric Thread

pro-POWER

SAVE OVER* 65%

- Supplied complete with locknut
- Manufactured from nylon 66 to UL94v-2



628917

Technical Data

Threaded entry metric	Cable range dia. (mm)	H (mm)	GL (mm)	Spanner Size (mm)
M12 x 1.25	3 - 6, 5	21	8	15
M16 x 1.5	4 - 8	22	8	19
M20 x 1.5	6 - 12	27	9	24
M25 x 1.5	13 - 18	31	11	33
M32 x 1.5	18 - 25	39	11	42
M40 x 1.5	22 - 32	48	13	53
M50 x 1.5	32 - 38	49	13	60
M63 x 1.5	37 - 44	49	14	65 / 68

Single Glands		1+	**10+**
CBBR737187	M12 White	£0.09	**£0.07**
CBBR737287	M12 Black	£0.09	**£0.07**
CB0862187	M12 Grey	£0.09	**£0.07**
CBBR737387	M16 White	£0.12	**£0.10**
CBBR737487	M16 Black	£0.12	**£0.10**
CB0862387	M16 Grey	£0.12	**£0.10**
CB0890887	M16 Red	£0.12	**£0.10**
CBBR737587	M20 White	£0.17	**£0.14**
CBBR737687	M20 Black	£0.17	**£0.14**
CB0862587	M20 Grey	£0.17	**£0.14**
CBBR737787	M25 White	£0.29	**£0.26**
CBBR737887	M25 Black	£0.29	**£0.26**
CB0862787	M25 Grey	£0.29	**£0.26**
CBBR737987	M32 White	£0.48	**£0.43**
CBBR738087	M32 Black	£0.48	**£0.43**
CB0862987	M32 Grey	£0.48	**£0.43**
CB0863187	M40 Grey	£0.76	**£0.69**
CB0863387	M50 Grey	£0.99	**£0.86**
100 Pack			
CB0862287	M16 Grey	£8.90	**£7.80**

SPRINT Cable Glands - IP68

WISKA

SAVE OVER* 15%

EMSKV Series

- Maximum traction relief through WISKA patent lamella
- Seal tight to enclosure rack through additional EPDM sealing ring
- Material: Brass , Nickle Plated
- Operating temperature: -40°C to 100°C



695851

Thread Size	Cable Diameter Min.	Max.	
M12	3mm	7mm	CB1545787
M16	4.5mm	10mm	CB1545887
M20 x 1.5	6mm	13mm	CB1545987
M25 x 1.5	9mm	17mm	CB1546087
M32 x 1.5	13mm	21mm	CB1546187
M40 x 1.5	16mm	28mm	CB1546287
M50 x 1.5	21mm	35mm	CB1546387
M63 x 1.5	34mm	48mm	CB1546487

	Thread Size	1+	**5+**
CB1545787	M12	£1.78	**£1.48**
CB1545887	M16	£2.00	**£1.85**
CB1545987	M20 x 1.5	£2.00	**£1.85**
CB1546087	M25 x 1.5	£3.55	**£3.19**
CB1546187	M32 x 1.5	£7.20	**£6.85**
CB1546287	M40 x 1.5	£10.82	**£10.14**
CB1546387	M50 x 1.5	£14.45	**£13.70**
CB1546487	M63 x 1.5	£33.80	**£29.25**

Double Sided Tape - 50mm Width

pro-POWER

SAVE OVER* 40%



663786

		1+	**5+**
CB1478687	25m	£2.99	**£2.63**
CB1478787	10m	£1.18	**£1.07**

BW & CW Industrial Brass Cable Glands - Low Smoke

Condordia Technologies

SAVE OVER* 15%

- Brass cable glands, suitable for securing most rubber and plastic coated cables to electrical sources
- Complete with a locking nut offering positive armour locking and effective earth continuity
- Can be used in corrosive conditions when used with shroud
- Shrouds are low smoke fume
- CW version is waterproof to standards IP66 on inner and outer seal
- Tested and approved to BS6121, Part 1
- Supplied separately or in a pack of 2
- Available in BW and CW versions
- Thread pitch: 1.5mm



Technical Data

710264

	Thread Size	Cable Diameter Min.	Max.
BW Glands			
CB1812087	M20	13.9mm	21.1mm
CB1812187	M20 Small	11.6mm	16.1mm
CB1812287	M25	19.9mm	27.4mm
CB1812387	M32	26.2mm	34.4mm
CB1812487	M40	32.1mm	42.4mm
CB1812587	M50	44mm	55.7mm
CB1812687	M50 Small	38.1mm	50.1mm
CB1812787	M63	55.9mm	68.2mm
CB1812887	M63 Small	50mm	62.4mm
CB1812987	M75	67.9mm	82.9mm
CW Glands			
CB1813087	M20	15mm	20.9mm
CB1813187	M20 Small	11.4mm	15.9mm
CB1813287	M25	20.3mm	27.4mm
CB1813387	M32	26mm	33.9mm
CB1813487	M40	31mm	40.4mm
CB1813587	M50	43mm	53.1mm
CB1813687	M50 Small	36.5mm	46.7mm
CB1813787	M63	58mm	65.9mm

BW Glands	Thr. Size	Qty.	1+	**5+**
CB1812087	M20	2	£1.83	**£1.69**
CB1812187	M20 Small	2	£1.45	**£1.32**
CB1812287	M25	2	£2.92	**£2.80**
CB1812387	M32	2	£4.90	**£4.45**
CB1812487	M40	1	£4.10	**£3.90**
CB1812587	M50	1	£6.55	**£6.10**
CB1812687	M50 Small	1	£6.60	**£6.25**
CB1812787	M63	1	£9.25	**£8.80**
CB1812887	M63 Small	1	£7.95	**£7.45**
CB1812987	M75	1	£14.25	**£13.70**
CW Glands				
CB1813087	M20	2	£2.80	**£2.60**
CB1813187	M20 Small	2	£2.62	**£2.35**
CB1813287	M25	2	£5.58	**£5.25**
CB1813387	M32	2	£7.45	**£7.25**
CB1813487	M40	1	£5.40	**£5.10**
CB1813587	M50	1	£7.20	**£6.80**
CB1813687	M50 Small	1	£7.60	**£7.20**
CB1813787	M63	1	£12.25	**£11.45**

Cable Grommets

Condordia Technologies



Standard Quick Fit

SAVE OVER* 15%

- Protects cable from chaffing
- 20mm or 25mm Sizes
- Open or closed versions
- Supplied in packs of 50 or 100
- Available in standard and quick fit versions

710268

Standard		1+	**10+**
CB1801787	20mm Closed	100	£1.62	**£1.50**
CB1801887	20mm Open	100	£1.40	**£1.30**
CB1801987	25mm Closed	50	£1.60	**£1.50**
CB1802087	25mm Open	50	£2.90	**£2.70**
Quick Fit				
CB1802187	20mm Closed	100	£1.93	**£1.67**
CB1802287	20mm Open	100	£1.68	**£1.45**
CB1802387	25mm Closed	100	£3.65	**£3.50**
CB1802487	25mm Open	100	£3.30	**£2.90**

BW & CW Industrial Brass Cable Glands

Condordia Technologies

SAVE OVER* 20%

- Brass cable glands, suitable for securing cables to electrical sources
- Supplied in kit form with shrouds, earth tags and steel locknuts
- Tested and approved to BS6121, Part 1
- Manufactured in cast brass to BS2874 and defect free
- Supplied separately or in a pack of 2
- Available in BW and CW versions
- Thread pitch: 1.5mm



Technical Data

710263

	Thread Size	Cable Diameter Min.	Max.
BW Glands			
CB1809187	M16	8.6mm	13.5mm
CB1809287	M20	13.9mm	21.1mm
CB1809387	M20 Small	11.6mm	16.1mm
CB1809487	M25	19.9mm	27.4mm
CB1809587	M32	26.2mm	34.4mm
CB1809687	M40	32.1mm	42.4mm
CB1809787	M50	44mm	55.7mm
CB1809887	M50 Small	38.1mm	50.1mm
CB1809987	M63	55.9mm	68.2mm
CB1810087	M63 Small	50mm	62.4mm
CB1810187	M75	67.9mm	82.9mm
CB1810287	M75 Small	61.9mm	76.8mm
CB1810387	M20 Small	11.6mm	16.1mm
CB1810487	M20	13.9mm	21.1mm
CB1810587	M25	19.9mm	27.4mm
CB1810687	M32	26.2mm	34.4mm
CW Glands			
CB1810787	M20	15mm	20.9mm
CB1810887	M20 Small	11.4mm	15.9mm
CB1810987	M25	20.3mm	27.4mm
CB1811087	M32	26mm	33.9mm
CB1811187	M40	31mm	40.4mm
CB1811287	M50	43mm	53.1mm
CB1811387	M50 Small	36.5mm	46.7mm
CB1811487	M63	58mm	65.9mm
CB1811587	M63 Small	48.9mm	59.4mm
CB1811687	M75	64.9mm	78.5mm
CB1811787	M20	15mm	20.9mm
CB1811887	M20 Small	11.4mm	15.9mm
CB1811987	M25	20.3mm	27.4mm

BW Glands	Thread Size	Qty.	1+	**5+**
CB1809187	M16	2	£1.10	**£0.94**
CB1809287	M20	2	£0.80	**£0.75**
CB1809387	M20 Small	2	£0.93	**£0.88**
CB1809487	M25	2	£1.55	**£1.40**
CB1809587	M32	2	£1.35	**£1.20**
CB1809687	M40	1	£2.65	**£2.42**
CB1809787	M50	1	£4.45	**£4.10**
CB1809887	M50 Small	1	£5.98	**£5.60**
CB1809987	M63	1	£8.25	**£7.70**
CB1810087	M63 Small	1	£5.20	**£4.80**
CB1810187	M75	1	£8.95	**£8.20**
CB1810287	M75 Small	1	£8.95	**£8.20**
CB1810387	M20 Small	2	£1.80	**£1.65**
CB1810487	M20	2	£2.10	**£1.96**
CB1810587	M25	2	£3.85	**£3.60**
CB1810687	M32	2	£4.90	**£4.70**
CW Glands				
CB1810787	M20	2	£2.10	**£1.90**
CB1810887	M20 Small	2	£1.50	**£1.40**
CB1810987	M25	2	£2.85	**£2.70**
CB1811087	M32	2	£3.75	**£3.60**
CB1811187	M40	2	£4.90	**£4.65**
CB1811287	M50	2	£5.85	**£5.70**
CB1811387	M50 Small	2	£7.65	**£7.10**
CB1811487	M63	2	£8.25	**£7.85**
CB1811587	M63 Small	2	£10.25	**£9.80**
CB1811687	M75	2	£9.98	**£9.40**
CB1811787	M20	2	£2.89	**£2.70**
CB1811887	M20 Small	2	£2.45	**£2.20**
CB1811987	M25	2	£4.45	**£4.10**

Sales Counter
Open 7 days a week

Junction Box

HellermannTyton



SAVE OVER* 25%

- Thermo plastic polypropylene enclosure
- Contents include:
- 1x Connector box enclosure
- 2x Cable restraints
- 4 Screws 12.5x3mm (for cable restraints)
- 2x Screws 19.5x3mm (for box lid)
- Dimensions: 108x52x28mm
- Voltage: 250V AC

1+	3+
61p	**54p**

order code CB1572587 694848

Cable Tidy with Tool

pro-POWER



SAVE OVER* 40%

Cables are easily installed using a special plastic tool, which enables the split harness wrap to be quickly, and easily wrapped around the cables.

- Manufactured from Polypropylene.
- Supplied complete with wrapping tool.

Technical Data

635329

	Max. cable dia.	Length
CB1465687	15mm	10m
CB1465787	20mm	10m
CB1465887	25mm	10m
CB1465987	30mm	10m
CB1466087	15mm	2.50m
CB1466187	20mm	2.50m
CB1466287	25mm	2.50m
CB1466387	30mm	2.50m

	1+	**5+**
CB1465687	£3.91	**£3.66**
CB1465787	£5.77	**£5.39**
CB1465887	£7.11	**£6.59**
CB1465987	£8.22	**£7.31**
CB1466087	£1.12	**£0.97**
CB1466187	£1.52	**£1.36**
CB1466287	£2.04	**£1.79**
CB1466387	£2.37	**£2.18**

Grommet Strip

Condordia Technologies



The grommet strip protects cables and wires from sharp edges in sheet metal work, wood or other panels. The strip is extremely flexible and is ideal for use in holes where standard grommets are unsuitable.

- Supplied in 10m lengths
- Available in a range of sizes

712058

Natural		1+	**3+**
CB1802587	1.0mm	£4.30	**£3.90**
CB1802687	1.5-2.0mm	£5.11	**£4.85**
CB1802787	2.5-3.3	£6.00	**£5.20**

Electrical Tape

pro-POWER



SAVE OVER* 55%

Pack of 10 flame retardant PVC electrical installation tapes. Each pack contains the following tape colours: Black, Yellow, Blue, Green, Brown, Grey, Yellow/Green, Red, Orange and White. The rolls contain tapes of 10m lengths and 0.15mm thickness.

1+	5+
£3.25	**£2.98**

order code CB0073787 635121

Heatshrink Sleeving 2:1 Shrink Ratio

pro-POWER



- Manufactured from modified radiation cross linked Polyolefin
- Operating temperature -55 to + 125°C
- Minimum shrink temperature 70°C
- UL recognised UL224, VW-1, C-UL CSA 22.2OFT

SAVE OVER* 45%

695854

Black	Unshrunk Dia. (mm)	Shrunk Dia. (mm)	Length (m)	1+	5+
CB11456871.6	0.8	20		£1.96	£1.75
CB11457872.4	1.2	15		£2.10	£1.81
CB11458873.2	1.6	15		£2.49	£2.16
CB11459874.8	2.4	12		£2.56	£2.17
CB11460876.4	3.2	12		£2.72	£2.35
CB11461879.5	4.75	8		£3.40	£2.99
CB114628712.7	6.35	8		£3.40	£2.99
CB114638719	9.5	5		£3.52	£3.04
CB114648725.4	12.7	5		£4.33	£3.94
Natural					
CB11465871.6	0.8	20		£2.04	£1.75
CB11466872.4	1.2	15		£2.20	£1.96
CB11467873.2	1.6	15		£2.43	£2.16
CB11468874.8	2.4	12		£2.56	£2.28
CB11469876.4	3.2	12		£2.84	£2.49
CB11470879.5	4.75	8		£3.30	£2.99
CB114718712.7	6.35	8		£3.40	£3.03
CB114728719	9.5	5		£3.52	£3.15
CB114738725.4	12.7	5		£4.53	£4.10
Red					
CB16121871.6	0.8	20		£1.96	£1.75
CB16122872.4	1.2	15		£2.10	£1.81
CB16123873.2	1.6	15		£2.49	£2.16
CB16124874.8	2.4	12		£2.56	£2.17
CB16125876.4	3.2	12		£2.72	£2.35
CB16126879.5	4.75	8		£3.40	£2.99
CB161278712.7	6.35	8		£3.40	£2.99
CB161288719	9.5	5		£3.52	£3.04
CB161298725.4	12.7	5		£4.33	£3.94
Blue					
CB16130871.6	0.8	20		£1.96	£1.75
CB16131872.4	1.2	15		£2.10	£1.81
CB16132873.2	1.6	15		£2.49	£2.16
CB16133874.8	2.4	12		£2.56	£2.17
CB16134876.4	3.2	12		£2.72	£2.35
CB16135879.5	4.75	8		£3.40	£2.99
CB161368712.7	6.35	8		£3.40	£2.99
CB161378719	9.5	5		£3.52	£3.04
CB161388725.4	12.7	5		£4.33	£3.94

Nylon Cable Glands



Nylon cable glands suitable for a wide range of applications including repair and maintenance, machine tools, panel buildings, outside plant, lighting, professional equipment, electrical junction boxes, bulk head wiring, automotive, robotics and general wiring applications.

SAVE OVER* 20%

- Each gland comes complete with locknut and washer
- All glands are packaged in a handy, transparent tub with re-sealable lid and carry handle
- Made from Polyamide 6
- IP68 Rated
- Available in tubs with 50x black or 50x white glands
- Diameter: 6-12mm
- Length: 24mm
- Size: M20

710262

		1+	5+
CB1795287	White	£9.97	£9.50
CB1795387	Black	£9.97	£9.50

Normal Wall Flame Retardant Heat Shrinkable Tubing 2:1

pro-POWER

SAVE OVER* 50%



- Shrink temperature 70°C to 110°C
- Operating temperature -55°C to 125°C
- Material - Cross-Linked., thermally stabilized flame retardant polyolefin
- UL/CSA recognised (E307734) UL224, VW-1, C-UL CSA 22.2 OFT

635407

Size	Nom. Unshrunk	Nom. Shrunk
1.6mm	1.60mm	0.80mm
2.4mm	2.40mm	1.20mm
3.2mm	3.20mm	1.60mm
4.8mm	4.80mm	2.40mm
6.4mm	6.40mm	3.20mm
9.5mm	9.50mm	4.75mm
12.7mm	12.70mm	6.40mm
19.0mm	19.00mm	9.50mm
25.4mm	25.40mm	12.70mm
38.1mm	38.10mm	19.10mm
50.8mm	50.80mm	25.40mm

Black	Dia.	Length	1+	5+
CB18035871.2mm		100m	£7.35	£7.10
CB09680871.6mm		100m	£4.54	£4.41
CB09681872.4mm		100m	£5.75	£5.50
CB09682873.2mm		100m	£6.30	£6.05
CB0968387 5mm		100m	£8.20	£7.98
CB09684876.5mm		100m	£9.96	£9.60
CB09685879.5mm		100m	£10.75	£9.90
CB096868712.7mm		100m	£16.75	£15.50
CB18057871 6mm		100m	£37.65	£34.34
CB09687871 9mm		100m	£46.28	£44.10
CB096888725.4mm		50m	£31.58	£29.05
CB18059873 2mm		50m	£58.20	£55.40
CB096898738.1mm		50m	£61.45	£56.00
CB09690850.8mm		25m	£35.50	£34.00
CB18036871.2mm		5m	£0.41	£0.38
CB0969187 1.6mm		5m	£0.27	£0.24
CB0969287 2.4mm		5m	£0.37	£0.34
CB0969387 3.2mm		5m	£0.42	£0.38
CB0969487 4.8mm		5m	£0.47	£0.42
CB0969587 6.4mm		5m	£0.55	£0.50
CB18056877.9mm		5m	£0.90	£0.80
CB0969687 9.5mm		5m	£0.80	£0.70
CB0969787 12.7mm		5m	£0.94	£0.88
CB18058871 6mm		5m	£1.90	£1.69
CB0969887 19mm		5m	£2.45	£2.20
CB0969987 25.4mm		5m	£3.20	£2.90
CB18060873 2mm		5m	£6.10	£5.70
CB09700838.1mm		5m	£6.45	£6.10
CB0970187 50.8mm		5m	£7.90	£7.45
Clear				
CB18037871.2mm		100m	£7.50	£6.80
CB0970287 1.6mm		100m	£4.62	£3.96
CB0970387 2.4mm		100m	£5.79	£5.10
CB0970487 3.2mm		100m	£6.38	£5.60
CB0970587 4.8mm		100m	£8.42	£7.50
CB0970687 6.4mm		100m	£10.23	£9.10
CB0970787 9.5mm		100m	£10.95	£10.80
CB09708871 2.7mm		100m	£16.43	£15.10
CB0970987 19mm		100m	£59.75	£55.10
CB0971087 25.4mm		50m	£31.25	£30.25
CB0971187 38.1mm		50m	£67.10	£63.50
CB0971287 50.8mm		25m	£47.36	£44.10
CB18038871.2mm		5m	£0.44	£0.38
CB0971387 1.6mm		5m	£0.30	£0.26
CB0971487 2.4mm		5m	£0.40	£0.33
CB0971587 3.2mm		5m	£0.42	£0.38
CB0971687 4.8mm		5m	£0.52	£0.44
CB0971787 6.4mm		5m	£0.63	£0.56
CB0971887 9.5mm		5m	£0.77	£0.72
CB0971987 12.7mm		5m	£1.01	£0.94
CB09720871 9mm		5m	£2.60	£2.45
CB09721872 5.4mm		5m	£3.80	£3.45
CB09722838.1mm		5m	£12.45	£11.80
CB09723850.8mm		5m	£8.64	£8.25

4-Way Earth Block



- 4-Way, tinned brass earth block
- Used to secure and/or terminate wires
- Consists of several individual terminals arranged in a long strip
- Supplied with slot head brass screws

SAVE OVER* 15%

1+ 75p | 10+ 69p

order code CB1850487 710270

Terminal Blocks

pro-POWER



- 12-Way, screw terminal blocks
- Rated at 400V, 3-60A
- Manufactured from Nylon or polyethylene
- Supplied separately or in packs of 10
- Available in black, white or transparent

SAVE OVER* 35%

711585

			1+	10+
Nylon				
CB1763687	3A	White	£0.26	£0.22
CB1763787	6A	White	£0.38	£0.34
CB1763887	10A	White	£0.35	£0.32
CB1763987	16A	White	£0.51	£0.46
CB1764087	30A	White	£0.68	£0.62
CB1764187	60A	White	£1.11	£1.04
Polyethylene				
CB1764287	3A	Transparent	£0.18	£0.15
CB1764387	6A	Transparent	£0.22	£0.18
CB1764487	10A	Transparent	£0.29	£0.26
CB1764587	16A	Transparent	£0.40	£0.36
CB1764687	30A	Transparent	£0.60	£0.55
CB1764787	3A	Black	£0.18	£0.15
CB1764887	6A	Black	£0.22	£0.18
CB1764987	10A	Black	£0.29	£0.26
CB1765087	16A	Black	£0.40	£0.36
CB1765187	30A	Black	£0.55	£0.52
Packs of 10				
Nylon				
CB1765287	3A	White	£2.49	£2.25
CB1765387	6A	White	£3.65	£3.35
CB1765487	10A	White	£3.85	£3.60
CB1765587	16A	White	£5.10	£4.80
CB1765687	30A	White	£6.90	£6.54
CB1765787	60A	White	£11.35	£10.40
Polyethylene				
CB1765887	3A	Transparent	£1.80	£1.60
CB1765987	6A	Transparent	£2.05	£1.88
CB1766087	10A	Transparent	£2.89	£2.60
CB1766187	16A	Transparent	£3.90	£3.65
CB1766287	30A	Transparent	£5.45	£5.10
CB1766387	3A	Black	£1.80	£1.60
CB1766487	6A	Black	£2.05	£1.80
CB1766587	10A	Black	£2.90	£2.70
CB1766687	16A	Black	£3.85	£3.35
CB1766787	30A	Black	£5.65	£5.10

Conduit Contractor Pack, Polypropylene - IP40

HellermannTyton

- Halogen free and good resistance to oils and greases
- Pack includes: 10m conduit 10 cable glands 10 locknuts

SAVE OVER* 15%

694428

		1+	10+
CB1576187	20mm	£5.24	£4.80
CB1576287	25mm	£6.89	£5.96

PG Nylon Cable Glands

- PG Threads
- Made from Polyamide 6
- Fitted with locknut
- IP68 rated
- Black or grey glands
- Supplied in packs of 5 or 10
- Available in a range sizes

SAVE OVER* 40%

Technical Data 712106

Thread Size	Cable Range	Length	Pack Qty.
PG7	3-6.5mm	15mm	10
PG9	4-8mm	19mm	10
PG11	5-10mm	22mm	10
PG13.5	6-12mm	27mm	10
PG16	10-14mm	27mm	10
PG21	13-18mm	33mm	10
PG29	18-25mm	42mm	10
PG36	22-32mm	53mm	5
PG42	30-38mm	60mm	5

	Size			1+	5+
CB1798887	PG7	Black	10	£1.90	£1.72
CB1798987	PG7	Grey	10	£1.90	£1.72
CB1799087	PG9	Black	10	£1.90	£1.72
CB1799187	PG9	Grey	10	£1.90	£1.72
CB1799287	PG11	Black	10	£2.20	£2.04
CB1799387	PG11	Grey	10	£2.20	£2.04
CB1799487	PG13.5	Black	10	£2.40	£2.15
CB1799587	PG13.5	Grey	10	£2.40	£2.15
CB1799687	PG16	Black	10	£3.10	£2.90
CB1799787	PG16	Grey	10	£3.10	£2.90
CB1799887	PG21	Black	10	£4.60	£4.20
CB1799987	PG21	Grey	10	£4.60	£4.20
CB1800087	PG29	Black	10	£8.45	£8.10
CB1800187	PG29	Grey	10	£8.45	£8.10
CB1800287	PG36	Black	5	£8.45	£8.10
CB1800387	PG36	Grey	5	£8.45	£8.10
CB1800487	PG42	Grey	5	£8.45	£8.10

Nickel Plated Brass Lock Nuts



SAVE OVER* 20%

- Suitable for a wide use of applications
- Maximum possible torque and safe system connection
- Supplied in packs of 10
- Available in a range of sizes

711230

	Size x Height	1+	5+
CB1850587	M16x1.5mm	£0.27	£0.23
CB1850687	M20x1.5mm	£0.36	£0.32
CB1850787	M25x1.5mm	£0.47	£0.43

Nylon Cable Glands - PG Thread

pro-POWER



SAVE OVER* 65%

Technical Data 628916

Thread	AG (mm)	Cable Range (mm)	H (mm)	GL (mm)	Spanner Size (mm)
PG-07	12.5	3-6.5	21	8	15
PG-09	15.2	4-8	21	8	19
PG-11	18.6	5-10	25	8	22
PG-13.5	20.4	6-12	27	9	24
PG-16	22.5	10-14	28	10	27


			1+	10+
CBBR734787	PG-07	Grey	£0.09	£0.07
CBBR734887	PG-07	Black	£0.09	£0.07
CBBR735087	PG-09	Black	£0.11	£0.09
CBBR735187	PG-11	White	£0.16	£0.13
CBBR735287	PG-11	Black	£0.16	£0.13
CBBR735487	PG-13.5	Black	£0.16	£0.13
CBBR735687	PG-16	Black	£0.17	£0.15

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Grommet Strip

pro-POWER

SAVE OVER* 35%



Manufactured from polyethylene, the grommet strip protects cables and wires from sharp edges in sheet metal work, wood or other panels. The strip is extremely flexible and is ideal for use in holes where standard grommets are unsuitable.

- Available in plain or Crenellated profile.

Technical Data 635016

	Dims. (a) (mm)	Dims. (b) (mm)	Dims. (c) (mm)	Dims. (d) (mm)	Length per pack
CBBR624187	1.50	2.00	3.50	3.20	30M
CBBR624287	2.00	3.00	4.30	4.30	25M
CBBR624387	4.00	3.50	6.90	5.30	15M
CBBR624487	1.50	2.00	3.50	3.20	30M
CBBR624587	2.00	3.00	4.30	4.30	25M

		1+	3+
CBBR624187	Crenellated	£4.98	**£4.65**
CBBR624287	Crenellated	£5.65	**£5.20**
CBBR624387	Crenellated	£5.90	**£5.60**
CBBR624487	Plain	£5.65	**£5.20**
CBBR624587	Plain	£3.98	**£3.70**

Coloured Insulating Tape

Condordia Technologies



SAVE OVER* 25%

- Suitable for a range of applications including electrical binding, colour coding and identification
- Made from self-extinguishing, flame retardant PVC
- Supplied in 20m or 33m lengths in packs of 10
- Available in a variety of colours 710260

Single Rolls (20m x 19mm)		1+	3+
CB1905587	Black	£0.36	**£0.30**
CB1905687	Blue	£0.36	**£0.30**
CB1905787	Brown	£0.36	**£0.30**
CB1905887	Green, Yellow	£0.36	**£0.30**
CB1905987	Grey	£0.36	**£0.30**
CB1906087	Red	£0.36	**£0.30**
CB1906187	White	£0.36	**£0.30**
CB1906287	Yellow	£0.36	**£0.30**
Single Rolls (33m x 19mm)			
CB1906387	Black	£0.58	**£0.52**
CB1906487	Blue	£0.58	**£0.52**
CB1906587	Brown	£0.58	**£0.52**
CB1906687	Green, Yellow	£0.58	**£0.52**
CB1906787	Grey	£0.58	**£0.52**
Packs of 10 (20m x 19mm)			
CB1814887	Black	£3.85	**£3.46**
CB1814987	Blue	£3.85	**£3.46**
CB1815087	Brown	£3.85	**£3.46**
CB1815187	Green, Yellow	£3.65	**£3.20**
CB1815287	Grey	£3.65	**£3.20**
CB1815387	Red	£3.65	**£3.20**
CB1815487	White	£3.65	**£3.20**
CB1815587	Yellow	£3.65	**£3.20**
Packs of 10 (33m x 19mm)			
CB1815687	Black	£5.80	**£5.45**
CB1815787	Blue	£5.80	**£5.45**
CB1815887	Brown	£5.80	**£5.45**
CB1815987	Green, Yellow	£5.80	**£5.45**
CB1816087	Grey	£5.90	**£5.40**
CB1816187	Red	£5.90	**£5.40**
CB1816287	White	£5.90	**£5.40**
CB1816387	Yellow	£5.90	**£5.40**

Coloured Insulating Tape

SAVE OVER* 65%



High quality PVC electrical insulation tape providing electrical and mechanical protection.

- Electrical grade 19mm, 38mm and 50mm wide, conforming to BS3924 and IEC454
- Available in black, red, yellow, blue, green, white, grey, brown and green/yellow

682985

Technical Data

Operating Temperature	0°C to +80°C
Dielectric Breakdown	40kV/mm
Elongation	170%
Nominal Thickness	0.15mm

19mm x 20m		1+	10+
CBBR719987	Black	£0.33	**£0.29**
CBBR720087	Red	£0.33	**£0.29**
CBBR720187	Yellow	£0.33	**£0.29**
CBBR720287	Blue	£0.33	**£0.29**
CBBR720387	Green	£0.33	**£0.29**
CBBR720487	White	£0.33	**£0.29**
CBBR720587	Grey	£0.33	**£0.29**
CBBR720687	Brown	£0.33	**£0.29**
CBBR720787	Green/Yellow	£0.35	**£0.31**
19mm x 33m			
CBBR720887	Black	£0.50	**£0.44**
CBBR720987	Red	£0.50	**£0.44**
CBBR721087	Yellow	£0.50	**£0.44**
CBBR721187	Blue	£0.50	**£0.44**
CBBR721287	Green	£0.50	**£0.44**
CBBR721387	White	£0.50	**£0.44**
CBBR721487	Grey	£0.50	**£0.44**
CBBR721587	Brown	£0.50	**£0.44**
CBBR721687	Green/Yellow	£0.53	**£0.47**
38mm x 20m			
CBBR721787	Black	£0.64	**£0.57**
CBBR721887	Red	£0.64	**£0.57**
CBBR722087	Blue	£0.64	**£0.57**
CBBR722387	Grey	£0.64	**£0.57**
CBBR722587	Green/Yellow	£0.69	**£0.62**
50mm x 33m			
CB0996287	Black	£1.23	**£1.13**
CB0996387	Red	£1.23	**£1.13**
CB0996487	Blue	£1.23	**£1.13**
CB0996587	White	£1.23	**£1.13**
CB0996687	Green/Yellow	£1.42	**£1.24**
CB1337787	Grey	£1.14	**£1.02**
CB1337887	Green	£1.14	**£1.02**
CB1337987	Brown	£1.14	**£1.02**
CB1338087	Yellow	£1.25	**£1.07**

Coloured Insulating Tape

pro-POWER



- Suitable for a range of applications including electrical binding, colour coding, identification and masking
- Made from flame retardant PVC
- Supplied separately or in mixed packs of 6, 10 or 24
- Available in a variety of colours
- Dimensions (LxW): 8m x 19mm

SAVE OVER* 40%

711586

		1+	5+
CB1759087	White	£0.17	**£0.15**
CB1759187	Red	£0.17	**£0.15**
CB1759287	Black	£0.17	**£0.15**
CB1759387	Green	£0.17	**£0.15**
CB1759487	Yellow	£0.17	**£0.15**
CB1759587	Brown	£0.17	**£0.15**
CB1759687	Green, Yellow	£0.17	**£0.15**
Mixed Packs			
CB1759987	6x Tapes	£1.05	**£0.92**
CB1759787	10x Tapes	£1.80	**£1.60**
CB1759887	24x Tapes	£4.90	**£4.50**

Matte Cloth Fluorescent Gaffer Tape

pro-POWER



Matte cloth tapes with a rubber-based adhesive system.

- High strength, high performance adhesive system
- Highly conformable to irregular surfaces
- Weather resistant
- High thread count
- Abrasion resistant
- Clean removability from most surfaces
- Smooth, controlled unwind
- Hand tearable
- Available in various fluorescent colours, ideal for applications where high visibilty is required
- Service temperature: 10°C to 93°C
- Tensile strength: 20kg per inch
- Dimensions (LxW): 25m x 25mm 711529

		1+	5+
CB1779587	Pink	£5.59	**£5.10**
CB1779687	Blue	£5.59	**£5.10**
CB1779787	Yellow	£5.59	**£5.10**
CB1779887	Green	£5.59	**£5.10**
CB1779987	Orange	£5.59	**£5.10**

Laminated Cloth Gaffer Tapes

pro-POWER

- PE laminated, synthetic cloth tapes
- Ideal for general purpose use
- White, synthetic rubber adhesive
- Available in black or silver
- Dimensions (LxW): 50m x 48mm



SAVE OVER* 25%

711528

		1+	10+
CB1780287	Black	£1.89	**£1.69**
CB1780387	Silver	£1.89	**£1.69**

Self-Amalgamating Tape - 10m

pro-POWER



SAVE OVER* 45%

Technical Data


Thickness	0.8mm
Tensile Strength	1.5MPa
Elongation	700%
Disruptive Strength	10Kv/mm
Colour	Black

1+ £2.47 | 5+ **£2.04**

order code CB1449287 628934

Coloured Insulation Tape Pack

pro-POWER



SAVE OVER* 75%

Six rolls of coloured PVC insulating tape. One each of black, red, yellow, blue, green and white tape shrink-wrapped. Each roll is 5m long by 19mm wide.

1+ 80p | 5+ **72p**

order code AR7136487 635120

PVC Insulation Tape

pro-POWER



- Flame Retardant 15s<50mm
- Temperature range: -20 to +80°C
- Conforms to BS3924 & IEC454
- All rolls are 19mm wide
- Pk 10 has: 2 x white, blue, green, yellow & red

SAVE OVER* 35%

635188

Individual rolls		1+	3+
CB1229487	5m Red	£0.14	**£0.11**
CB1229587	5m Black	£0.14	**£0.11**
Packs of 10			
CB1229687	5m Multi	£1.18	**£1.05**
CB1229787	20mMulti	£2.96	**£2.70**

Masking Tape - 50m

pro-POWER



SAVE OVER* 40%

663787

	Tape Width	1+	5+
OE0605087	19mm	£0.50	**£0.44**
OE0605187	25mm	£0.87	**£0.78**
OE0605287	38mm	£0.96	**£0.81**

Terminal Selection Kit

Condordia Technologies



- Pre-insulated, colour-coded push-on terminals
- Allows for easy entry to quicken cable insertion
- Box dimensions (WxHxD): 390x180x 245mm

SAVE OVER* 10%

Contents:

- 10x 8mm Terminal Ring (Yellow)
- 10x 6mm Terminal Ring (Yellow)
- 10x 5mm Terminal Ring (Yellow, Red & Blue)
- 10x 4mm Terminal Ring (Red & Blue)
- 10x 3.5mm Terminal Ring (Red & Blue)
- 10x 3mm Terminal Ring (Red & Blue)
- 10x 5mm Terminal Spade (Yellow)
- 20x Pre-Insulated Terminal Butt (Yellow, Red & Blue)
- 20x Pre-Insulated Tab Push-On (Yellow, Red & Blue)
- 10x 4mm Pre-Insulated Spade (Yellow)
- 20x 4mm Pre-Insulated Spade (Red & Blue)
- 10x 4 Pre-Insulated Terminal Ring (Yellow)

1+ £12.85 | 3+ **£11.70**

order code CB1849487 712107

Extra Flexible OFC Transparent Speaker Cable - 100m

pro-POWER

SAVE OVER* 50%



- Black polarity line
- OFC Copper, extra soft PVC insulation

Technical Data

105x0.11mm OFC Bare Copper Conductors Strands (2x 1.00mm²)

1+ £28.43 | 3+ **£25.34**

order code CBBR417587 628885

All prices exclude VAT

Self Adhesive Miniature Cable Trunking

pro-POWER

BULKY ITEM

SAVE OVER* 30%



628927

	(mm)	1+	10+
CBBR791287	18x9	£2.75	**£2.37**
CBBR791387	25x13	£3.28	**£2.99**
CBBR791487	16x16	£2.97	**£2.73**
CBBR791587	25x16	£3.07	**£2.82**
CBBR791687	38x16	£4.12	**£3.55**
CBBR791787	38x25	£5.87	**£5.41**
CBBR791887	38x38	£7.05	**£6.70**
Packs	(mm) Qty		
CBBR126487	18x9 20	£45.40	**£42.59**
CBBR126687	16x16 20	£42.60	**£39.91**
CBBR126787	25x16 20	£54.56	**£51.40**
CBBR126887	38x16 20	£75.41	**£71.74**
CBBR126987	38x25 10	£50.76	**£45.78**
CBBR791987	38x38 10	£59.23	**£55.72**

LSHF Loudspeaker Cable

pro-POWER



- Stranded plain annealed copper wire
- PE insulation • Rip cord
- Low smoke halogen free (LSHF) jacket
- 2 or 4-Cores
- For connecting control equipment and instruments
- Available on 50m, 100m or 250m reels

SAVE OVER* 15%

712109

Technical Data

	2-Core	4-Core
Conductors	2x 1.5mm²	4x 1.5mm²
Jacket Colour	Pink	
Operating Temperature	-25°C to +90°C	
Outer diameter	6.6mm	7.5mm

	Cores		1+	5+
CB1781887	2	50m	£18.40	**£16.49**
CB1782087	2	250m	£82.00	**£79.41**
CB1782187	4	50m	£33.45	**£31.45**
CB1782287	4	100m	£65.00	**£62.50**

Figure-8 Audio Cable

Concordia



These cables detailed below are primarily used in domestic sound systems. They are not screened, so should not be run in close proximity to mains cabling to avoid interference.

- Stranded plain or tinned, annealed copper conductors to EN60228 Class 5
- PVC insulation, with a figure-8 cross-section in various colours
- Supplied on 100m or 500m reels
- Available in various sizes

SAVE OVER* 15%

711558

Technical Data

Conductor Size	Dims (WxD)	Max. Conductor DC Resistance @ 20°C (Ω/km)	
7 x 0.25mm Plain Copper	3.7x 1.7mm	57.0	CB1865487, CB1865587
13 x 0.2mm Plain Copper	4.5x 2mm	48.0	CB1864987
13 x 0.2mm Tinned Copper	4.5x 2mm	49.4	CB1865087 CB1865187,
16 x 0.2mm Plain Copper	4.35x 2.05mm	39.0	CB1865287, CB1865387

100m			1+	3+
CB1865487	7x0.25	Black	£11.00	**£10.25**
CB1865587	7x0.25	White	£11.00	**£10.25**
CB1864987	13x0.2	Grey	£12.40	**£11.65**
CB1865087	13x0.2	Transparent	£12.40	**£11.65**
500m				
CB1865187	16x0.2	Black, Green	£45.00	**£42.00**
CB1865287	16x0.2	Violet, Black	£45.00	**£42.00**
CB1865387	16x0.2	Red, Black	£45.00	**£42.00**

Unscreened Audio Cable

Concordia



These cables are primarily used in larger installations such as public buildings, recreational areas and sports facilities. They have larger, more flexible conductors which results in the ability to use in longer lengths without compromising on sound quality. The cables are not screened, so should not be run in close proximity to mains cabling to avoid interference.

- Plain, annealed, oxygen free copper, bunch strand conductors
- Transparent, PVC jacket with tracer for core identification
- Figure-8 cross-section
- Available on 25m or 100m reels
- Insulation resistance: ≥0.010MΩ.km
- Flame propagation: IEC 60332-1-2

SAVE OVER* 10%

711539

		1+	3+
CB1873287	100m	£41.45	**£38.90**
CB1873387	25m	£11.25	**£10.80**

Figure 8 Speaker Cable

pro-POWER



- PVC Insulated
- 0.20mm Copper coated aluminium conductors
- For use in audio applications
- Supplied on 100m or 500m reels

SAVE OVER* 20%

711606

	Strands		1+	3+
CB1777487	7	100m	£4.45	**£4.10**
CB1777587	13	100m	£6.00	**£5.35**
CB1777687	24	100m	£8.95	**£8.45**
CB1777787	42	100m	£14.00	**£12.50**
CB1777887	79	100m	£22.90	**£21.50**
CB1777987	7	500m	£22.90	**£21.50**
CB1778087	13	500m	£32.00	**£28.85**
CB1778187	24	500m	£45.50	**£41.45**
CB1778287	42	500m	£69.95	**£63.50**
CB1778387	79	500m	£109.00	**£102.25**

Figure 8 Speaker Cable

pro-POWER

SAVE OVER* 30%



- PVC insulated, plain annealed copper conductor
- 0.15mm Conductors

628883

10m			1+	3+
CB1747487		Black	£1.00	**£0.93**
CB1747387		Grey	£1.00	**£0.93**
CB1747587		White	£1.00	**£0.93**
CB1747687		White	£1.85	**£1.70**
CB1747787		White	£2.99	**£2.80**
CB1747887		White	£4.20	**£4.00**
100m				
CB1451087		Grey	£7.62	**£7.00**
CB1451187		Black	£7.62	**£7.00**
CB1451287		White	£7.62	**£7.00**
CB1451387		White	£12.00	**£11.12**
CB1451487		White	£19.98	**£18.98**
CB1451587		White	£34.61	**£32.14**

Figure-8 Speaker Cable

The cable has CCA conductors and has a Red and Black PVC outer sheath. Supplied on 100m reels.

SAVE OVER* 35%

624712

Technical Data

Strands/mm	Dims (mm)	CSA
2x 14/0.20	4.80x1.90	0.395
2x 24/0.20	5.50x2.50	0.57
2x 32/0.20	6.20x2.70	0.79
2x 45/0.20	6.80x2.90	1.24
2x 79/0.20	8.80x3.70	2.12

Loudspeaker Cable

pro-POWER

SAVE OVER* 40%



628886

2-Core 1.5mm² (78/0.15mm)			1+	3+
CB0866687	100m	6.6mm	£42.61	**£38.55**
CB0866787	50m	6.6mm	£22.31	**£20.95**
2-Core 2.5mm² (129/0.15mm)				
CB0866887	100m	7.3mm	£64.46	**£61.54**
CB0866987	50m	7.3mm	£33.68	**£31.98**

Twin Individually Screened Audio Cable

pro-POWER

SAVE OVER* 45%



631961

Technical Data

Overall Size	2.80mmx5.60mm
Conductors	10x0.12mm (OFC)
Screen	2x28x0.11mm Lap Screened
Nom. Conductor Area	0.0785mm

100m		1+	3+
CBBR630887	Black	£12.66	**£11.45**
CBBR630987	Grey	£12.66	**£11.45**
By the Metre			
CBBR640187	Black	£0.28	**£0.23**
CBBR640287	Grey	£0.28	**£0.23**

Twin Individually Screened Audio Cable - 100m

pro-POWER

SAVE OVER* 50%



Technical Data

Overall Size	4.00x8.00mm
Conductors	20x0.12mm (OFC)
Screen	2x45x0.11mm Lap Screened (OFC)


1+ **£21.53** 3+ **£20.46**

order code CBBR631387

631962

High Quality Microphone Cable

pro-POWER



- Superb quality, highly flexible microphone cable
- OFC conductors
- Spiral braid, Aluminium foil + cotton yarn
- Braid: 46/0.10mm OFC
- Supplied on 100m reels

Technical Data

Conductors	20/0.10mm OFC
Insulation	LDPE
O/D	5.50mm soft PVC
Colour	Black

1+ **£29.27** 3+ **£25.30**

order code CB1395787

635314

High Quality Figure 8 Speaker Cable -

pro-POWER

SAVE OVER* 15%



Technical Data

631953

Strands/mm	CSA (mm)	Cores	Dimensions
66/0.12	0.75	2	2.6x5.2mm
132/0.12	1.50	2	4x8mm
224/ 0.12	2.50	2	5x10mm

100m			1+	3+
CB1399287	66/0.12mm		£38.20	**£35.00**
CB1399487	132x0.12mm		£66.25	**£62.10**
CB1399587	224x0.12mm		£74.20	**£71.10**
10m				
CB1747287	224x0.12mm		£7.90	**£7.22**

RG59U Coaxial Cable

pro-POWER



- Solid conductor
- Solid polyethylene dielectric
- Aluminium braid

SAVE OVER* 35%

631958

Technical Data

Impedance	75Ω
Conductor	1x 0.65mm
Dielectric	Solid PE
Outer Diameter	6.0mm
CSA (mm)	0.33mm

			1+	5+
CB1743287	10m		£1.40	**£1.30**
CB1314887	100m		£20.31	**£18.89**
CB1450687	250m		£26.50	**£24.30**
LSOH				
CB1781787	100m		£15.60	**£13.77**

Square OFC Spaced Audio Cable

pro-POWER

SAVE OVER* 40%



- 5mm Square transparent flexible PVC jacket
- 3mm Spacing to reduce crosstalk
- Suitable for high end audio or car stereo systems

Technical Data

635387

Conductors	2x 2.5mm²
Inner conductors	315x0.11mm
Outer dimensions	2x 5.0x5.0mm + 3mm spacing

		1+	4+
CBBR818087	100m Reel	£72.00	**£69.53**
CBBR818187	50m Reel	£37.18	**£35.33**

Flat High Performance Speaker Cable - 100m

pro-POWER

SAVE OVER* 40%



- Quality flat speaker cable
- Oxygen Free Copper (OFC) bare copper strands
- 99.999% pure copper
- Low profile 2.5 x 9mm
- Very flexible PVC jacket
- Suitable for home audio connections

Technical Data

Conductors	2x 1.0mm²
Inner conductors	112x0.11mm(7/16/0.11mm)
Outer dimensions	2.5x9mm

1+ **£30.80** 5+ **£29.10**

order code CBBR817387

635164

			1+	3+
CB1464887	3 Amp	100m	£6.59	**£6.28**
CB1464987	6 Amp	100m	£8.97	**£8.55**
CB1465087	10 Amp	100m	£10.28	**£9.63**
CB1465187	15 Amp	100m	£14.11	**£13.18**
CB1465287	20 Amp	100m	£24.21	**£22.28**

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Professional Four Core Loudspeaker Cable - 100m

pro-POWER

SAVE OVER* 10%



- Superb quality, highly flexible
- OFC conductors

1+	3+
£133.35	£129.80

order code CB1399187 635265

Single Screened Two Core Microphone Cable - 100m

pro-POWER

SAVE OVER* 25%



Very flexible, two core screened noiseless microphone cable. Each core is constructed of stranded copper conductors with conductive plastic and copper lap screen, with an overall PVC sheath.

Technical Data 631960


Conductors	2x 20/0.10mm
Sheath	PVC
O/D	6.30mm
CSA	0.16mm

		1+	3+
CBBR416887	Black	£41.41	£34.44
CBBR416987	Red	£41.41	£34.44
CBBR417087	Blue	£41.41	£34.44

Twin Individually Screened Audio Cable -100m

pro-POWER

SAVE OVER* 50%



An extremely flexible twin audio cable, each core individually screened and laid side by side in a 'figure of 8' configuration, thus keeping crosstalk problems to a minimum. The conductors are manufactured using 99.99% Oxygen Free Copper (OFC) enabling signal distortion, resistance and interference to be kept to an absolute minimum.

Technical Data 635332

Overall Size	2.50x5.00mm
Conductors	16x0.10mm (OFC)
Screen	2x31x0.11mm Lap Screened

1+	3+
£13.96	£12.63


order code CBBR631087

Price Per Metre		
CBBR640387	Black	£0.42

Four Core Individually Screened Cable - 100m

pro-POWER

SAVE OVER* 60%



Technical Data

Conductors	4x 7/0.10mm
Sheath	PVC
O/D	4.50mm
Colour	Black
CSA	0.05mm

1+	3+
£20.39	£19.37

order code CBBR416187 635137

High Performance 2 Core Speaker Cable - 100m

pro-POWER

SAVE OVER* 25%



- Ideal for use with PA systems or general A/V applications • OFC copper
- Highly flexible

Technical Data

Conductors	41/0.16mm²
Outer diameter	6mm
Insulation	PVC
Colour	Black

1+	3+
£51.38	£49.63

order code CB1331987 635203

Screened 2 Core Audio Cable

pro-POWER



- High quality audio cable
- Figure 8 construction
- OFC conductors
- Spiral individual braid
- Flexible outer sheath
- Supplied on 100m reels

SAVE OVER* 15%

Technical Data 635252

Construction	Braid	Cores	Dimensions
10/0.12mm	32x0.12mm	2	2.8x5.6mm

		1+	3+
CB1399987	Black	£30.58	£27.90
CB1400087	Blue	£30.58	£27.90

Figure 8 Speaker Cable

pro-POWER



SAVE OVER* 20%


- Bare copper stranded conductors
- Flexible, PVC jacket
- 2x Cores
- Grey with black indicator or black with white indicator jackets
- Ideal for home cinema and audio applications
- Available in 50m and 100m lengths

713813

Grey Black	Strands x CSA	1+	3+
100m			
CB1750387	7 x 0.2mm	£7.25	£6.80
CB1750587	13 x 0.2mm	£11.25	£10.65
CB1750787	24 x 0.2mm	£19.80	£18.45
CB1750987	42 x 0.2mm	£29.00	£27.00
CB1751187	79 x 0.2mm	£49.85	£46.54
50m			
CB1751387	7 x 0.2mm	£3.60	£3.20
CB1751587	13 x 0.2mm	£5.80	£5.40
CB1751787	24 x 0.2mm	£9.90	£9.25
CB1751987	42 x 0.2mm	£16.60	£16.10
CB1752187	79 x 0.2mm	£27.65	£24.90
Black White			
100m			
CB1750487	7 x 0.2mm	£7.25	£6.80
CB1750687	13 x 0.2mm	£11.25	£10.65
CB1750887	24 x 0.2mm	£18.80	£17.45
CB1751087	42 x 0.2mm	£29.00	£27.00
CB1751287	79 x 0.2mm	£49.85	£46.54
50m			
CB1751487	7 x 0.2mm	£3.60	£3.20
CB1751687	13 x 0.2mm	£5.80	£5.40
CB1751887	24 x 0.2mm	£9.90	£9.25
CB1752087	42 x 0.2mm	£16.60	£16.10
CB1752287	79 x 0.2mm	£27.65	£24.90

Flexible OFC Transparent Audio Cable

pro-POWER



- High performance audio cable
- Bare copper stranded conductors
- 99.999% Oxygen Free Copper (OFC)
- Very flexible transparent PVC jacket
- Suitable for home cinema or car stereo systems

Technical Data 635122

Conductors	2x 0.65mm²
Inner conductors	60x 0.12mm
Outer diameter	2x 3.5mm
Reel	100m

	1+	3+
100m Reel		
CBBR817587	£17.94	£15.90
1m Cut Length		
CB1142387	£0.39	£0.37

High Performance OFC Speaker Cable - 100m

pro-POWER

SAVE OVER* 15%



- High performance, highly flexible, two core speaker cable, ideal for use with P.A systems or general A/V applications

Technical Data

No. of Conductors	2
Conductors	26/0.16mm²
Outer diameter	5.5mm
Insulation	PVC

1+	3+
£36.24	£29.30

order code CB1332087 635219

Audio Speaker OFC Cable - 1.5mm

pro-POWER

SAVE OVER* 35%



- Micro fine strands offering excellent flexibility
- Coloured stripe on one core


1+	3+
£21.61	£19.55

order code CB0865587 635259

Figure 8 Car Audio Cable

pro-POWER

SAVE OVER* 20%



Technical Data 628887

Strands/mm	Dims (mm)	CSA
2x14/0.20mm	5.4x2.70	0.395
2x20/0.20mm	5.60x2.80	0.57
2x28/0.20mm	6.00x3.00	0.79
2x44/0.20mm	6.60x3.30	1.24
2x75/0.20mm	7.60x3.80	2.12

10m		1+	3+
CB1747987	3A	£1.70	£1.54
CB1748087	6A	£2.05	£1.80
CB1748187	10A	£2.90	£2.70
CB1748287	15A	£3.98	£3.70
CB1748387	20A	£6.70	£6.45
100m			
CBBR124387	3A	£13.18	£12.15
CBBR124487	6A	£21.02	£19.57
CBBR124587	10A	£22.59	£20.81
CBBR124687	15A	£32.96	£31.11
CBBR124787	20A	£59.33	£55.99

Figure 8 Loud Speaker Cable - 100m

pro-POWER



SAVE OVER* 45%

- Bare copper stranded conductors
- 99.999% Oxygen Free Copper (OFC)
- 1 Side transparent Red, 1 side transparent Black

Technical Data

Conductors	2x 0.57mm²
Inner conductors	50x 0.12mm
Outer diameter	2x 3.0mm
Colour	Black & Red


1+	3+
£17.10	£14.83

order code CBBR817287 635385

100m 1 Pair Audio Cable - 100m

pro-POWER

SAVE OVER* 20%



- Audio cable for permanent installs and rack wiring
- Foil bonded to outer jacket
- Flame resistant PVC jacket material

Technical Data

Conductor Material	Tinned Copper
Conductors	14 x 0.2mm
Jacket Diameter	3.9mm
Rated Voltage	300V

1+	3+
£18.44	£17.04

order code CB1716787 694842

100m 1 Pair LSZH Audio Cable - 100m

pro-POWER



- Ideal for wiring in LSZH environments
- Foil bonded to outer jacket

SAVE OVER* 15%

Technical Data

Conductor Material	Tinned Copper
Conductors	14 x 0.2mm
Jacket Diameter	3.8mm
Rated Voltage	300V

1+	3+
£21.06	£19.67

order code CB1716887 694843

Custom Audio Cable - 100m

Concordia



Audio cable with drain wire in a semi-conductive plastic bedding, giving a high level of screening with no degradation due to cable/screen movement. Sheathed overall in Arctic grade PVC for flexibility at low temperature.

- Flexible, tinned, copper conductors, Class 6
- 2-Cores and tinned annealed copper drain wire twisted together
- Screen with semi-conductive extruded layer in contact with drain wire
- Blue, PVC jacket
- Nominal cable diameter: 6.6mm
- Max. conductor resistance: 57.3Ω/km @ 20°C
- Min. insulation resistance 50MΩ.km @ 20°C
- Nominal capacitance: 91pF/m core-to-core, 178pF/m core-to-screen
- Max rated temperature: 70°C
- Length: 100m

SAVE OVER* 15%

1+	3+
£26.90	£23.98

order code CB1870887 711228

2192Y 2 Core Oval 300/300V

pro-POWER

SAVE OVER* 45%



- Available in black, white or grey sheath

Technical Data 704869


CSA (mm²)	Current Amps	Core make up (mm)	OD Dims. (mm)	
0.5	3	16/0.2	3.3x5.4	CB1731087
0.5	3	16/0.2	3.3x5.4	CB1731187
0.5	3	16/0.2	3.3x5.4	CB1731287
0.5	3	16/0.2	3.3x5.4	CB1731387
0.5	3	16/0.2	3.3x5.4	CB1115387
0.5	3	16/0.2	3.3x5.4	CB1115487
0.5	3	16/0.2	3.3x5.4	CB1115587
0.5	3	16/0.2	3.3x5.4	CB1115687
0.5	3	16/0.2	3.3x5.4	CB1115787
0.75	6	24/0.2	3.5x5.8	CB1731487
0.75	6	24/0.2	3.5x5.8	CB1731587
0.75	6	24/0.2	3.5x5.8	CB1731687
0.75	6	24/0.2	3.5x5.8	CB1731787
0.75	6	24/0.2	3.5x5.8	CB1115887
0.75	6	24/0.2	3.5x5.8	CB1115987
0.75	6	24/0.2	3.5x5.8	CB1116087
0.75	6	24/0.2	3.5x5.8	CB1116187
0.75	6	24/0.2	3.5x5.8	CB1116287

0.50mm² 3A			1+	3+
CB1731087	White	5m	£1.79	**£1.54**
CB1731187	White	10m	£2.64	**£2.49**
CB1731287	Black	5m	£1.79	**£1.54**
CB1731387	Black	10m	£2.64	**£2.49**
CB1115387	White	50m	£6.59	**£6.08**
CB1115487	White	100m	£12.67	**£11.95**
CB1115587	Black	50m	£6.59	**£6.08**
CB1115687	Black	100m	£12.67	**£11.95**
CB1115787	Grey	100m	£12.67	**£11.95**
0.75mm² 6A				
CB1731487	White	5m	£2.29	**£1.98**
CB1731587	White	10m	£3.34	**£3.10**
CB1731687	Black	5m	£2.29	**£1.98**
CB1731787	Black	10m	£3.34	**£3.10**
CB1115887	White	50m	£8.96	**£7.97**
CB1115987	White	100m	£16.84	**£15.55**
CB1116087	Black	50m	£8.96	**£7.97**
CB1116187	Black	100m	£16.84	**£15.55**
CB1116287	Grey	100m	£17.10	**£15.86**

2183Y 3 Core Round 300/300V

pro-POWER

SAVE OVER* 45%




695834

0.50mm²-3A			1+	3+
CB1732887	White	5m	£2.14	**£2.02**
CB1732987	White	10m	£3.36	**£3.10**
CB1733087	Black	5m	£2.14	**£2.02**
CB1733187	Black	10m	£3.36	**£3.10**
CB1733287	Gold	5m	£2.14	**£2.02**
CB1733387	Gold	10m	£3.36	**£3.10**
CB1532187	White	25m	£5.97	**£5.50**
CB1117387	White	50m	£9.89	**£9.17**
CB1117487	White	100m	£17.97	**£16.79**
CB1531987	Black	25m	£5.97	**£5.36**
CB1117587	Black	50m	£9.89	**£9.17**
CB1117687	Black	100m	£17.97	**£16.79**
CB1117787	Grey	100m	£20.50	**£18.75**
CB1531787	Gold	100m	£17.97	**£16.79**
0.75mm²-6A				
CB1733487	White	5m	£2.59	**£2.40**
CB1733587	White	10m	£4.24	**£3.90**
CB1733687	Black	5m	£2.59	**£2.40**
CB1733787	Black	10m	£4.24	**£3.90**
CB1733887	Gold	5m	£2.59	**£2.40**
CB1733987	Gold	10m	£4.20	**£3.90**
CB1532287	White	25m	£6.59	**£6.16**
CB1117887	White	50m	£12.82	**£12.10**
CB1117987	White	100m	£23.59	**£21.94**
CB1532087	Black	25m	£6.59	**£6.16**
CB1118087	Black	50m	£12.82	**£12.10**
CB1118187	Black	100m	£23.59	**£21.94**
CB1118287	Grey	100m	£24.05	**£22.45**
CB1531887	Gold	100m	£24.05	**£22.45**

3183Y 3 Core Round 300/300V

pro-POWER

SAVE OVER* 50%



695836

0.75mm²-6A			1+	3+
CB1735887	White	5m	£2.65	**£2.40**
CB1735987	White	10m	£4.20	**£3.90**
CB1120487	White	100m	£23.59	**£22.09**
CB1120587	White	50m	£11.90	**£11.10**
CB1736087	Black	5m	£2.65	**£2.40**
CB1736187	Black	10m	£4.20	**£3.90**
CB1120687	Black	100m	£23.59	**£22.09**
CB1120787	Black	50m	£11.90	**£11.10**
CB1120887	Grey	100m	£27.71	**£25.85**
CB1736287	Orange	5m	£2.65	**£2.40**
CB1736387	Orange	10m	£4.20	**£3.90**
CB1532587	Orange	25m	£8.05	**£7.70**
CB1532687	Orange	50m	£11.90	**£11.10**
CB1120987	Orange	100m	£23.59	**£22.09**
1.00mm²-10A				
CB1736487	White	5m	£3.10	**£2.90**
CB1736587	White	10m	£4.90	**£4.45**
CB1533587	White	25m	£9.17	**£8.65**
CB1121087	White	100m	£29.77	**£28.33**
CB1121187	White	50m	£15.04	**£14.28**
CB1736687	Black	5m	£3.10	**£2.90**
CB1736787	Black	10m	£4.90	**£4.45**
CB1121287	Black	100m	£29.77	**£28.33**
CB1121387	Black	50m	£15.04	**£14.28**
CB1121487	Grey	100m	£36.45	**£34.43**
CB1736887	Orange	5m	£3.10	**£2.90**
CB1736987	Orange	10m	£4.90	**£4.45**
CB1532787	Orange	25m	£8.55	**£8.03**
CB1532887	Orange	50m	£14.83	**£13.95**
CB1532987	Orange	100m	£29.77	**£28.33**
1.25mm²-13A				
CB1121787	White	50m	£24.10	**£23.22**
CB1121887	Black	100m	£42.54	**£40.21**
CB1122187	Orange	100m	£42.54	**£40.21**
1.50mm²-15A				
CB1737287	White	5m	£3.78	**£3.45**
CB1737387	White	10m	£6.65	**£6.36**
CB1122287	White	100m	£41.10	**£35.95**
CB1122387	White	50m	£22.15	**£20.50**
CB1737487	Black	5m	£3.78	**£3.45**
CB1737587	Black	10m	£6.65	**£6.36**
CB1122487	Black	100m	£41.10	**£35.95**
CB1122587	Black	50m	£22.15	**£20.50**
CB1122687	Grey	100m	£56.03	**£52.53**
CB1737687	Orange	5m	£3.78	**£3.45**
CB1737787	Orange	10m	£6.65	**£6.36**
CB1533087	Orange	25m	£12.15	**£11.43**
CB1533187	Orange	50m	£22.04	**£21.32**
CB1533287	Orange	100m	£40.99	**£37.70**
2.50mm²-20A				
CB1737887	White	5m	£5.45	**£4.98**
CB1737987	White	10m	£9.86	**£9.65**
CB1122887	White	100m	£66.74	**£62.93**
CB1738087	Black	5m	£5.45	**£4.98**
CB1738187	Black	10m	£9.86	**£9.65**
CB1123087	Black	100m	£66.74	**£62.93**
CB1738287	Orange	5m	£5.45	**£4.98**
CB1738387	Orange	10m	£9.86	**£9.65**
CB1533387	Orange	50m	£33.52	**£30.28**
CB1533487	Orange	100m	£66.74	**£62.93**

Preston Contact Centre

8am - 7pm Mon to Fri

9am - 5pm Saturday

Now open Bank Holidays

Flexible Wiring Cable - H07RN-F

SAVE OVER* 10%



Suitable for internal or external use, these cables are used where a flexible connection to equipment is required in industrial, agricultural, mobile power supplies and construction applications. The cable is suitable for medium to heavy duty use, the sheath is oil resistant and offers good balance of mechanical and thermal resistance. The cable is only suitable for brief submersion in water.


- Flexible, plain, annealed copper to EN 60228, Class 5
- Black, thermosetting PCP (Polychloroprene) jacket, type EM2
- Multiple, colour coded cores twisted together
- Available with 2, 3 or 4x cores
- Fire performance: IEC 60332-1-2
- Bend radius: Fixed: 4x OD, flexed: 6x OD
- Rated Voltage: 450/750V
- Rated temperature: 60°C • Length: 100m

713814

Cores	Conductor Area CSA	1+	3+
CB1854387 2	1.5mm²	£21.05	**£19.60**
CB1854587 3	4mm²	£109.20	**£105.00**
CB1854687 3	6mm²	£157.00	**£151.00**
CB1854787 4	2.5mm²	£93.36	**£89.45**
CB1854887 4	4mm²	£167.00	**£162.00**

H05RR-F Rubber Cable

pro-POWER



- Tough, rubber sheathed flex
- Extremely flexible
- Voltage: 300/500V
- Test voltage: 2500V
- Operating temperature range: -20 to +60°C
- Bending radius: 15 x Overall diameter
- Manufactured to Din VDE0282, VDE 0472, GB/T5013

SAVE OVER* 20%

702173

2 Core			1+	3+
CB1552787	100m	6A	£26.27	**£24.82**
CB1552887	50m	10A	£20.21	**£19.16**
CB1552987	100m	10A	£32.45	**£29.10**
CB1553087	50m	15A	£24.31	**£21.89**
CB1553187	100m	15A	£45.84	**£42.59**
3 Core				
CB1553287	50m	6A	£17.36	**£15.86**
CB1553387	100m	6A	£34.20	**£31.98**
CB1553487	50m	10A	£21.90	**£19.35**
CB1553587	100m	10A	£40.95	**£37.39**
CB1553687	50m	15A	£28.98	**£26.40**
CB1553787	100m	15A	£62.90	**£61.10**

Solar Cable

SAVE OVER* 45%



This cable is suitable for inter-connections within photovoltaic systems such as solar panel arrays. They are manufactured in accordance with various British and International Standards and are designed to withstand severe environmental conditions.

- Stranded, tinned, annealed copper, EN60228 Class 5
- Black, Halogen-free, cross-linked polyolefin jacket
- Available with 4mm² or 6mm² diameter wire
- Temperature range: -40°C to +90°C
- Voltage rating: AC 600/1,000V, DC 1,800V
- Insulation resistance: >1,000MΩ.km
- Length: 100m

713815

	Conductor Area CSA	1+	3+
CB1854987	4mm²	£34.00	**£31.30**
CB1855087	6mm²	£35.00	**£32.50**

Twin and Earth Cable - 6242YH

pro-POWER



- BASEC approved, conforms with BS6004

SAVE OVER* 50%

Technical Data 693111

CSA (mm²)	Current Amps	Core make up (mm)	OD Dims (mm)
1	15	1/1.13	4.50x8.20
1.5	20	1/1.38	4.70x8.60
2.5	27	1/1.78	5.30x9.90
4	36	7/0.85	6.10x11.40
6	46	7/1.04	6.8 x 13.1
10	63	7/1.35	8.4x16.8
16	85	7/1.7	9.6x19.5

5m Reels				1+	3+
CB1527087	6mm²	46A	£7.06	**£6.39**
CB1527287	10mm²	63A	£12.01	**£10.92**
10m Reels					
CB1526687	1mm²	15A	£3.50	**£3.13**
CB1526787	1.5mm²	20A	£4.33	**£3.87**
CB1526887	2.5mm²	27A	£6.34	**£5.97**
CB1526987	4mm²	36A	£9.58	**£9.03**
CB1527187	6mm²	46A	£12.34	**£11.74**
CB1527387	10mm²	63A	£20.39	**£19.26**
25m Reels					
CB1143487	1mm²	15A	£7.78	**£7.13**
CB1143587	1.5mm²	20A	£9.73	**£9.12**
CB1143687	2.5mm²	27A	£15.04	**£13.60**
CB1143787	4mm²	36A	£22.09	**£20.81**
CB1143887	6mm²	46A	£32.86	**£30.59**
CB1143987	10mm²	63A	£51.48	**£47.28**
CB1144087	16mm²	85A	£76.84	**£73.34**
50m Reels					
CB1144187	1mm²	15A	£13.60	**£12.90**
CB1144287	1.5mm²	20A	£18.28	**£16.69**
CB1144387	2.5mm²	27A	£24.31	**£23.18**
CB1144487	4mm²	36A	£40.03	**£38.42**
CB1144587	6mm²	46A	£55.21	**£52.94**
CB1144687	10mm²	63A	£91.05	**£89.25**
100m Reels					
CB1144887	1mm²	15A	£24.77	**£23.79**
CB1144987	1.5mm²	20A	£30.80	**£27.60**
CB1145087	2.5mm²	27A	£37.90	**£36.25**
CB1145187	4mm²	36A	£78.69	**£69.50**
CB1145287	6mm²	46A	£102.96	**£89.98**
100m Reel LSOH					
CB1145387	1.5mm²	20A	£40.58	**£35.50**
Accessory					
CB1575687	Cutting Tool		£13.40	**£12.35**

FCC 68 Telephone and Data Cable - 100m

pro-POWER



SAVE OVER* 20%

Technical Data 635225

	Dim. (mm)	CSA (mm)	Strands/mm
CBBR011587	5.00x2.46	0.124	7/0.15
CBBR011687	5.00x2.46	0.124	7/0.15
CBBR011787	5.00x2.46	0.124	7/0.15
CBBR011887	7.00x2.46	0.124	7/0.15
CBBR011987	7.00x2.46	0.124	7/0.15
CBBR012087	7.00x2.46	0.124	7/0.15
CBBR012187	8.50x 2.46	0.124	7/0.15
CBBR012287	8.50x2.46	0.124	7/0.15

		1+	3+
CBBR011587	4 Core Black	£8.88	**£8.03**
CBBR011687	4 Core Grey	£8.88	**£8.03**
CBBR011787	4 Core White	£8.88	**£8.03**
CBBR011887	6 Core Grey	£12.32	**£11.54**
CBBR011987	6 Core Black	£12.32	**£11.54**
CBBR012087	6 Core White	£12.32	**£11.54**
CBBR012187	8 Core Grey	£16.38	**£15.24**
CBBR012287	8 Core Black	£16.38	**£15.24**

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Tri-Rated Switchgear Wire



SAVE OVER* 15%

Combining compliance with three National standards into one cable provides a single cable that meets North American and European specifications, thus simplifying procurement and reducing stock holding. Tri-rated cable has been designed for the purpose of control and instrumentation panel interconnections.

- Plain annealed, copper conductors to EN60228, Class 5
- PVC jacket in various colours
- Supplied on 100m reels, (except CB18866, 50m reel)
- Rated Voltage: 600/1,000V
- Maximum temperature (BS 6231): 90°C
- Maximum temperature (UL/CSA): 105°C

Technical Data 713708


Conductor Size (mm²)	Max. Conductor DC Resistance @ 20°C (Ω/km)	Min. Insulation Resistance @ 90°C (MΩ/km)	Max. Overall (mm)
0.50	39	0.0161	2.7
0.75	26	0.0141	2.9
1.00	19.5	0.0128	3.0
1.50	13.3	0.0111	3.3
2.50	7.98	0.0094	3.8
4.00	4.95	0.0077	4.4
6.00	3.30	0.0059	5.3
10.00	1.91	0.0058	6.9
16.00	1.21	0.0048	9.0
25.00	0.78	0.0047	10.6
35.00	0.55	0.0040	11.9

Like us on Facebook
For the latest news
facebook.com/cpc.co.uk

100m Reel		CSA (mm)	1+	3+
CB1876287	Black	0.50	£5.85	**£5.20**
CB1876387	Blue	0.50	£5.85	**£5.20**
CB1876487	Brown	0.50	£5.85	**£5.20**
CB1876587	Green, Yellow	0.50	£5.85	**£5.20**
CB1876687	Green	0.50	£5.85	**£5.20**
CB1876787	Grey	0.50	£5.85	**£5.20**
CB1876887	Blue	0.50	£5.85	**£5.20**
CB1876987	Orange	0.50	£5.85	**£5.20**
CB1877087	Pink	0.50	£5.85	**£5.20**
CB1877187	Red	0.50	£5.85	**£5.20**
CB1877287	Violet	0.50	£5.85	**£5.20**
CB1877387	White	0.50	£5.85	**£5.20**
CB1877487	Yellow	0.50	£5.85	**£5.20**
CB1877687	Blue	0.75	£7.49	**£6.90**
CB1877987	Green, Yellow	0.75	£7.49	**£6.90**
CB1878087	Green	0.75	£7.49	**£6.90**
CB1878187	Grey	0.75	£7.49	**£6.90**
CB1878287	Orange	0.75	£7.49	**£6.90**
CB1878387	Pink	0.75	£7.49	**£6.90**
CB1878487	Red	0.75	£7.49	**£6.90**
CB1878587	Violet	0.75	£7.49	**£6.90**
CB1878687	White	0.75	£7.49	**£6.90**
CB1878787	Yellow	0.75	£7.49	**£6.90**
CB1878887	Black	1.00	£9.20	**£8.75**
CB1878987	Blue	1.00	£9.20	**£8.75**
CB1879087	Brown	1.00	£9.20	**£8.75**
CB1879187	Blue	1.00	£9.20	**£8.75**
CB1879287	Green, Yellow	1.00	£9.20	**£8.75**
CB1879487	Grey	1.00	£9.20	**£8.75**
CB1879587	Blue	1.00	£9.20	**£8.75**
CB1879687	Orange	1.00	£9.20	**£8.75**
CB1879787	Pink	1.00	£9.20	**£8.75**
CB1879887	Red	1.00	£9.20	**£8.75**
CB1879987	Violet	1.00	£9.20	**£8.75**
CB1880087	White	1.00	£9.20	**£8.75**
CB1880187	Yellow	1.00	£9.20	**£8.75**
CB1880287	Black	1.50	£11.50	**£10.75**
CB1880387	Blue	1.50	£11.50	**£10.75**
CB1880487	Brown	1.50	£11.50	**£10.75**
CB1880587	Blue	1.50	£11.50	**£10.75**
CB1880787	Green	1.50	£11.50	**£10.75**
CB1880887	Grey	1.50	£11.50	**£10.75**
CB1880987	Orange	1.50	£11.50	**£10.75**
CB1881087	Pink	1.50	£11.50	**£10.75**
CB1881187	Red	1.50	£11.50	**£10.75**
CB1881287	Violet	1.50	£11.50	**£10.75**
CB1881387	Yellow	1.50	£11.50	**£10.75**
CB1881487	Black	2.50	£18.75	**£18.30**
CB1881587	Blue	2.50	£18.75	**£18.30**
CB1881787	Blue	2.50	£18.75	**£18.30**
CB1881887	Green, Yellow	2.50	£18.75	**£18.30**
CB1881987	Green	2.50	£18.75	**£18.30**
CB1882087	Grey	2.50	£18.75	**£18.30**
CB1882187	Orange	2.50	£18.75	**£18.30**
CB1882287	Pink	2.50	£18.75	**£18.30**
CB1882387	Red	2.50	£18.75	**£18.30**
CB1882487	Violet	2.50	£18.75	**£18.30**
CB1882587	White	2.50	£18.75	**£18.30**
CB1882687	Yellow	2.50	£18.75	**£18.30**
CB1882787	Black	4.00	£29.40	**£27.30**
CB1882887	Blue	4.00	£29.40	**£27.30**
CB1882987	Brown	4.00	£29.40	**£27.30**
CB1883087	Blue	4.00	£29.40	**£27.30**
CB1883187	Green, Yellow	4.00	£29.40	**£27.30**
CB1883287	Grey	4.00	£29.40	**£27.30**
CB1883387	Orange	4.00	£29.40	**£27.30**
CB1883487	Red	4.00	£29.40	**£27.30**
CB1883587	White	4.00	£29.40	**£27.30**
CB1883687	Yellow	4.00	£29.40	**£27.30**
CB1883787	Black	6.00	£39.85	**£37.00**
CB1883887	Blue	6.00	£39.85	**£37.00**
CB1883987	Brown	6.00	£39.85	**£37.00**
CB1884087	Blue	6.00	£39.85	**£37.00**
CB1884187	Green, Yellow	6.00	£39.85	**£37.00**
CB1884287	Green	6.00	£39.85	**£37.00**
CB1884387	Grey	6.00	£39.85	**£37.00**
CB1884487	Red	6.00	£39.85	**£37.00**
CB1884587	White	6.00	£39.85	**£37.00**
CB1884687	Yellow	6.00	£39.85	**£37.00**
CB1884787	Blue	10.00	£72.50	**£66.45**
CB1884887	Brown	10.00	£72.50	**£66.45**
CB1884987	Green, Yellow	10.00	£72.50	**£66.45**
CB1885087	Green	10.00	£72.50	**£66.45**
CB1885187	Grey	10.00	£72.50	**£66.45**
CB1885287	Black	16.00	£114.05	**£105.90**
CB1885387	Blue	16.00	£114.05	**£105.90**
CB1885487	Green, Yellow	16.00	£114.05	**£105.90**
CB1885587	Grey	16.00	£114.05	**£105.90**
CB1885687	Red	16.00	£114.05	**£105.90**
CB1885787	Black	25.00	£168.00	**£158.05**
CB1885887	Blue	25.00	£168.00	**£158.05**
CB1885987	Brown	25.00	£168.00	**£158.05**
CB1886087	Green, Yellow	25.00	£168.00	**£158.05**
CB1886187	Black	35.00	£225.00	**£210.00**
CB1886287	Blue	35.00	£225.00	**£210.00**
CB1886387	Brown	35.00	£225.00	**£210.00**
CB1886487	Grey	35.00	£225.00	**£210.00**
CB1886587	Red	35.00	£225.00	**£210.00**
50m Reel				
CB1886687	Red	35.00	£110.15	**£102.05**

Telephone Cable - CW1308

pro-POWER



SAVE OVER* 35%

An internal cable designed for interconnection of communication equipment.

- Max. Current per Core 0.25 A
- Nom. Conductor Area 0.20mm
- Max . Working Voltage 80V
- Copper conductors

Technical Data 653476

Pair No.	'A' Wire	'B' Wire
1	WHITE/Blue	BLUE/White
2	WHITE/Orange	ORANGE/White
3	WHITE/Green	GREEN/White
4	WHITE/Brown	BROWN/White
5	WHITE/Grey	GREY/White
6	RED/Blue	BLUE/Red

White	Pairs	Reel (m)	1+	3+
CB1744987	2	5	£0.84	**£0.78**
CB1745087	2	10	£1.62	**£1.48**
CB1112287	2	100	£10.09	**£9.58**
CB1745187	3	5	£1.24	**£1.16**
CB1745287	3	10	£2.29	**£2.12**
CB1112387	3	100	£13.80	**£12.98**
CB1745387	4	5	£1.48	**£1.36**
CB1745487	4	10	£2.79	**£2.60**
CB1112487	4	100	£17.00	**£16.38**
CB1463387	10	100	£71.17	**£68.52**
CB1463487	12	100	£55.93	**£51.40**
CBBR910587	2	200	£22.18	**£20.06**
CBBR910887	3	200	£33.68	**£31.17**
CBBR910687	2	500	£53.66	**£51.40**
Black				
CBBR910787	2	100	£10.09	**£9.58**
CBBR911087	3	100	£14.68	**£13.40**
External Use				
CBBR531387	5	100	£45.51	**£43.47**
CBBR531487	10	100	£69.22	**£63.04**
CBBR531587	20	100	£110.31	**£100.94**

Security Alarm Cable - BS4737

pro-POWER



SAVE OVER* 40%

- Resistance: 98.7Ω/km
- PVC Wall Thickness - 0.50mm
- CSA - 0.22mm

Technical Data 628882

Type	O/D	Current per Core	Max. Voltage	Nominal Construction
4 Core	3.50mm	1 Amp	50V rms	7/0.18mm
6 Core	4.10mm	1 Amp	50V rms	7/0.18mm
8 Core	4.50mm	1 Amp	50V rms	7/0.18mm
12 Core	5.60mm	1 Amp	50V rms	7/0.18mm

Cut Length (By The Metre)				
CBBR303987	4 Core	White		**£0.37**
CBBR304087	6 Core	White		**£0.49**
CBBR304187	8 Core	White		**£0.58**
4 Core		(m)	1+	5+
CB1147487	White	100	£6.80	**£6.28**
CBBR660287	Brown	100	£7.52	**£7.19**
CBBR660387	Black	100	£9.58	**£9.06**
CBBR660187	White	500	£33.89	**£32.34**
6 Core				
CB1147587	White	100	£9.94	**£9.37**
CBBR660587	White	500	£49.13	**£47.69**
CBBR660687	Brown	100	£10.97	**£10.04**
CBBR660787	Black	100	£15.24	**£13.70**
8 Core				
CB1147687	White	100	£12.83	**£12.15**
CBBR661087	Brown	100	£13.60	**£12.88**
CBBR661187	Black	100	£17.30	**£16.27**
12 Core				
CBBR661287	White	100	£24.82	**£23.79**

Order online at cpc.co.uk

Bell Wire CCA Conductor

pro-POWER



SAVE OVER* 30%

- Conductors: 2x0.49CCA (Copper Clad Aluminium)
- Inner conductor: 1/0.49±0.005mm
- Size: 2.2x4.4±0.2mm
- Wall thickness: Approximately 0.8mm
- Conductor resistance: ≤140ohm/km
- Testing voltage: 50Hz 1Min (wire/wire 50Hz 1Min)=2kv
- Permissible temperature: -15°C to 75°C
- Supplied on 100m reels

1+ £3.60 | 5+ **£3.05**

order code CB1461587 653541

Alarm/Signal Cable - CCA Conductors

pro-POWER

SAVE OVER* 35%



- PVC Wall Thickness - 0.50mm
- CSA - 0.22mm
- CCA Conductors3
- Available with PVC or LSF jackets

Technical Data 693099

Type	O/D	Nominal Construction
4 Core	3.50mm	7/0.20mm
6 Core	4.10mm	7/0.20mm
8 Core	4.50mm	7/0.20mm
12 Core	5.60mm	7/0.20mm

PVC	Cores		1+	10+
CB1463587	4	100m	£8.84	**£8.32**
CB1463687	6	100m	£7.90	**£7.49**
CB1463787	8	100m	£9.98	**£9.70**
CB1463887	12	100m	£15.90	**£14.82**
CB1509487	4	500m	£27.76	**£24.88**
CB1509587	6	500m	£41.34	**£38.34**
CB1509687	8	500m	£51.66	**£47.25**
LSF				
CB1785787	4	100m	£10.34	**£9.60**
CB1785887	6	100m	£11.80	**£11.20**
CB1785987	8	100m	£15.48	**£15.10**
CB1786087	12	100m	£23.40	**£22.25**

Cat5e U/UTP Communications Cable



- Solid, plain, annealed copper conductors
- 8x Insulated wires formed into 4x pairs cabled together
- Designed to support horizontal networking applications over channel distances up to 100m
- Cable meets the specified performance for Cat5e U/UTP
- Supports all Class D applications as defined within ISO/IEC 11801 2nd Edition
- Insulation resistance (500V DC): ≥5,000MΩ/km
- Resistance (unbalanced): ≤2%
- Delay skew: 45ns/100m
- Propagation delay @ 4MHz: 552ns/100m
- External diameter: 4.7mm
- Length: 305m

SAVE OVER* 10%

Technical Data 711226

Freq. (MHz)	Attenuation (db/100m)	Next (dB)	Return Loss (dB)	ELFEXT (dB/100m)
1	2.1	65.3	20.0	63.8
4	3.8	56.3	23.1	51.8
10	6.3	50.3	24.5	43.8
16	8.0	47.3	25.0	39.7
20	9.0	45.8	25.0	37.8
31.25	11.4	42.9	23.6	33.9
62.5	16.5	38.4	21.5	27.9
100	21.3	35.3	20.1	23.8

				1+	5+
CB1873087	LSZH	Violet		£47.65	**£46.05**
CB1873187	PVC	Grey		£39.98	**£37.50**

All prices exclude VAT

Screened Alarm/Signal Cable- CCA Conductor - 100m

pro-POWER



SAVE OVER* 25%

A screened alarm/signal cable available in 4 and 8 core configurations.

- Screen-Aluminium

622238

		1+	3+
CB1464287	4 Core	£7.52	**£7.02**
CB1464487	8 Core	£13.18	**£12.38**

Cat5e F/UTP Communications Cable

Concordia



- Solid, plain, annealed copper conductors
- 8x Insulated wires formed into 4x pairs cabled together
- Shielded with aluminum-polyester foil with a tinned copper drain wire
- Designed to support horizontal networking applications over channel distances up to 100m
- Cable meets the specified performance for Cat5e F/UTP
- Supports all Class D applications as defined within ISO/IEC 11801 2nd Edition
- Available with LSZH (violet) or PVC (grey) jackets
- Insulation resistance (500V DC): ≥5,000MΩ/km
- Resistance (unbalanced): ≤2%
- Delay skew: 45ns/100m
- Propagation delay @ 4MHz: 552ns/100m
- External diameter: 6.25mm
- Length: 305m

Technical Data

711562

Freq. (MHz)	Attenuation (db/100m)	Next (dB)	Return Loss (dB)	ELFEXT (dB/100m)
1	2.1	65.3	20.0	63.8
4	3.8	56.3	23.1	51.8
10	6.3	50.3	24.5	43.8
16	8.0	47.3	25.0	39.7
20	9.0	45.8	25.0	37.8
31.25	11.4	42.9	23.6	33.9
62.5	16.5	38.4	21.5	27.9
100	21.3	35.3	20.1	23.8

			1+	3+
CB1872887	LSZH	Violet	£93.69	**£89.05**
CB1872987	PVC	Grey	£99.50	**£93.60**

Category 5 Enhanced UTP Cable

pro-POWER



SAVE OVER* 25%

- Suitable for up to 100Mbps

693084

			1+	3+
CB1440987	Red	100m	£20.58	**£18.75**
CB1132387	Red	305m	£42.33	**£40.58**
CB1441087	Blue	100m	£20.58	**£18.75**
CB1132487	Blue	305m	£42.33	**£40.58**
CB1441187	Green	100m	£20.58	**£18.75**
CB1132587	Green	305m	£42.33	**£40.58**
CB1441287	Yellow	100m	£20.58	**£18.75**
CB1132687	Yellow	305m	£42.33	**£40.58**
CB1441387	White	100m	£20.58	**£18.75**
CB1440887	White	305m	£42.33	**£40.58**
CB1746287	Grey	5m	£1.30	**£1.14**
CB1746387	Grey	10m	£2.55	**£2.22**
CB1478387	Grey	50m	£12.05	**£10.76**
CB1372187	Grey	100m	£20.58	**£18.75**
CBBR749287	Grey	305m	£40.50	**£38.90**

Category 5E LSZH Cable - 305m

pro-POWER



- HDPE insulation
- Size of insulation: 0.93±0.05mm
- Jacket colour: Purple
- Jacket size:5.2 ±0.2mm
- Wall thickness: ≈0.5mm
- Conductor resistance:≤96.0 Ohm/KM
- Insulation resistance: ≥5000m Ohm/KM
- Testing voltage: Wire/wire 50Hz 1 min = 1.5KV
- Permissible temperature: -10°C - 75°C

SAVE OVER* 20%

Technical Data


Freq. (MHz)	Impedance (ohm)	Return loss (≥dB/100m)	Attenuation (≤dB/100m)	NEXT (≥dB/100m)
1	100±15	20.0	2.04	65.3
4	100±15	23.0	4.1	56.3
10	100±15	25.0	6.5	50.3
16	100±15	25.0	8.2	47.3
20	100±15	25.0	9.3	44.5
31.25	100±15	25.0	11.6	42.9
62.5	100±15	21.5	17.0	38.4
100	100±15	20.1	22.0	35.3

1+ **£53.20** 3+ **£49.80**

order code CB1489087 675952

Category 5E FTP Cable

pro-POWER



SAVE OVER* 20%


- Foiled Twisted Pair (FTP) construction
- Suitable for up to 100Mbps

694415

		1+	3+
CB1477987	100m	£28.66	**£26.06**
CBBR749387	305m	£76.01	**£69.73**

CAT6A UTP Cable

pro-POWER



- Single bare copper conductor (0.57±0.01mm
- HDPE insulation
- Size of insulation: (1.02±0.05mm
- Unshielded Twisted Pair (UTP)
- PVC jacket
- External diameter: 6.5mm
- Wall thickness: 0.6mm
- Conductor resistance: ≤70 ohm/km
- Insulation resistance:≥5000m ohm/km
- Testing voltage: wire/wire 50Hz1min = 1.5kv
- Impedance 100±15 Ohm / 100±22 Ohm
- Supplied on 100m reels or in 305m boxes
- Grey

693087

Technical Data

Frequency (MHz)	RL (dB)	Attenuation (dB/100m)
1	20	1.9
4	23	3.7
8	24.5	5.3
10	25	5.9
16	25	7.5
20	25	8.4
25	24.3	9.5
31.25	23.6	10.6
62.5	21.5	15.4
100	20.1	19.8
200	18.0	29.0
250	17.3	32.8
300	16.8	36.4
500	15.2	48.9

SAVE OVER* 25%

			1+	3+
CB1509987		305m	£99.98	**£96.30**
CB1510087		100m	£52.93	**£49.07**
CB1747087		10m	£3.70	**£3.29**

Cat. 6 Cable

pro-POWER



SAVE OVER* 30%

- Solid copper conductor
- Impedance: 100 ± 15Ω

693086

Technical Data

Freq. (MHz)	Return loss (dB)	Attenuation (dB/100m)	NEXT (dB)	ELFEXT (dB)
0.772	19.4	1.8	74.0	67.0
1	20.0	2.0	72.3	64.8
4	23.0	3.7	63.3	52.8
8	24.5	5.3	58.8	46.7
10	25.0	5.9	57.3	44.8
16	25.0	7.5	54.2	40.7
20	25.0	8.4	52.8	38.8
20	24.3	9.5	51.3	36.8

			1+	3+
Unshielded (5m)				
CB1746487	Grey		£1.80	**£1.71**
Unshielded (10m)				
CB1746587	Grey		£3.40	**£3.10**
Unshielded (305m)				
CB1132787	Grey		£65.92	**£61.59**
CB1507287	Red		£66.85	**£61.59**
CB1507387	Blue		£66.85	**£61.59**
CB1507487	Green		£66.85	**£61.59**
CB1507587	Yellow		£66.85	**£61.59**
CB1507687	White		£66.85	**£61.59**
Unshielded (100m)				
CB1507787	Red		£26.99	**£25.75**
CB1507887	Blue		£26.99	**£25.75**
CB1508087	Yellow		£26.99	**£25.75**
CB1508187	White		£26.99	**£25.75**
Unshielded, Low Smoke (305m)				
CB1395487	Purple		£82.30	**£76.53**
Unshielded, Low Smoke (100m)				
CB1478187	Purple		£30.69	**£27.60**
Cat 6 Shielded (305m)				
CB1395687	Grey		£86.05	**£80.55**
Cat 6 Shielded (100m)				
CB1478287	Grey		£34.40	**£34.07**
Shielded, Low Smoke (305m)				
CB1776187	Grey		£131.40	**£118.50**
Unshielded (305m)				
CB1132787	Grey		£65.92	**£61.59**
CB1507287	Red		£66.85	**£61.59**
CB1507387	Blue		£66.85	**£61.59**
CB1507487	Green		£66.85	**£61.59**
CB1507587	Yellow		£66.85	**£61.59**
CB1507687	White		£66.85	**£61.59**
Unshielded (100m)				
CB1507787	Red		£26.99	**£25.75**
CB1507887	Blue		£26.99	**£25.75**
CB1508087	Yellow		£26.99	**£25.75**
CB1508187	White		£26.99	**£25.75**
Unshielded, Low Smoke (305m)				
CB1395487	Purple		£82.30	**£76.53**
Unshielded, Low Smoke (100m)				
CB1478187	Purple		£30.69	**£27.60**
Cat 6 Shielded (305m)				
CB1395687	Grey		£86.05	**£80.55**
Cat 6 Shielded (100m)				
CB1478287	Grey		£34.40	**£34.07**
Shielded, Low Smoke (305m)				
CB1776187	Grey		£131.40	**£118.50**

Heavy Duty Cat6 Cable - 100m

pro-POWER



- Copper conductor
- Foam skin PE insulation
- Insulation diameter/thickness: 1.2±0.05mm/ 0.29±0.05mm
- Jacket colour: Green
- Jacket diameter/thickness: 7.8±0.2mm/0.59±0.10mm
- Conductor DC resistance: 75.81 Ohm/KM

SAVE OVER* 30%

1+ **£64.80** 3+ **£61.50**

order code CB1517187 693088

Category 6 LSZH Cable - 305m

pro-POWER



- Single bare copper conductor
- Size of insulation: 1.03±0.05mm
- Jacket size:6.5±0.2mm
- Wall thickness: ≈0.6mm
- Conductor resistance:≤70 Ohm/KM
- Insulation resistance: ≥5000m Ohm/KM
- Testing voltage: Wire/wire 50Hz 1 min = 1.5KV
- Permissible temperature: -10°C - 60°C

SAVE OVER* 20%

Technical Data


Freq. (MHz)	Impedance (ohm)	Return loss (≥dB/100m)	Attenuation (≤dB/100m)	NEXT (≥dB/100m)
1	100±15	20.0	2.03	74.3
4	100±15	23.0	3.7	65.0
8	100±15	24.5	5.3	60.7
10	100±15	25.0	5.9	59.0
16	100±15	25.0	7.5	56.0
20	100±15	25.0	8.4	55.0
25	100±15	24.3	9.5	53.3
31.25	100±15	23.6	10.6	52.0
62.5	100±15	21.5	15.4	47.0
100	100±20	20.1	19.8	44.0
200	100±20	18.0	29.0	40.0
250	100±20	17.3	32.8	38.3

1+ **£76.84** 3+ **£70.56**

order code CB1489187 675953

CAT7 FTP Cable - 100m

pro-POWER



SAVE OVER* 25%

- Single bare copper conductor (0.583±0.005mm
- Foamed PE insulation
- Size of insulation: (1.45±0.05mm
- Shielded Foiled Twisted Pair (S/UTP)
- LSOH jacket
- External diameter: 7.8mm
- Wall thickness: 0.6mm
- Conductor resistance: ≤70 ohm/km
- Insulation resistance:≥5000m ohm/km
- Testing voltage: wire/wire 50Hz1min = 1.5kv
- Purple in colour

693093

Technical Data

Frequency (MHz)	RL (dB)	Attenuation (dB/100m)
4	23.01	3.74
8	24.52	5.24
10	25	5.86
16	25	7.41
20	25	8.29
25	24.32	9.29
31.25	23.64	10.41
62.5	21.54	14.88
100	20.11	19.02
150	18.87	23.56
200	18	27.47
250	17.32	30.97
300	16.77	34.19
350	16.3	37.19
600	14.66	50.1

			1+	3+
CB1747187	10m		£7.20	**£6.85**
CB1510187	100m		£63.90	**£61.45**

Category 6 UTP Outdoor Cable

pro-POWER



- Single bare copper conductor
- Insulation: HPDE
- Size of insulation: 1.03±0.5mm
- PVC jacket
- Size: 6.5±0.2mm
- Wall thickness: 0.6mm
- Conductor resistance:≤70 Ohm/KM
- Insulation resistance:≥ 5000M Ohm/KM
- Testing voltage: Wire/wire 50Hz 1Min = 1.5KV

SAVE OVER* 30%

655305

		1+	3+
CB1478087	100m	£33.06	**£30.28**
CB1472487	305m	£81.47	**£76.53**

Cat6 U/UTP Communications Cable

Concordia



- Solid, plain, annealed copper conductors
- 8x Insulated wires formed into 4x pairs cabled together
- Designed to support horizontal networking applications over channel distances up to 100m
- Cable meets the specified performance for Cat6 U/UTP
- Supports all Class E applications as defined within ISO/IEC 11801 2nd Edition
- Available with LSZH (violet) or PVC (grey) jackets
- Insulation resistance (500V DC): ≥500MΩ/km
- Resistance (unbalanced): ≤2%
- Delay skew: 45ns/100m
- Propagation delay (nominal): 552ns/100m
- External diameter: 8.5mm
- Length: 305m

SAVE OVER* 15%

711227

Technical Data

Freq. (MHz)	Attenuation (db/100m)	Next (dB)	Return Loss (dB)	ELFEXT (dB/100m)
1	2.1	74.3	20	68
4	3.8	65.3	23	56
10	6.0	59.3	25	48
16	7.6	56.2	25	44
20	8.5	54.8	25	42
62.5	15.5	47.4	21.5	32
100	19.9	44.3	20.1	28
155.5	25.3	41.4	18.8	24
250	33.0	38.3	17.3	20

			1+	3+
CB1872687	LSZH	Violet	£79.95	**£71.45**
CB1872787	PVC	Grey	£79.95	**£71.45**

Network Cable C5 Economy CCA

pro-POWER

SAVE OVER* 20%



- Unshielded Twisted Pair (UTP) construction
- Copper Clad Aluminium (CCA) conductor
- Conductor size: 0.511mm
- Number of pairs: 4
- Core size: 0.89mm
- Overall diameter: 5.2mm

655300

			1+	3+
CB1746887	5m		£0.78	**£0.72**
CB1746987	10m		£1.35	**£1.26**
CB1477387	100m		£9.06	**£8.12**
CB1477487	305m		£24.26	**£21.35**

CAT5E UTP Outdoor Use - Black

pro-POWER

- Double jacket
- PE insulation
- Impedance 100±15 Ohm
- Suitable for up to 100Mbps

SAVE OVER* 25%



655359

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2
4	23	4.1
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

		1+	3+
CB1477687	100m	£22.45	**£20.70**
CB1400187	305m	£59.97	**£53.40**

Networking Cable, UTP CCA Conductors

pro-POWER

- Economy network cable
- CCA (Copper Clad Aluminium) conductors
- Impedance 100±15 Ohm

SAVE OVER* 10%



693083

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2.99
4	23	4.32
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

305m			1+	3+
CB1403287		Grey	£26.63	**£23.95**
CB1508287		Red	£26.63	**£23.95**
CB1508387		Blue	£26.63	**£23.95**
CB1508487		Green	£26.63	**£23.95**
CB1508587		Yellow	£26.63	**£23.95**
CB1508687		White	£26.63	**£23.95**
100m				
CB1472287		Grey	£11.30	**£10.26**
CB1508787		Red	£11.30	**£10.26**
CB1508887		Blue	£11.30	**£10.26**
CB1508987		Green	£11.30	**£10.26**
CB1509087		Yellow	£11.30	**£10.26**
CB1509187		White	£11.30	**£10.26**

Networking Cable, C6 CCA Conductors - 305m

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
1	20	2.03
4	23.01	3.78
8	24.52	5.32
10	25	5.95
16	25	7.55
20	25	8.47
25	24.32	9.51
31.25	23.64	10.67
62.5	21.54	15.38

Networking Cable, UTP CCA Conductors-Outdoor Use - 305m

pro-POWER

- CCA (Copper Clad Aluminium) conductors

SAVE OVER* 40%



635318

Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2.99
4	23	4.32
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

1+ **£24.62** 3+ **£22.90**

order code CB1464587

Networking Cable, FTP CCA Conductors - 305m

pro-POWER

- Shielded twisted pairs
- Economy network cable
- CCA (Copper Clad Aluminium) conductors
- Impedance 100±15 Ohm



Technical Data

Frequency (MHz)	SRL (dB)	Attenuation (dB/100m)
0.772	19.4	1.8
1	20	2.99
4	23	4.32
8	24.5	5.8
10	25	6.5
16	25	8.2
20	25	9.3
25	24.3	10.4
31.25	23.6	11.7
62.5	21.5	17
100	20.1	22

SAVE OVER* 20%

1+ **£38.63** 3+ **£37.29**


order code CB1464687 621765

Trade prices on over 100,000 stocked products

Networking Cable, C6 CCA Conductors - 305m

pro-POWER

SAVE OVER* 35%



- Copper clad aluminium conductors

1+ **£36.45** 3+ **£33.90**

order code CB1464787 637393

LSF Multi-Pair Unscreened Cable

Concordia

SAVE OVER* 10%



For use with general purpose audio, instrumentation and control applications.

- Stranded, tinned, annealed, copper conductors
- Low smoke (LSF), grey PVC jacket
- Screen has an overall aluminised polyester tape with tinned copper drain wire
- Equivalent types: 8442 or 8471
- Supplied on 100m or 200m reels

Technical Data 712112

Equivalent Type	No. of Pairs	Conductor (AWG)	Core Colours	Diameter
8442	1	22	Black/Red	4.3mm
8471	1	16	Black/White	6.9mm

	Equiv. Type		1+	3+
CB1856887	8442	100m	£11.05	**£10.30**
CB1856987	8471	100m	£30.60	**£28.85**
CB1857087	8471	200m	£55.98	**£52.70**

Multicore Overall Screened Cable

Concordia



For use in serial RS232 interface cables, 300V RMS rated for computer applications.

- Stranded, tinned annealed copper conductors
- Low smoke (LSF), grey PVC jacket
- Screen has an overall aluminised polyester tape with tinned copper drain wire
- Equivalent type: 9536
- Length: 100m

Technical Data

No. of Conductors	AWG	Dia.	Nom. Capacitance (pF/m) Core-to-Core	Core-to-Screen
6	24	5.3mm	108	213

1+ **£19.89** 3+ **£18.50**

order code CB1857187 712113

Individually Screened Cables

Concordia

SAVE OVER* 10%



Cables for use in general purpose audio, instrumentation and control applications.

- Stranded, tinned, copper conductors
- An overall aluminised polyester tape screen, with tinned copper drain wire
- Grey or white, PVC or LSF jackets
- Supplied on 100m, 200m or 250m reels
- Rated temperature: 80°C
- Rated Voltage: 300V

Technical Data 713816

Equivalent Type	No. of Pairs	Nom. Dia.	Nom. Capacitance (pF/m) (Core-to-) Core	Screen
8761	1	4.8mm	78	154
8723	2	4.2mm	115	203
8777	3	7.0mm	98	180

PVC			1+	3+
CB1875487	100m	White	£12.45	**£11.70**
LSF				
CB1875687	100m	Grey	£20.90	**£19.45**
CB1875787	250m	Grey	£48.54	**£46.65**
CB1875887	100m	White	£20.90	**£19.25**
CB1875987	100m	Grey	£14.60	**£13.70**
CB1876087	100m	Grey	£37.65	**£34.95**
CB1876187	200m	Grey	£76.25	**£72.58**

All prices exclude VAT

Overall Foil/Braid Screened Cable

SAVE OVER* 15%



Cable used for RS485 applications.

- Stranded, tinned, copper conductors
- Polyethylene insulation
- Stranded, tinned, copper drain wire, applied longitudinally between the aluminium side of the foil and the braid
- Overall tinned, copper braid
- Grey, PVC jacket
- Supplied on 100m reels
- Equivalent type: 9841
- Operating temperature range: -20°C to +60°C

1+	3+
£18.85	£17.25

order code CB1874987 712114

External Individually Screened Cables



Cables for use in general purpose audio, instrumentation and control applications.

- Stranded, tinned, copper conductors
- Each pair wrapped with aluminised polyester tape and incorporating a tinned copper drain wire
- Green or black, PE jackets
- Supplied on 100m or 250m reels
- Voltage rating: 300V

SAVE OVER* 30%

Technical Data

Equiv Type	No. of Pairs	Nom. Dia.	Nom. Capacitance (pF/m) (Core-to-) Core	Screen
8723	2	4.2mm	115	203
8777	3	7.0mm	98	180

711538

			1+	3+
CB1875087	100m	Black	£19.50	**£18.20**
CB1875187	250m	Black	£49.85	**£46.25**
CB1875287	100m	Green	£15.95	**£14.50**
CB1875387	100m	Black	£28.50	**£25.75**

Coaxial Cable - CTF100

SAVE OVER* 20%



This range of cable television and video cables is used primarily to carry TV, satellite and CCTV signals.

- Solid, plain, annealed, copper conductor
- Foam filled (FF) or air spaced (AS) polyethylene insulation
- Copper foil tape screen
- Black PVC or LSZH jackets
- Cable suitable for direct burial also available
- Available on 100m or 250m reels
- Core diameter: 6.6mm (Direct burial: 8.2mm)
- Conductor resistance: ≤24.1Ω/km
- Capacitance: 52.5 ±3pF/m
- Impedance: 75 ±3Ω

710870

			1+	3+
PVC Jacket				
CB1863587	100m		£21.90	**£20.25**
CB1863687	250m		£53.30	**£51.05**
LSZH Jacket				
CB1863987	100m		£24.45	**£23.10**
For Direct Burial				
CB1863787	100m		£33.00	**£31.00**
CB1863887	100m		£33.00	**£31.00**

Multicore Cable 16-2-XX

SAVE OVER* 10%



These sub-miniature cables are used in process control systems, security and a variety of industrial applications. None of the cables are intended to be used as power cables.

- Tinned, annealed copper conductors
- Multiple coloured coded cores cabled together
- Black or grey, PVC jacket • 2-25x Cores
- Supplied on 25m, 50m or 100m reels
- Available screened or unscreened

Technical Data

Description	No. of Cores	Nominal Diameter
Unscreened		
16-2-8A	8	8.5mm
16-2-12A	12	9.5mm
16-2-18A	18	11.0mm
16-2-25A	25	13.0mm
Screened		
16-2-3C	3	6.8mm
16-2-4C	4	7.3mm
16-2-6C	6	8.3mm
16-2-8C	8	8.8mm
16-2-12C	12	10.5mm
16-2-18C	18	12.0mm
16-2-25C	25	14.1mm

				1+	3+
Unscreened					
CB1889887	16-2-8A	100m	Black	£38.70	**£36.10**
CB1890187	16-2-25A	100m	Black	£105.20	**£98.85**
CB1890287	16-2-25A	25m	Black	£36.65	**£34.35**
Screened					
CB1890387	16-2-3C	100m	Black	£40.32	**£39.10**
CB1890487	16-2-4C	100m	Grey	£49.85	**£47.47**
CB1890587	16-2-4C	25m	Grey	£10.10	**£9.45**
CB1890687	16-2-6C	25m	Black	£14.25	**£13.70**
CB1890787	16-2-6C	25m	Grey	£14.25	**£13.70**
CB1890887	16-2-8C	100m	Black	£70.45	**£66.54**
CB1890987	16-2-12C	50m	Black	£45.60	**£44.00**
CB1891087	16-2-12C	25m	Black	£24.10	**£23.05**
CB1891187	16-2-12C	25m	Grey	£24.10	**£23.05**
CB1891287	16-2-18C	100m	Black	£114.45	**£102.90**
CB1891387	16-2-18C	25m	Black	£42.45	**£38.05**
CB1891487	16-2-18C	100m	Grey	£114.45	**£102.90**
CB1891587	16-2-25C	25m	Black	£56.68	**£52.05**

Low Loss Coaxial Cable CCA F/Filled



- Copper clad steel conductor
- Insulation: PE
- Size: 4.7±0.1mm
- Wall thickness: 1.8mm
- Braiding: 16x4/0.12±0.003(CCA)
- PVC jacket
- Size of jacket:6.5±0.2mm
- Conductor resistance:≤120 Ohm/KM
- Insulation resistance:≥5000M Ohm/KM
- Testing voltage: Wire/wire/screen 50Hz 1Min = 1.5KV

SAVE OVER* 80%

693098

			1+	3+
Brown				
CB1743487	5m		£0.85	**£0.75**
CB1743587	10m		£1.45	**£1.30**
CB1461687	100m		£9.17	**£8.69**
CB1509787	250m		£23.98	**£22.50**
White				
CB1743687	5m		£0.76	**£0.72**
CB1743787	10m		£1.65	**£1.50**
CB1461787	100m		£9.17	**£8.69**

Call us on
03447 88 00 88

WF100 Coaxial Cable



- Inner conductor diameter: 1.00mm Plain Annealed Copper
- Dielectric: Foamed Polyethylene insulation
- Plain Copper foil tape screen
- Plain Copper wire braid screen
- PVC sheath
- Insulation diameter: 4.80mm (Natural)
- Sheath diameter: 6.55 ± 0.30mm
- Storage/operating temperature: -15°C to +70°C
- Minimum installation temperature: -5°C
- DC resistance Inner conductor: ≤26 Ω/km @ 20°C
- DC resistance Outer conductor: ≤15 Ω/km @ 20°C
- Characteristic Impedance: 75 ± 30hm
- Capacitance: 55pF/m (nominal)
- Velocity Ratio: 0.81

Technical Data

Frequency	Attenuation (d/B 100m @ 20°)
10Mhz	<1.8
50Mhz	<4.6
100Mhz	<6.5
200Mhz	<9.5
460Mhz	<15
860Mhz	<19.5
1000Mhz	<21.5
1750Mhz	<32.5

SAVE OVER* 20%

Return Loss	
5 – 470MHz	≥23
470 – 862MHz	≥20
862 – 2150MHz	≥18

669867

				1+	3+
CB1480487	Black	50m		£14.83	**£13.70**
CB1480587	White	50m		£14.83	**£13.70**
CB1480687	Brown	50m		£14.83	**£13.70**
CB1480787	Black	100m		£28.33	**£26.88**
CB1480887	White	100m		£28.33	**£26.88**
CB1480987	Brown	100m		£28.33	**£26.88**
CB1481087	Black	250m		£70.86	**£65.20**
CB1481187	White	250m		£70.86	**£65.20**
CB1481287	Brown	250m		£70.86	**£65.20**

Digital Coaxial Cable 100U



- Suitable for the reception of digital terrestrial and digital satellite signal

SAVE OVER* 35%

Technical Data 695843

Conductor	1.00 mm Bare Copper
Shield	Copper Foil + 64 Strand 0.12 mm CCA
Jacket	PVC
Outer Diameter	6.50 mm
Impendance	75 Ohm (+/- 4%)
Capacitance	54 PF/m (+/- 5%)

Attenuation	MHz	100 m/ dB
	50	7.5
	230	13
	470	17
	860	22
	1000	24
	1350	27.5
	1750	28.5
	2150	35

				1+	3+
Semi Air Spaced					
CB1744587	Black	5m		£1.80	**£1.65**
CB1744787	White	5m		£1.70	**£1.55**
CB1744687	Black	10m		£3.25	**£3.00**
CB1744887	White	10m		£3.25	**£3.00**
CB1450187	Black	50m		£12.15	**£11.43**
CB1450287	White	50m		£12.15	**£11.43**
CB1387987	Black	100m		£21.53	**£20.03**
CB1388287	White	100m		£21.53	**£20.03**
CB1450387	Black	250m		£60.67	**£55.72**
CB1450487	White	250m		£60.67	**£55.72**
Foam Filled					
CB1717487	Black	100m		£22.19	**£20.39**
CB1717587	White	100m		£22.19	**£20.39**

Twin RG6U Coax Cable 100m



- 75Ω Coax cable
- Designed for digital interconnection purposes
- PVC jacket
- Copper clad steel inner - 1.0mm
- Semi air spaced or foam filled dielectric - 4.6mm
- Aluminium/PET shield, 100% coverage
- Aluminium wire coverage 38%, 0.12mm
- PVC jacket - 6.6mm

SAVE OVER* 35%

Technical Data

Impedance	75Ω
Nominal capacitance	53pF/m
Screening efficiency	30-470MHz - dB>85 900-2150MHz - dB>85
Return loss	5-470MHz - dB>25 470-862MHz - dB>20 862-2150MHz - dB>20
Nominal Cable Diameter	6.60mm

Technical Data

Nominal Attenuation	MHz	DB/100m
	10	1.2
	50	4.5
	100	5.3
	200	8.6
	400	12.3
	700	17.1

695842

				1+	3+
Semi Air Spaced					
CB1394887	Black	100m		£18.86	**£17.07**
CB1394987	White	100m		£18.86	**£17.07**
CB1450887	Black	250m		£43.37	**£39.55**
CB1450987	White	250m		£43.37	**£39.55**
Foam Filled					
CB1717687	Black	100m		£17.41	**£16.79**
CB1717787	White	100m		£28.74	**£26.77**

Cable Coax RG6U



SAVE OVER* 25%

- Inner conductor: 1/1.02±0.01mm CCS 1.02±0.01mm
- Insulation: Foamed PE
- Size: 4.7±0.1mm
- Wall thickness: 1.8mm
- Screening: AL foil • PVC jacket
- Braiding: 16x4/0.12±0.003 AL/MG
- Size of jacket: 6.8±0.2mm
- Wall thickness: 0.8mm
- Conductor resistance:≤120 Ohm/KM
- Insulation resistance:≥5000M Ohm/KM
- Testing voltage: wire/wire/screen 50Hz1min=1.5kv

691661

			1+	3+
50m				
CB1744187	Black		£0.65	**£0.59**
CB1744387	White		£0.65	**£0.59**
10m				
CB1744287	Black		£1.00	**£0.92**
CB1744487	White		£1.00	**£0.92**
50m				
CB1524787	Black		£4.90	**£4.65**
CB1524887	White		£4.90	**£4.65**
100m				
CB1480187	Black		£7.19	**£6.70**
CB1480287	White		£7.19	**£6.70**
CB1780987	Brown		£9.55	**£8.97**
250m				
CB1509287	Black		£24.44	**£22.78**
CB1509387	White		£18.44	**£17.84**

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

3-Way Phono Adaptors

SAVE OVER* 20%



A 3x phono socket to socket adaptor available with either gold or nickel plated contacts and colour coded insulations for L+R stereo and composite video.

454154

		1+	25+
AV1543987	Nickel	£0.69	**£0.48**
AV1555587	Gold	£1.02	**£0.64**

2x Phono Sockets to 3.5mm Jack Plug

pro signal



526961

		1+	25+
AV1548587	3.5mm Mono	£0.44	**£0.23**
AV1729687	3.5mm Stereo	£0.50	**£0.31**

XLR Male To 6.6.35mm Jack Plug

SAVE OVER* 10%



High quality, metal construction.

698221

		1+	10+
AV1519787	Mono	£1.46	**£0.96**
AV1549187	Stereo	£1.63	**£1.07**

3.5mm Jack Plug, Gold Plated



3.5mm jack plug available in stereo. Shielded metal construction. Gold plated contacts. Supplied in packs of 2.

SAVE OVER* 20%

1+ 92p | 10+ 74p

order code AV1578687 519219

2.5mm 4-pole Jack Plug

pro signal



2.5mm, 4-Pole Jack plug with soft plastic body, integral strain relief and solder terminals.

- Gold plated contacts
- Maximum cable diameter: 3mm

SAVE OVER* 10%

1+ 61p | 10+ 42p

order code AV2095687 638912

4mm Terminal Posts

pro signal



- Screw terminal posts for 4mm banana plugs or bare wire
- Ideal for use on power supplies, loudspeakers and other connections where a 4mm socket or bare end wire connection is required
- Solder bucket termination
- Grey bodies with colour coded rings
- Nickel plated contacts
- Current rating: 30A
- Maximum bare wire: 2mm
- Hole cutout: 8mm with notches

SAVE OVER* 15%

707579

		1+	10+
CN1238587	Red	£0.69	**£0.49**
CN1238687	Black	£0.69	**£0.49**
CN1238787	Green	£0.69	**£0.49**

6.35mm (¼") Jack Plugs

pro signal



6.35mm (¼") Jack plugs with soft plastic bodies, integral strain reliefs and solder terminals.

- Gold plated contacts
- 2-Pole Mono or 3-Pole Stereo versions available
- Maximum cable diameter: 5mm

SAVE OVER* 15%

638911

		1+	25+
AV2095487	2-Pole Mono	£0.41	**£0.37**
AV2095587	3-Pole Stereo	£0.45	**£0.36**

F Type Twist-On Plugs - Brass RG59U

SAVE OVER* 20%

PRO-ELEC



- Brass body
- Time saving connection

669866

		1+	25+
CN1602387	RG58U	£0.19	**£0.09**
CN1602587	RG59U	£0.19	**£0.09**
CN1602787	RG6U	£0.19	**£0.09**

F Compression Plugs

pro signal

SAVE OVER* 25%



- Ideal for satellite and home cinema installations

702590

		1+	100+
CN1603287	RG6U	£0.29	**£0.19**
CN1603387	RG59U	£0.29	**£0.19**

XLR Male To 6.35mm Jack Socket

SAVE OVER* 25%



High quality, metal construction.

698222

		1+	10+
AV1549387	Mono	£1.43	**£1.07**
AV1549487	Stereo	£1.84	**£1.50**

Coax Socket to Plug Connector - M to F

SAVE OVER* 20%



1+ £1.13 | 10+ £0.85

order code AP0200487 628029

4mm Banana Plug/Socket

pro signal



- 4mm Banana Plug/Socket connector
- Connector can be used as a plug or a socket
- Nickel plated connector
- Screw termination
- Cable entry: 4mm Max.
- Available in a red insulated sleeve

638941

		1+	10+
AV2119087	Red	£0.35	**£0.30**
AV2119187	Black	£0.35	**£0.30**

Phono Plug - Gold Plated



A high quality fully gold plated phono connector for Hi-Fi sound system connections. Excellent value with gold plated solder terminations and cable strain relief. Suitable for 6 to 7mm dia. cable.

1+ 61p | 10+ 42p

order code AV1534087 530151

XLR Free Socket



3-Pin metal XLR style connector in a black finish. Solder style connections and strain relief grommets. The internal connections are easily accessed by removing a small retaining screw in the side of the connector.

SAVE OVER* 35%

Technical Data 612905

Dimensions (LxD)	Socket 83x19mm	Plug 70x19mm

1+ 92p | 10+ 53p

order code AV1528087

F Socket to 2x F Socket T Adaptor

pro signal



SAVE OVER* 30%

663180

		1+	25+
CN1610287	Brass Body	£0.39	**£0.25**
CN1610387	Zinc Body	£0.29	**£0.19**

2.5mm Jack Plugs - All Metal

pro signal




- Spring metal strain reliefs
- Gold plated contacts
- Solder terminals
- Suitable for cables upto 4.5mm

712288

		1+	10+
AV2360087	Mono	£0.55	**£0.45**
AV2360187	Stereo	£0.59	**£0.49**
AV2360287	4-Pole	£0.65	**£0.55**

Line Coupler - Screwless




Coaxial line coupler that allows two coax leads to be joined together without the use of coax plugs etc. Screwless connection. White plastic outer case. 75Ω.

1+ 29p | 100+ 15p

order code AR7066487 629106

F Adaptor

pro signal



- 2x F Female to 1x F male
- Zinc body

SAVE OVER* 25%

1+ 25p | 10+ 19p

order code CN1610887 663767

Coaxial Plugs

SAVE OVER* 50%



- Screw type
- 4 Claw cable grip

663176

		1+	10+
CN1602987	Brass	£0.21	**£0.18**
CN1603087	Zinc	£0.14	**£0.09**

Phono Socket to Coaxial Type Adaptors

SAVE OVER* 60%



628036

		1+	10+
AP0179287	BNC Plug	£0.21	**£0.19**
AV1550987	BNC Socket	£0.36	**£0.28**
AV1539187	F Plug	£0.34	**£0.31**
AV1546687	F Socket	£0.40	**£0.34**

90° TV Coaxial Connectors

SAVE OVER* 30%




All metal, right angled PAL type TV coaxial connectors to reduce strain on the cable in confined spaces.

536151

		1+	5+
AV1560887	Plug	£0.78	**£0.74**
AV1560987	Socket	£0.98	**£0.89**

Phono Plug to Coaxial Type Adaptors

SAVE OVER* 50%



A range of phono (RCA) type adaptors for use in audio, video and communications systems.

691658

From	To	1+	25+
AV1550887 Phono Plug	BNC Plug	£0.44	**£0.41**
AV1522287 Phono Plug	BNC Socket	£0.36	**£0.28**
AV1551287 Phono Plug	F Socket	£0.44	**£0.30**
AV1556887 Phono Plug	TV Plug	£0.46	**£0.42**

F Plug (Quick Connect) to F Socket

pro signal

SAVE OVER* 50%



663179

		1+	10+
CN1610087	Brass Body	£0.18	**£0.14**
CN1610187	Zinc Body	£0.14	**£0.09**

BNC Bulkhead Adaptor F - F

pro signal

RoHS

SAVE OVER* 15%



- 75Ω
- Brass Nickel plated material
- Gold plated contact pin

1+ £1.23 | 25+ £0.96

order code CN1818687 696669

BNC Adaptor Female to Double Male



- Brass body, nickel plated
- Gold plated contacts

1+	25+
89p	59p

order code CN1601987 663781

BNC Crimp Connector RG59U Zinc

PRO-ELEC

SAVE OVER* 50%



- Zinc body
- 75 Ohm
- Gold plated connectors

1+	10+
16p	14p

order code CN1596987 682507

BNC Male Twist on Connector RG58U - Zinc

PRO-ELEC

SAVE OVER* 45%



- 50 Ohm
- Gold plated connectors

1+	10+
20p	19p

order code CN1597187 682508

BNC Socket to Phone Plud Adaptors

PRO-ELEC



1+	10+
25p	17p

order code CN1600187 682516

BNC Male to F Type Female Connector

PRO-ELEC

SAVE OVER* 50%



- Gold plated contacts

682512

		1+	10+
CN1599487	Brass	£0.33	**£0.29**
CN1599587	Zinc	£0.18	**£0.16**

BNC Crimp Plug Packs



Nickel plated BNC crimp plugs with gold plated centre pins. Supplied in a tray with a hinged, clip lid.

- Supplied in packs of 100

630626

CN0410687	50Ω/RG58	**£42.18**
CN0410787	75Ω/RG59	**£42.18**

F Couplers

pro SIGNAL

SAVE OVER* 55%



- Chassis mount
- Double female

663178

		1+	5+
CN1609587	Brass Body with Nut	£0.12	**£0.11**
CN1609687	Zinc Body with Nut	£0.07	**£0.05**
CN1609787	Brass Body without Nut	£0.16	**£0.14**
CN1609887	Zinc Body without Nut	£0.08	**£0.07**

In-line DC Socket with Strain Reliefs



1+	25+
85p	59p

order code AV1514787 640908

DC Power Plugs with Strain Reliefs



Solder Termination

Note: The plugs with 2.1mm and 2.5mm inner holes are the most common.
Supplied in packs of 5.

639772

	Inner Hole Dia. (mm)	Outer Dia. (mm)	Shaft Length	1+	20+
CN1334987	1.0	3.5	10	£0.85	**£0.65**
CN0572187	1.3	3.5	10	£0.85	**£0.65**
CN0572287	1.7	4.0	10	£1.25	**£0.90**
CN0572387	2.1	5.5	9	£0.75	**£0.45**
CN0572487	2.1	5.5	14	£0.55	**£0.40**
CN0572787	3.0	6.3	9	£0.79	**£0.69**

Panel Mount DC Socket

CLIFF

RoHS



Panel mounting DC socket has an M12.7 thread and is available in either 2.1mm or 2.5mm pin, supplied with a nut.

- Round style
- Solder tab termination
- M12.7 Thread
- 12V DC 1A

701609

	Pin Diameter	1+	10+
CN1668287	2.1mm	£0.59	**£0.39**
CN1668387	2.5mm	£0.59	**£0.39**

CAT5E RJ45 Plug



- One piece construction
- 8P8C (8 Position, 8 contacts)
- 50u Gold plated phosphor bronze contacts
- Cable to tensile strength: 7.70kgs
- Flammability–UL94V-2
- UL recognised

Supplied in packs of 10

1+	10+
£1.12	£0.96

order code CN1134387 628943

Cat 6 RJ45 Plug

RoHS



- High performance 2 Piece modular plugs designed to meet and superceed Cat 6 requirements
- 8P8C RJ45 (8 position, 8 contacts)
- Polycarbonate body
- 50u Gold plated phosphor bronze contacts
- Designed to accept solid or stranded cable
- Operating temperature: -40°C to +80°C
- Cable to tensile strength: 7.70kg
- Flammability: UL94V-2
- UL Recognised
- **Supplied in packs of 10**

1+	10+
£1.90	£1.49

order code CN1134687 700066

Mini Power Connectors - 4.2mm

pro POWER

RoHS



6740, 6745 & 6746 Series:

- Available in both vertical & right angle headers
- For high current and high density applications
- Available in 2 through to 12 way circuits
- Nylon UL94V-2 housing material
- Tinned Brass contacts
- 4.2mm Centre spacing wire to wire
- Low engagement force terminals in natural colour

6743 & 6744 Series :

- Male and female crimp terminals
- Tin plated Brass contacts
- 9A Rating (max)
- 10mΩ Contact reistance
- AWG 18-22 wires size

SAVE OVER* 15%

701612

Sockets	Ways	Mftrs. List no.	5+	50+
CN1876787	2	6740-1021	£0.08	**£0.06**
CN1876887	4	6740-1041	£0.09	**£0.07**
CN1876987	6	6740-1061	£0.09	**£0.07**
CN1877087	8	6740-1081	£0.11	**£0.09**
CN1877187	10	6740-1101	£0.13	**£0.12**
CN1877287	12	6740-1121	£0.20	**£0.16**
Plugs				
CN1877387	2	6740-2021	£0.09	**£0.07**
CN1877487	4	6740-2041	£0.10	**£0.08**
CN1877587	6	6740-2061	£0.13	**£0.12**
CN1877687	8	6740-2081	£0.18	**£0.15**
CN1877787	10	6740-2101	£0.20	**£0.18**
CN1877887	12	6740-2121	£0.24	**£0.21**
Vertical Housing				
CN1877987	2	6745-2021	£0.14	**£0.12**
CN1878087	4	6745-2041	£0.20	**£0.18**
CN1878187	6	6745-2061	£0.25	**£0.21**
CN1878287	8	6745-2081	£0.30	**£0.26**
CN1878387	10	6745-2101	£0.35	**£0.31**
CN1878487	12	6745-2121	£0.40	**£0.36**
Right Angle Housing				
CN1878587	2	6746-2021	£0.18	**£0.15**
CN1878687	4	6746-2041	£0.25	**£0.21**
CN1878787	6	6746-2061	£0.30	**£0.26**
CN1878887	8	6746-2081	£0.35	**£0.31**
CN1878987	10	6746-2101	£0.45	**£0.40**
CN1879087	12	6746-2121	£0.50	**£0.42**
Crimp Terminals			100+	**500+**
CN1879187	Male	6743-2001	£0.04	**£0.03**
CN1879287	Female	6744-2001	£0.03	**£0.02**

Solder Bucket Economy D-Sub

PRO-ELEC



SAVE OVER* 50%


Technical Data

Current Rating	5A
Contact Resistance	3030mΩ Max at DC 100mA
Temperature range	-55°C to +105°C
Insulation Resistance	1000MΩ Min at DC 500V
DWV	1000V AC for 1 Min
Contacts	Brass
Housing	PBT &30% Glass Fibre (UL 94V-0)

655297

Plugs	No. of Contacts	1+	10+
CN1586087	9	£0.09	**£0.06**
CN1586287	15	£0.14	**£0.08**
CN1586687	37	£0.27	**£0.23**
Sockets			
CN1586187	9	£0.09	**£0.06**
CN1586387	15	£0.15	**£0.13**
CN1586587	25	£0.22	**£0.18**
CN1586787	37	£0.35	**£0.25**

RJ45 Junction Wiring Box



A connection box for 4 twisted cable pairs for use in CAT 5, 4, 3 applications. The unit is unshielded and is ideal for custom wiring or converting between different system wiring specifications.

1+	25+
£2.90	£2.40

order code CN0464587 454153

RJ45 Couplers

Shielded and unshielded CAT 5 RJ45 (8P8C), socket to socket in-line couplers.



462488

		1+	25+
CN0473387	Unshielded	£2.90	**£2.40**
CN0464487	Shielded	£3.90	**£3.30**

Telecom Gel Crimp IDC Connectors - 8A/8B Type

TUK Ltd

RoHS



Gel crimp IDC connectors which are manufactured using a high quality waterproof gel, providing a secure seal against moisture.

- BT Openreach approved gel Crimp connectors
- Connect telephone conductors with PE or PVC insulation, with no requirement to strip the insulation
- Simply insert the telephone wires into the holes and firmly compress connector
- Cable entry ports designed to accommodate and retain a customised test probe
- Transparent high clarity housing allows for visual inspection of the crimped splice
- High performance polypropylene material for the housing offers good chemical resistance and has high tensile strength
- Suitable for use in high and low working temperatures
- Available in 2 wire (8A), 3 wire (8B) versions and in packs of 10 or 250

8A/XJYADG - 2 wire gel crimp IDC connector

- Suitable for connecting any two telephone conductors internal or external
- Suitable for copper conductors 0.32 to.0.9mm or aluminium up to 0.5mm

8B/XJRBDG - 3 wire gel crimp IDC connector


- Designed for straight or bridge splicing
- Contains three ports and a double IDC contact
- Suitable for copper conductors - 0.4mm to 0.9mm

714572

2 Wire	Pack Size	1+	100+
CN19935878	A/XJYADG 500	£12.99	-
CN19937878	A/XJYADG 10	£0.79	**£0.69**
3 Wire			
CN19936878	B/XJRBDG 250	£15.99	-
CN19938878	B/XJRBDG 10	£1.49	**£1.29**

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Push-On Terminals



A range of non-insulated push-on terminals with cable insulation supports.
Supplied in packs of 10.

629369

Straight		1+	10+
CN0471487	2.8x0.5mm	£0.49	**£0.39**
CN0471587	2.8x0.8mm	£0.49	**£0.39**
CN0471687	4.75x0.5mm	£0.71	**£0.50**
CN0471787	4.75x0.8mm	£0.69	**£0.59**
90°			
CN0472187	6.3x0.8mm	£0.92	**£0.71**

Transparent PVC Covers

SAVE OVER* 30%



Transparent PVC covers for uninsulated, push-on terminals. The covers are designed to be slipped onto the cable prior to termination.
Supplied in packs of 10.

629370

		1+	25+
CN0472287	2.8mm	£0.40	**£0.20**
CN0472387	4.75mm	£0.40	**£0.20**
CN0472487	6.3mm	£0.40	**£0.20**
CN0472587	6.3mm Expanded Entry	£0.40	**£0.20**
CN0472687	6.3mm 90°	£0.46	**£0.26**
CN0472787	6.3mm Male	£0.46	**£0.26**
CN0472887	6.3mm 90° Hinged	£0.46	**£0.26**

Uninsulated Copper Tube Crimp Terminals



SAVE OVER* 10%

- Manufactured to BS1872, IEC352-2

Supplied in packs of 10

628948

	Solid Wire	Stud Size (Dia.)	Width	1+	25+
CN1144787	6mm²	5mm	10mm	£0.79	**£0.59**
CN1144887	6mm²	6mm	12mm	£0.89	**£0.69**
CN1144987	10mm²	5mm	12mm	£1.19	**£0.99**
CN1145087	10mm²	6mm	12mm	£1.29	**£1.09**
CN1145487	16mm²	8mm	12mm	£1.49	**£1.29**
CN1145587	16mm²	10mm	18mm	£1.49	**£1.29**
CN1145687	25mm²	10mm	16mm	£2.19	**£1.89**
CN1145887	35mm²	10mm	18mm	£2.89	**£2.49**
CN1145987	35mm²	12mm	18mm	£2.99	**£2.59**
CN1146087	50mm²	8mm	18mm	£3.79	**£3.29**
CN1146187	50mm²	10mm	18mm	£4.29	**£3.69**
CN1146287	50mm²	12mm	20mm	£4.29	**£3.69**

Piggy Back Terminals



- Double grip design

Supplied in packs of 100

530629

		1+	10+
CN1137987	Red 12A	£3.79	**£3.39**
CN1138087	Blue 16A	£4.09	**£3.69**
CN1138187	Yellow 24A	£4.99	**£4.49**

Terminal & Connector Kit 150pcs



Includes 70 ring connectors, 25 butt connectors, 27 spade connectors, 14 male and 14 female disconnects so you always have the part you need.
The set includes an organizer case for quick and easy identification.

1+ **£5.95** | 10+ **£4.95**

order code CN1657487

698729

Heatshrinkable Butt Splice Terminals



- Resistant to water, spray oil and chemicals
- Temperature rating 105°C

Supplied in packs of 100

SAVE OVER* 15%

628952

Technical Data

Colour	Length	Outer Dia	Inner Dia
Red 12A	36mm	4mm	1.7mm
Blue 16A	36mm	4mm	2.3mm
Yellow 20A	41mm	6.2mm	3.4mm

		1+	10+
CN1143387	Red 12A	£10.29	**£8.23**
CN1143487	Blue 16A	£10.80	**£8.74**
CN1143587	Yellow 20A	£14.41	**£11.32**

Ring Terminals



- Colour coded vinyl insulation sleeves
- Bright tinned contacts, preventing oxidisation
- Cable entry guides to eliminate flared wire strands
- Double grip design gives extra wire grip strength
- UL/CSA recognised, BS4679,IEC352, ISO1966 compliant
- 415V AC Rating

Supplied in packs of 100

628949

Red - 25A	Stud Size	1+	10+
CN1134987	3.2mm	£1.59	**£1.29**
CN1135087	3.7mm	£1.64	**£1.33**
CN1135187	4mm	£1.81	**£1.71**
CN1135287	5mm	£1.95	**£1.53**
CN1135387	6mm	£2.49	**£2.38**
CN1135487	8mm	£2.69	**£2.59**
CN1135587	10mm	£2.99	**£2.79**
Blue - 30A			
CN1135687	3.2mm	£1.74	**£1.53**
CN1135787	3.7mm	£1.84	**£1.43**
CN1135887	4mm	£1.84	**£1.43**
CN1136187	8mm	£2.69	**£2.59**
CN1136287	10mm	£3.01	**£2.90**
CN1136387	12mm	£4.46	**£4.05**
Yellow - 48A			
CN1136587	3.7mm	£3.07	**£2.96**
CN1136687	4mm	£3.28	**£3.17**
CN1136787	6mm	£4.11	**£3.80**
CN1136887	8mm	£5.36	**£5.23**

Female Push On Terminals



- Double grip design

Supplied in packs of 100.

SAVE OVER* 15%

530634

Red - 12A		1+	10+
CN1139487	2.8x0.5mm	£2.29	**£1.79**
CN1139587	2.8x0.8mm	£2.46	**£1.95**
CN1139687	4.8x0.5mm	£2.67	**£2.05**
CN1139787	4.8x0.8mm	£2.67	**£2.05**
CN1139887	6.3x0.5mm	£3.08	**£2.26**
Blue - 16A			
CN1139987	4.8x0.5mm	£2.75	**£1.95**
CN1140187	6.3x0.8mm	£3.29	**£2.46**
Yellow - 20A			
CN1140287	6.3x0.8 mm	£4.73	**£4.11**

Female Push On Terminals



- Double grip design

SAVE OVER* 10%

628951

Packs of 100		1+	10+
CN1142487	Red 12A 6.3x0.8 mm	£3.70	**£2.98**
CN1142587	Blue 16A 4.8x0.8 mm	£3.94	**£3.63**
CN1142687	Blue 16A 6.3x0.8 mm	£4.11	**£3.49**
CN1142787	Yellow 20A 6.3x0.8mm	£5.45	**£4.75**
Packs of 10			
CN1142887	Red 12A 4.8x0.8 mm	£0.59	**£0.39**
CN1142987	Red 12A 6.3x0.8 mm	£0.69	**£0.49**
CN1143087	Blue 16A 4.8x0.8 mm	£0.69	**£0.49**
CN1143187	Blue 16A 6.3x0.8 mm	£0.69	**£0.49**
CN1143287	Yellow 20A 6.3x0.8 mm	£0.99	**£0.69**

Fork Crimp Terminals



SAVE OVER* 15%


- Double grip design

Supplied in packs of 100.

530637

Red - 18A	Stud Size	1+	10+
CN1140987	3.2mm	£1.79	**£1.39**
CN1141087	3.7mm	£1.79	**£1.39**
CN1141187	4mm	£1.84	**£1.43**
CN1141287	5mm	£1.79	**£1.39**
CN1141387	6mm	£1.79	**£1.39**
Blue - 24A			
CN1141587	3.7mm	£1.79	**£1.39**
CN1141687	4mm	£2.05	**£1.64**
CN1141787	5mm	£1.84	**£1.43**
CN1141887	6mm	£2.56	**£2.05**
Yellow - 36A			
CN1141987	4mm	£3.59	**£3.29**
CN1142087	5mm	£3.59	**£3.29**

Push On Blade Terminals



- Double grip design

Supplied in packs of 100

530630

		1+	5+
CN1138287	Red 19A	£2.61	**£2.42**
CN1138387	Blue 27A	£2.85	**£2.67**
CN1138487	Yellow 48A	£3.89	**£3.68**

Butt Splice Connectors

SAVE OVER* 15%



533774

	Length	Max Dia	Pack	1+	5+
CN1146587	15mm	3.8mm	10	£0.55	**£0.45**
CN1146687	20mm	4.5mm	10	£1.05	**£0.95**
CN1146787	20mm	5.4mm	10	£1.35	**£1.25**
CN1146887	32mm	6.8mm	10	£3.15	**£2.75**

Uninsulated Ferrules



Conform to **DIN46228 Part 1.**
Sold in Packs of 100

SAVE OVER* 30%

Technical Data

Wire Size AWG		Internal Dia. ±0.1	Length ±0.4	
0.5mm²	22/20	1	6	CN1262687
0.75mm²	20/18	1.2	10	CN1262787
1mm²	18	1.2	10	CN1262887
1.5mm²	10	1.7	10	CN1262987
2.5mm²	14	2.2	12	CN1263087
4mm²	10	2.8	12	CN1263187
6mm²	10	3.6	15	CN1263287

712289

			1+	10+
CN1262687	DUCE0505	£0.99		**£0.79**
CN1262787	DUCE7575	£1.09		**£0.89**
CN1262887	DUCE1010	£1.09		**£0.89**
CN1262987	DUCE1515	£1.09		**£0.89**
CN1263087	DUCE2525	£1.29		**£0.99**
CN1263187	DUCE4040	£1.49		**£1.09**
CN1263287	DUCE6040	£1.99		**£1.69**

Crimp and Cable Tie Kit



- 630 Piece Kit. 590 Insulated terminals and 40 cable ties
- Kit includes 20 of 100x2.5mm and 20 of 200x4.6mm cable ties
- Housed in a rugged steel box with drop down handle
- Suitable ratchet tool and cable tie cutter included

Type	Qty	Type	Qty
Red Ring M6	30	Red Butt	40
Blue Ring M5	30	Blue Butt	40
Blue Ring M6	30	Blue Tab	40
Red Tab	30	Red Bullet	30
Red Receptacle	30	Blue Bullet	30
Red Shrouded Recp.	30	Red Bullet to crimp	30
Blue Receptacle	50	Blue Bullet to crimp	30
Blue Shrouded Recept.	30	Blue Spade	30
Yellow Tab	15	Blue Piggyback	20
Yellow Shrouded Recept.	10	Yellow Recept.	15
Cable Tie 100x2.5	20	Crimp Tool	1
Cable Tie 200x4.6	20	Cable Tie Tool	1

1+ **£59** | 3+ **£49**

order code CN1267087

655354

Panel Mount C13 Outlets



Panel mounting mains outlets available with flange fixing or a snap-in version for quick and simple installation. Designed for power take-off applications and complying with EN60.320/2/2. Approvals: VDE, UL, CSA, IMQ, SEMKO. 705437

Technical Data

Contact Rating	10A @ 250VacA
Temperature Range	-40°C to +70°C°C
Housing	Nylon to UL94V-0
Contacts	Brass, Tin plated
Terminations	6.35x0.8mm fast-on

		1+	25+
CN0841287	Flange Fix - Black	£0.92	**£0.71**
CN0841387	Flange Fix - White	£0.92	**£0.71**
CN0841487	Snap-fit	£0.92	**£0.71**
CN0841587	Shutter snap-fit	£1.43	**£1.12**

IEC C13 Rewireable Inline Outlets - Cold Condition



- Rewireable IEC cold connectors with screw terminations and cable strain relief
- Available in straight or right angle versions
- UL, CSA approved
- Current Rating: 15A

SAVE OVER* 10%

502321

		1+	25+
CN0227687	Straight	£2.56	**£1.84**
CN0227787	Right Angle	£2.87	**£2.05**

Rewireable Free C14 'Moat' Plugs



Straight H=22.6, W=29,D=78.6 (inc. grommet)

Right Angle H=22.6, W=72.1 (inc grommet), D=51.7

- IEC straight and right angle connector
- Internal screw termination
- Approvals: SEMKO, IMQ, UL VDE, & CSA

Technical Data 639764

Current Rating	10A @ 250Vac
Temperature Range	-40°C to +70°C
Housing	Nylon, UL94V-0
Contacts	Brass, nickel plated
Cable Dia	7.6mm max

Black		1+	10+
CN0993787	Straight	£2.05	**£1.64**
CN0993887	Right Angle	£2.36	**£1.95**
White			
CN0993987	Straight	£2.05	**£1.64**
CN0994087	Right Angle	£1.99	**£1.89**

IEC C14 Inlets



654383

		1+	25+
CN1481887	Screw	£0.40	**£0.20**
CN1481987	Snap In	£0.40	**£0.20**

IEC C14 Inlets - Fused and Switched



Technical Data 696667

			1+	10+
CN1863287	Black DPST		£2.36	**£1.95**
CN1475887	Red Illuminated DPST		£2.56	**£2.05**

IEC C15 Inline Outlets - Hot Condition



Rewireable IEC hot condition, cold connectors with integral notches. The connectors feature screw terminals and cable strain reliefs. Available in straight or angled versions. UL, CSA and BS Approved. 523830

Technical Data

Current Rating @250V ac	15A (UL and CSA), 10A (BS, VDE)
Body Moulding	Polyamide 6 Grilon A28V0

		1+	10+
CN0385487	Straight	£2.26	**£1.64**
CN0385587	90° Angled	£2.26	**£1.64**

IEC C15A Hot Condition Sockets



- Rated current 16A/250VAC
- According to **VDE 0625/1/01.88**
- norm C15A
- Max. contact temperature: +155°C
- Ideal for use with professional stage lighting. eg. Strand Theatre Profiles

639765

		Format	Colour	
CN1206987	1048/WS	Straight	White	**£1.74**
CN1207187	1048/SW	Straight	Black	**£1.74**
CN1207087	1148/SW	90°	Black	**£1.74**

Hot Condition C16 Inlets - Panel Mounting



Panel mounting mains inlets available with flange fixing or a snap-in version for quick and simple installation. Both inlets conform to BS4491.EN60.320.The flange fixing version is also approved to UL, CSA, VDE, BS, SEMKO, and IMQ. 652354

		1+	10+
CN0841687	Flange fix - Black	£0.69	**£0.59**
CN0841787	Flange fix - White	£0.69	**£0.59**
CN0841887	Snap-fit	£1.02	**£0.71**

Rewireable 16A Inline C19/C20 Connectors



- Inline IEC60320 C19/C20 Connectors
- 16A Rated
- Internal screw terminals and strain relief
- VDE, SEMKO, SEV approved

640905

		1+	10+
CN0411387	Free C19 Outlet	£4.58	**£4.07**
CN0411487	Free C20 Inlet	£4.58	**£4.07**

Rewireable IEC C13 Plugs



Rewireable IEC plug with solder/screw terminations and cable strain relief.

- UL, IEC320, BS4491 compliant
- Rated 10A, 250V AC
- Available in black or white

711034

		1+	50+
PL1435487	Black	£0.99	**£0.79**
PL1435587	White	£0.99	**£0.79**

Rewireable IEC Socket



Rewireable IEC socket with solder/screw terminations and cable strain relief.

- UL, IEC320, BS4491 compliant
- Rated 10A, 250V AC

1+ £1.39 | 25+ **£0.99**

order code PL1321487 693073

IEC Socket - Hot Condition



- Rewireable C15 female socket connector
- Notched hot condition design
- Rubber cable strain relief
- Screw terminals
- Rated at 10A/250V
- Dielectric strength 2000Vac/1 minute
- UL/CSA recognised

1+ £2.19 | 25+ **£1.69**

order code PL1321287 693071

C13 & C19 IEC Locking Outlets



C19 Outlet

C13 Outlet

- Snap-in mounting from front
- Solder terminal or quick connect from single terminal
- Protection Class 1
- Integral plug retention feature

Technical Data

	PL1409487	PL1409587
Current Rating - Europe	10A @ 250VAC	16A @ 250VAC
Current Rating - USA	15A @ 250VAC	20A @ 250VAC
Dielectric Strength	2kV (50Hz, 1 Min.) to Accessible Surfaces	
Insulation Resistance	10MΩ (500VDC, 1 Min.)	
Mouldings	UL 94V-0 Thermoplastic	
Terminal Type	6.3x0.8mm Tabs	

712778

		1+	10+
PL1409487	C13	£2.89	**£2.49**
PL1409587	C19	£3.39	**£2.99**

Push in Connector - 3 Pole



Designed for lighting circuits to enable isolation of transformers, control gear etc, whilst conducting a 1000V insulation resistance test.

- All in one junction box and connection system
- Male: Max. 1.50mm² 3 core cable
- Female: Max. 2.50mm² twin and earth (with additional loop terminal)

1+ £2.90 | 25+ **£2.40**

order code PL1021087 631858

Pull Apart Connector



Designed initially for lighting circuits to enable isolation of transformers, control gear etc, whilst conducting a 1000V insulation resistance test.

- All in one junction box and connection system
- Versatile easy-connection system for fixed wiring applications
- 3 Pole plug in connector with loop terminal
- Cable grips for where the installation limits the fixing of the connector
- Large terminal with easy access
- Rated 250V, 20A
- Male: Max. 2.50mm² 3 core cable
- Female: Max. 3x 2.50mm² twin and earth (with additional loop terminal)
- Dimensions (HxWxD): 23x45x105mm

1+ £2.90 | 25+ **£2.40**

order code PL1114787 613206

Rewireable IEC C13 Plugs, Right Angled



- Hexagon design, allows multiple cable positions
- Screw terminals
- 10A, 250V Rated
- UL, CSA recognised
- Available in black or white

711532

		1+	50+
PL1435687	Black	£0.99	**£0.79**
PL1435787	White	£0.99	**£0.79**

Auto Fuse Set

DURATOOL



- 120 Piece auto fuse set
- Contains 20pcs each of 5, 10, 15, 20, 25 and 30 Amp fuses

1+ **£3.80** | 10+ **£3.49**

order code CP0417187 629307

Blade Fuse Kits

Littelfuse



RoHS

These kits contain an assortment of fuses and a fuse puller, neatly housed in a sturdy, plastic box with a transparent lid. Refillable from our current range of ATO and mini blade fuses.

Technical Data

ATO Blade Kit Contains	5A, 7.5A, 10A, 15A, 20A, 25A, 30A
10 each	
5 each	3A
1 each	Fuse Puller
Mini Blade Kit Contains	2A, 3A, 4A, 5A, 7.5A, 10A, 15A, 20A, 25A, 30A
10 each	
1 each	Fuse Puller

629308

		1+	10+
FF0114687	ATO Blade Kit	£15.40	**£12.31**
FF0114787	Mini Blade Kit	£19.95	**£17.95**

ATM Mini Blade Fuses



Miniature blade type fuses common in automotive applications and increasingly used in compact portable electronics.

- Voltage Rating: 32V

RoHS

629309

	Rating		5+	100+
FF0205687	3A	Violet	£0.11	**£0.07**
FF0205787	4A	Pink	£0.11	**£0.07**
FF0205887	5A	Tan	£0.11	**£0.07**
FF0205987	7.5A	Brown	£0.11	**£0.07**
FF0206087	10A	Red	£0.11	**£0.07**
FF0206187	15A	Blue	£0.11	**£0.07**
FF0206287	20A	Yellow	£0.11	**£0.07**
FF0206387	25A	Natural	£0.11	**£0.07**
FF0206487	30A	Green	£0.11	**£0.07**

MAXI Blade Fuses

Littelfuse

RoHS



- Higher current rating than MINI fuse
- Popular in automotive applications
- Slow blow characteristic
- Colour code
- Voltage Rating: 32V
- **UL** recognised

537110

			1+	25+
FF0207987	20A	Yellow 0299020.ZX0CR	£0.92	**£0.61**
FF0208087	30A	Green 0299030.ZX0CR	£0.92	**£0.61**
FF0208187	40A	Amber 0299040.ZXNV	£0.92	**£0.61**
FF0208287	50A	Red 0299050.ZXNV	£0.92	**£0.61**
FF0208387	60A	Blue 0299060.ZX0CR	£0.99	**£0.89**

Mini Blade Series Fuses

mutlcomp



LED Indicator

H - O/A = 16.5, Body = 9, Blades = 7.5mm
W - Body = 11.2, Blades = 2.85. D - Body = 4, Blades = 0.83mm

- Mini Blade fuses
- Integrated LED
- Illuminated to indicate fuse failure
- Colour coded for easy identification of fuse value
- Designed specifically for use in automotive applications although now common in consumer electronics

516864

	Rating		Mftrs. List No.	5+	100+
FF0184387	5A	Tan	MCASP-L-E 5A	£0.26	**£0.18**
FF0184487	7.5A	Brown	MCASP-L-E 7.5A	£0.26	**£0.18**
FF0184587	10A	Red	MCASP-L-E 10A	£0.26	**£0.18**
FF0184687	15A	Blue	MCASP-L-E 15A	£0.26	**£0.18**
FF0184887	25A	Natural	MCASP-L-E 25A	£0.26	**£0.18**

ATOF Series - Blade Fuses

Littelfuse



Developed by Littelfuse for the automotive industry, the ATOF fuse has become the original equipment circuit protection standard for foreign and domestic automobiles and trucks. Readily identifiable and easily replaced, this fuse can be specified for a variety of low voltage electronic applications.

RoHS

Technical Data

Voltage rating	32V dc
Breaking capacity	1000A
Operating temperature	-40°C to 105°C

672697

	Rating		10+	100+
FF0273287	1A	Black	£0.13	**£0.09**
FF0273387	2A	Grey	£0.13	**£0.09**
FF0273487	3A	Violet	£0.13	**£0.09**
FF0273587	4A	Pink	£0.13	**£0.09**
FF0273687	5A	Tan	£0.11	**£0.09**
FF0273787	7.5A	Brown	£0.11	**£0.09**
FF0273887	10A	Red	£0.11	**£0.09**
FF0273987	15A	Blue	£0.11	**£0.09**
FF0274087	20A	Yellow	£0.11	**£0.09**
FF0274187	25A	Clear	£0.11	**£0.09**
FF0274287	30A	Green	£0.11	**£0.09**
FF0274387	35A	Blue Green	£0.11	**£0.09**
FF0274487	40A	Amber	£0.11	**£0.09**

ATO Blade Fuses with LED Indication

mutlcomp

RoHS



SAVE OVER* 20%

- ATO blade type fuses.
- Integrated LED illuminates to indicate fuse failure
- Colour coded for easy identification of fuse value
- Designed specifically for use in automotive applications although now common in consumer electronics
- Overall dimensions (WxHxD): 19x19x5.1mm
- Blade dimensions (WxHxD): 5.24x15.54x0.65mm

516871

	Rating		5+	100+
FF0183687	5A	Tan	£0.20	**£0.14**
FF0183787	7.5A	Brown	£0.20	**£0.14**
FF0183887	10A	Red	£0.20	**£0.14**
FF0183987	15A	Blue	£0.20	**£0.14**
FF0184087	20A	Yellow	£0.20	**£0.14**
FF0184187	25A	Natural	£0.20	**£0.14**
FF0184287	30A	Green	£0.20	**£0.14**

Chassis Mounting Blade Fuse Boxes

mutlcomp

RoHS



- Each fuse circuit rated 30A @ 32Vdc
- Input Rating 100A @ 32Vdc
- Versions available for ATO Blade & ATM Mini Blade fuses
- Each circuit has LED indication when a fuse blows
- Fuse circuits are connected via 6.35mm Faston connectors
- Input connection via UNF 10-32 stud
- Chassis mounting, with mounting holes

654388

ATO Blade Fuseboxes		1+	25+
FF0230987	6x ATO	£5.14	**£4.11**
FF0231087	10x ATO	£7.20	**£6.17**
ATM Mini Blade Fuseboxes			
FF0231187	4x ATM	£5.14	**£4.11**
FF0231387	10x ATM	£6.45	**£5.45**

Fork Lift Truck/ Battery Powered Vehicle Fuseholder and Fuses

Littelfuse SIBA



H=54, W=85, D=24mm, Terminal Pitch = 62mm

L (overall)=82, L (body)=32, W=22, H=10, Fixing centres=60, Lug spacing=11

425A Rated Fuseholder, suitable for both cased fuses and fuse strips

SAVE OVER* 10%

A range of heavy duty 80V fuses to **DIN43560/1** specially designed for battery powered industrial trucks, fork lift etc. strong ceramic case incorporates shatterproof glass inspection window and 60mm spacing integral lugs for direct stud mounting.
Non-housed fuse strips for battery powered vehicles. Current ratings from 50A to 250A, 80V dc with 90° and straight fork type lugs.

Technical Data

Max. Working voltage 80Vdc

Time current Characteristics

	1.5In	1.8In	2.5In	4In
In	≥1hr	≥1hr	0.8-10s	0.2-2s
All				

612469

	Maximum Current Rating	1+	25+
FF0186087	425A	£13.38	**£12.86**
	Fuses Rating		
FF0186187	50A	£2.05	**£1.64**
FF0186287	80A	£2.05	**£1.64**
FF0186387	100A	£2.05	**£1.64**
FF0186487	160A	£2.05	**£1.64**
FF0186587	200A	£2.05	**£1.64**
FF0186687	250A	£2.05	**£1.64**
FF0185487	50A	£0.99	**£0.69**
FF0185587	80A	£0.99	**£0.69**
FF0185687	100A	£0.99	**£0.69**
FF0185787	160A	£1.29	**£0.99**
FF0185887	200A	£1.29	**£0.99**
FF0185987	250A	£1.29	**£0.99**

In-Line Blade Fuseholders

RoHS

In-line fuseholders suitable for use with automotive blade type fuses.

- Current rating to 30A



629311

In-Line Fuse Holders	Rating	1+	50+
FF0207587	20A	£0.61	**£0.40**
FF0207687	30A	£0.81	**£0.61**
In-Line Fuse Holders - Splashproof			
FF0207787	30A	£0.71	**£0.50**
FF0207887	30A	£0.92	**£0.71**

BS1361 Domestic Consumer Unit Fuses

LAWSON

RoHS



Lawson Type "L" HRC fuse-links are for use in household consumer units or other single-phase installations with fault levels up to 16kA.

- Certified to BS1361 or BS88
- ASTA certified

Technical Data

674543

Voltage rating	240V ac
Breaking capacity	16.5kA
Dimensions	
LA	23mm x 6.35mm
LC	26mm x 10.32mm
LD	29mm x 12.7mm

	Rating	1+	10+
FF0277087	5A	£0.69	**£0.55**
FF0277187	5A	£1.29	**£0.95**
FF0277287	10A	£1.29	**£0.95**
FF0277387	15A	£1.29	**£0.95**
FF0277487	20A	£1.29	**£0.95**
FF0277587	6A	£1.39	**£1.05**
FF0277687	30A	£1.39	**£1.05**
FF0277787	45A	£2.69	**£1.99**

BS646 Adaptor Fuses

Bussmann

SAVE OVER* 15%



These fuses are typically found in clocks, shaving adaptors, etc. They are rated at 240VAC and BS646 approved. Dimensions: 19x5mm

Supplied in packs of 10

629325

		1+	10+
FFTDC17187	1A	£3.29	**£2.99**
FFTDC17287	2A	£3.29	**£2.99**
FFTDC17387	3A	£3.29	**£2.99**
FFTDC17587	5A	£3.29	**£2.99**

We are pleased to accept

VISA MasterCard Maestro

All prices exclude VAT

Domestic Fuse 10 Pack



- 3x 3A Red fuses: Suitable for table lamps, radios and clocks.
- 2x 5A Black fuses: Suitable for televisions, hairdryers and vacuum cleaners
- 5x 13A Brown: Suitable for fridges, washing machines, freezers, kettles, irons and toasters

1+ **£1.29** | 10+ **£0.99**

order code FF0101787 462530

Domestic Fuses

PRO-ELEC

SAVE OVER* 15%



- Mixed fuse pack contains: 3A x2, 5A x2, 13A x6

629319

		Pack	1+	10+
PL0998387	3A	10	£0.99	**£0.79**
PL0998487	5A	10	£0.99	**£0.79**
PL0998087	Mixed	10	£0.99	**£0.79**
PL0998187	13A	100	£6.79	**£5.79**

Mains Electrical Fuse Kit

SAVE OVER* 15%

RoHS



This fuse kit contains 10 of each of the more commonly used mains electrical fuses. The kit comes housed in a clear plastic box.

- 5x20mm, Fast acting, glass body. SEMKO, VDE, UL and BSI approved. 10 Each of the following values: 1A, 1.6A, 2A, 2.5A, 4A, 5A, 6.3A
- 5x20mm, Time delay, glass body. SEMKO, VDE, UL and BSI approved. 10 Each of the following values: 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A
- 5x20mm, Time delay, 8A microwave fuse. IEC27 and BS4265 Approved. 10 Each.
- 1¼"x¼", Fast acting, 10A glass body fuse. IEC27 approved. 10 Each.

1+ **£14.99** | 10+ **£12.99**

order code FF0186887 629316

Screw Fit BS1362 Fuseholders

RoHS

SAVE OVER* 20%



Moulded from clear polybutene with nickel plated grub screw terminations available in either standard or **IP66** sealed versions.

Note: 250V rating in equipment, otherwise 50V ac/dc

Mftrs. List No. FX280 = FF0231887
FX285 = FF0231987

656094

		1+	10+
FF0231887	Standard	£1.29	**£1.09**
FF0231987	IP66 Sealed	£1.79	**£1.49**

BS1362 Fuseholders

RoHS



Accepts standard **(BS1362)** plug-top fuses to 13A. The fuse sleeve is of black phenolic whilst the body and cap are glass filled nylon. **UL** Recognised and conforms to **IEC257**.

667809

Finger Release		1+	**10+**
FF0231687	FX0416	£2.39	**£1.69**
Tool Release			
FF0231787	FX0416S	£2.39	**£2.09**

Slow Blow (T) Ceramic Fuses

SIBA

RoHS

70-007-65 Series



Ceramic fuses with a timelag blowing characteristic.

682396

- Complies with **IEC 60127-2**
- **UL** Recognized
- Approved to **VDE, SEMKO**
- Voltage rating: 250Vac
- Breaking capacity: 1.5kA @ 250Vac

	Rating	10+	**100+**
FF0283587	0.125A	£0.15	**£0.12**
FF0283687	0.2A	£0.15	**£0.12**
FF0283787	0.25A	£0.15	**£0.12**
FF0283887	0.315A	£0.15	**£0.12**
FF0283987	0.4A	£0.15	**£0.12**
FF0284087	0.5A	£0.15	**£0.12**
FF0284187	0.8A	£0.15	**£0.12**
FF0284287	1A	£0.15	**£0.12**
FF0284387	1.25A	£0.15	**£0.12**
FF0284487	1.6A	£0.15	**£0.12**
FF0284587	2A	£0.15	**£0.12**
FF0284687	2.5A	£0.15	**£0.12**
FF0284787	3.15A	£0.15	**£0.12**
FF0284887	4A	£0.15	**£0.12**
FF0284987	5A	£0.15	**£0.12**
FF0285087	6.3A	£0.15	**£0.12**
FF0285187	8A	£0.15	**£0.12**
FF0285287	10A	£0.15	**£0.12**
FF0285387	12.5A	£0.15	**£0.12**
FF0285487	16A	£0.15	**£0.12**

Quick Blow (F) Ceramic Fuses

SIBA

RoHS

70-007-33 Series



Ceramic Quick Blow fuses with a short cut-off time.

680045

- Complies with **IEC 60127-2**
- **UL** Recognized
- Approved to **VDE, SEMKO**
- Voltage Rating: 250Vac
- Breaking capacity: 1.5kA @ 250Vac

	Rating	10+	**250+**
FF0281587	0.2A	£0.11	**£0.10**
FF0281687	0.25A	£0.11	**£0.09**
FF0281787	0.315A	£0.11	**£0.09**
FF0281887	0.4A	£0.11	**£0.09**
FF0281987	0.5A	£0.11	**£0.09**
FF0282087	0.63A	£0.11	**£0.09**
FF0282187	0.8A	£0.11	**£0.09**
FF0282287	1A	£0.11	**£0.09**
FF0282387	1.25A	£0.11	**£0.09**
FF0282487	1.6A	£0.11	**£0.09**
FF0282587	2A	£0.11	**£0.09**
FF0282687	2.5A	£0.11	**£0.09**
FF0282787	3.15A	£0.11	**£0.09**
FF0282887	4A	£0.11	**£0.09**
FF0282987	5A	£0.11	**£0.09**
FF0283087	6.3A	£0.11	**£0.09**
FF0283187	8A	£0.12	**£0.11**
FF0283287	10A	£0.12	**£0.11**
FF0283387	12.5A	£0.12	**£0.11**
FF0283487	16A	£0.12	**£0.11**

Panel Mount Fuseholder - 15A

multicomp

RoHS




- Rated 15A @ 250Vac
- Suitable for 5x 20mm fuses
- Bayonet cap - screwdriver release
- Mounting hole: 15.2mm (13.6mm flats)
- 4.75mm Faston Tabs / Solder connectors
- Operating Temperature Range -25°C to +85°C
- UL and cUL listed

1+ **57p** | 50+ **40p**

order code FF0230387 656093

5x20mm In-Line Fuse Holder



An in-line fuse holder made from a plastic housing with bayonet fixing. Fitted with an 18cm wire.

Supplied in packs of 5

SAVE OVER* 25%

1+ **£1.29** | 25+ **£0.89**

order code FF0101687 684261

Screwfit In-Line Fuseholders

BULGIN

RoHS



- Moulded from clear polybutene with nickel-plated brass grub screw terminations
- Standard or IP66 sealed versions

Technical Data

Rating	10A @ 250V ac
Operating Temp	-20°C to +70°C
Dims (LxDia.):	50.4x15.9mm (Standard) 78.9x16.5mm (Sealed)

629332

		1+	**25+**
FF0132587	Standard	£1.19	**£0.99**
FF0132087	IP66 Sealed	£2.05	**£1.74**

20x5mm Panel Mount Fuseholder - Bayonet Release

RoHS



- Moulded in black PBT UL94-V0
- Low profile mounting
- Combined solder/4.8mm quick connect terminal
- Anti rotation D fixing
- IEC 127-6
- SEMKO, CSA, VDE and CE Approved, UL recognised

Technical Data

Rating	10A @ 250V AC
Power dissipation	2.5W
Bezel	16mm
Length	45.7mm
Depth Behind Panel	40.2mm
Panel Cutout	12.7mm (12mm Flat)

1+ **67p** | 50+ **46p**

order code FF0194587 629330

32x 6.35mm Glass Body Fuses

RoHS



- 1¼"x¼" (32mmx6.3mm)
- Glass cartridge, nickel plated end caps
- To IEC 127
- Axially centred element

Supplied in packs of 10

SAVE OVER* 30%

Technical Data 629333

Breaking Capacity @250V 35A (500mA-1A)
100A (2A-3A)
200A (4A-10A)

Time Delay	Fuse Rating	1+	**10+**
FF0204787	100mA	£0.99	**£0.79**
FF0180387	125mA	£0.99	**£0.79**
FF0204887	800mA	£0.99	**£0.79**
FF0204987	1.25A	£0.99	**£0.79**
FF0180687	2A	£0.99	**£0.79**
FF0205087	2.5A	£0.99	**£0.79**
FF0180787	3A	£0.99	**£0.79**
FF0205187	3.15A	£0.99	**£0.79**
FF0180887	4A	£0.99	**£0.79**
FF0181087	6A	£0.99	**£0.79**
FF0205287	7.5A	£0.99	**£0.79**
FF0181287	10A	£0.99	**£0.79**
FF0205387	15A	£0.99	**£0.79**
Quick Blow			
FF0036887	100mA	£0.99	**£0.79**
FF0036987	250mA	£0.99	**£0.79**
FF0178587	500mA	£0.99	**£0.79**
FF0178687	1A	£0.99	**£0.79**
FF0037487	1.5A	£0.99	**£0.79**
FF0178787	2A	£0.99	**£0.79**
FF0037687	2.5A	£0.99	**£0.79**
FF0178887	3A	£0.99	**£0.79**
FF0037787	3.15A	£0.99	**£0.79**
FF0179087	5A	£0.99	**£0.79**
FF0179187	6A	£0.99	**£0.79**
FF0038087	6.3A	£0.99	**£0.79**
FF0038387	8A	£0.99	**£0.79**
FF0179287	10A	£0.99	**£0.79**
FF0038587	12A	£0.99	**£0.79**

Heavy Duty Inline Fuseholder - 30A

multicomp

RoHS



- Rated 30A @ 250Vac
- Suitable for 6.35mmx32mm fuses
- Clear locking cap with LED indication of blown fuse
- 150mm trailing leads (10AWG) with pre-stripped ends

1+ **£1.99** | 10+ **£1.59**

order code FF0230687 656095

32x6.35mm Fuseholders, Panel Mount - Screw Cap

RoHS



- A panel mounting fuse holder with finger release.
- Current Rating: 10A
- Suitable for low voltage applications.
- Mounting hole Dia. 15.1mm
- Solder Terminals

1+ **59p** | 10+ **39p**

order code FF0205587 629336

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

FN2010 Series - General Purpose Chassis Mounting Filters

SCHAFFNER




SAVE OVER* 10%

- Economic solution to general purpose filter requirements
- Good attenuation over a wide frequency range
- UL recognised, VDE, CSA and SEV approved, IEC950 compliant

600802

			1+	10+
PL0780887	1A	12mH	£7.29	**£6.29**
PL0780987	3A	2.5mH	£9.99	**£7.99**
PL0781087	6A	1mH	£9.99	**£7.99**
PL0781187	10A	0.8mH	£9.99	**£7.99**
PL0781287	16A	0.65mH	£11.99	**£9.99**

RC Network Spark Quencher



These RC networks are designed for applications such as spark arresting in reactive switching, and as snubber networks in SCR/triac circuits. Suitable for use in ac or dc applications due to their non-polarised construction. They are approved to all the major international standards and as such may be used in home market or foreign goods.

530763

		1+	10+
CA0604387	XE1201 - PCB Mounting	£1.49	**£1.19**
CA0604487	XEB1201 - Flylead	£1.99	**£1.69**

MBC/MCC (BA9s) 10mm, T3¼

CML

RoHS

SAVE OVER* 55%



Dims (LxDia.): 30x10.3mm

548883

				1+	25+
SC0850987	6V	1.2W		£0.35	**£0.20**
SC0851087	6.3V	945mW		£0.55	**£0.30**
SC0851287	6.5V	970mW		£0.55	**£0.30**
SC0851487	12V	2W		£0.35	**£0.20**
SC0851587	24V	1.2W		£0.55	**£0.30**
SC0851687	24V	1.68W		£0.35	**£0.20**
SC0851787	24V	2W		£0.35	**£0.20**
SC0851887	24V	2.88W		£0.35	**£0.20**
SC0851987	28V	1.1W		£0.55	**£0.30**
SC0852187	28V	2.24W		£0.55	**£0.30**
SC0852287	30V	2W		£0.35	**£0.20**
SC0852487	130V	2.6W		£1.95	**£1.45**

Vandal Resistant Push Button Switches - 22mm

PRO-POWER



- Three actuator styles available
- 25.4mm Bezel diameter
- M19 Panel hole
- Depth behind panel 26.2mm
- Maximum panel thickness 10mm
- Single Pole Momentary action
- Stainless steel

639781

	Actuator Style	1+	10+
SW0349887	Flush	£5.49	**£4.49**
SW0349987	Raised	£5.49	**£4.49**
SW0350087	Curved	£5.49	**£4.49**

Thermal Switches - Auto Reset

RoHS



Normally closed (opening on temperature rise) and normally open (closing on temperature rise) types are available. All the switches reset when the temperature falls to the reset level. Connection is by ¼" (6.3 x 0.8mm) terminals.

SAVE OVER* 25%

- Automatically re-setting thermal switches with snap action bi-metallic SPST contacts
- Contacts are isolated from the mounting base
- Reset level is specified to within a close tolerance band
- All types are **UL** recognised and **VDE** approved. Style A types also **CSA** approved


629343

Normally Closed Types	Switching Temp	Reset Temp.	1+	25+
SW0317387	50°C	35°C	£0.99	**£0.69**
SW0317487	70°C	55°C	£0.99	**£0.69**
SW0317587	90°C	70°C	£0.99	**£0.69**
SW0317687	100°C	85°C	£0.99	**£0.69**
SW0317787	112°C	97°C	£0.99	**£0.69**
SW0317887	125°C	110°C	£0.99	**£0.69**
SW0317987	150°C	135°C	£0.99	**£0.69**
Normally Open Types				
SW0318087	35°C	50°C	£0.99	**£0.69**
SW0318187	45°C	60°C	£0.99	**£0.69**
SW0318287	55°C	70°C	£0.99	**£0.69**
SW0318387	70°C	90°C	£0.99	**£0.69**

Subminiature 'V4' Style Microswitches

CHERRY

RoHS



SW0470487 **SW0470387** **SW0470587**

Body H=15.85, W=6.5, D=19.9, Fixing centres=9.5

- Polyester housing **UL** recognised and sealed to **IP67**
- SPDT silver contacts
- Pre-wired with 500mm long 0.75mm² PVC leads
- Wire colour code: Blue = NO, Grey = NC, Black = Common

Technical Data

Mechanical life	1000000 ops
Electrical life	10000 ops
Operating temperature	-40°C to 120°C

	SW0470487	SW0470387
Operating force, max	2N	0.7N
Pre-travel, max	1.0	5.0
Over-travel, max	0.6	1.5
Differential travel	0.1	0.6

688524

	Mftrs. List No.	1+	25+
SW0470487	UDC1C-C3AA	£3.99	**£2.99**
SW0470387	UDC1C-C3LC	£3.99	**£2.99**
SW0470587	UDC1C-C3RC	£3.99	**£2.99**

Waterproof Push Button Switches - Snap-In

multicomp



A range of illuminated and non-illuminated waterproof SPST pushbuttons.

SAVE OVER* 10%

- Constructed from black PA66 Nylon (UL94-V2)
- Silver plated brass faston terminals
- Waterproof and dustproof to IP65
- Snap-in mounting for easy installation
- UL / cUL recognised
- 220Vac illuminated versions are 3P and have dependent illumination
- 12Vdc illuminated versions are 4P with 2V independent illumination circuit

Technical Data

659442

Rating 10A @ 125Vac / 6A @ 250Vac (UL)
20A @ 14Vdc / 10A @ 28Vdc (UL)

Non-Illuminated Versions			1+	10+
SW0362587	Off - (On)	—	£0.99	**£0.79**
SW0362487	Off-On	—	£0.99	**£0.79**
LED Independent Illumination - 12Vdc				
SW0362687	Off - (On)	Red	£1.19	**£0.89**
SW0362787	Off - (On)	Green	£1.19	**£0.89**
SW0363087	Off-On	Red	£1.49	**£1.19**
Dependent Illumination - 220Vac				
SW0362887	Off - (On)	Red	£1.19	**£0.89**
SW0362987	Off - (On)	Green	£1.39	**£1.09**
SW0363287	Off-On	Red	£1.59	**£1.25**
SW0363387	Off-On	Green	£1.59	**£1.25**

Waterproof Push Button Switches - Nut Fixing

multicomp



A range of illuminated and non-illuminated waterproof SPST pushbuttons.

- Constructed from black PA66 Nylon (UL94-V2)
- Waterproof and dustproof to IP65
- Nut fixing allows for mounting on panels up to 9mm thick
- 12Vdc Illuminated versions can be wired to be always illuminated or illuminated when on

Technical Data

Rating	10A @ 14Vac
Panel Cut-out	22mm

659443

Non-Illuminated Versions			1+	10+
SW0363487	Off - (On)	—	£1.79	**£1.49**
SW0363587	Off - On	—	£1.79	**£1.49**
LED Independent Illumination - 12Vdc				
SW0363687	Off - (On)	Red	£1.99	**£1.59**
SW0363787	Off - (On)	Green	£1.99	**£1.59**
SW0363887	Off-On	Red	£1.99	**£1.59**
SW0363987	Off-On	Green	£1.99	**£1.59**

Emergency Stop Stations - Plastic

RAAS



- Complete plastic control stations
- Self-cleaning positive opening contacts
- Turn or Key Release
- 1 NC contact

651178

Technical Data

Approvals:	UL, cUL, CSA
Protection	IP65, NEMA 4/4X
Rated Thermal Current	10A

	Release Type	Mftrs. List No.	1+	10+
SW0353387	Twist	RC1PYBS542	£12.99	**£9.99**
SW0353487	Key	RC1PYBS142	£14.99	**£11.99**

Nylon Cylidrical PCB Spacers - 4.2mm

DURATOOL

RoHS



A range of Nylon cylindrical PCB spacers which are not threaded and are available in various lengths.

- Internal diameter: 4.2mm
- External diameter : 6.3mm
- Material: Nylon 66 UL 94
- Colour: Natural

714760

			10+	100+
PC0164687	2mm		£0.03	**£0.02**
PC0164787	3mm		£0.03	**£0.02**
PC0164887	5mm		£0.03	**£0.02**
PC0164987	8mm		£0.03	**£0.02**
PC0165087	10mm		£0.03	**£0.02**
PC0165187	12mm		£0.03	**£0.02**

Nylon Hexagonal M/F PCB Spacers - M3 Thread

DURATOOL

RoHS



A range of Nylon hexagonal male to female PCB spacers which have internal and external M3 threads and are available in various lengths.

- Internal / External threads: M3
- External width: 5.5mm
- Material: Nylon 66 UL 94
- Colour: Natural

714764

		10+	100+
PC0165787	5mm	£0.07	**£0.04**
PC0165887	8mm	£0.07	**£0.04**
PC0165987	10mm	£0.07	**£0.04**
PC0166087	12mm	£0.07	**£0.04**

Nylon Cylidrical PCB Spacers - 3.2mm

DURATOOL



A range of Nylon cylindrical PCB spacers which are not threaded and are available in various lengths.

- Internal diameter: 3.2mm
- External diameter : 5mm
- Material: Nylon 66 UL 94
- Colour: Natural

714761

			10+	100+
PC0163987	2mm		£0.03	**£0.02**
PC0164087	3mm		£0.03	**£0.02**
PC0164187	5mm		£0.03	**£0.02**
PC0164287	8mm		£0.03	**£0.02**
PC0164387	10mm		£0.03	**£0.02**
PC0164487	12mm		£0.03	**£0.02**
PC0164587	15mm		£0.03	**£0.02**

Nylon Hexagonal F/F PCB Spacers - M3 Thread

DURATOOL



A range of Nylon hexagonal female to female PCB spacers which have an internal M3 thread and are available in various lengths.

- Internal thread: M3
- External width: 5.5mm
- Material: Nylon 66 UL 94
- Colour: Natural

714762

			10+	100+
PC0165287	4mm		£0.07	**£0.04**
PC0165387	5mm		£0.07	**£0.04**
PC0165487	8mm		£0.07	**£0.04**
PC0165587	10mm		£0.07	**£0.04**
PC0165687	12mm		£0.07	**£0.04**

RJ45 Couplers/Adaptors

pro-SIGNAL



- Couplers and Adaptor for RJ45 leads
- CS2041787 wiring: 1-1, 2-2, 3-3, 4-4, 5-5, 6-6, 7-7, 8-8
- CS1299587 wiring: 1-1, 2-2, 3-3, 4-4, 5-5, 6-6, 7-7, 8-8
- CS1351487 wiring: 1-8, 2-7, 3-6, 4-5, 5-4, 6-3, 7-2, 8-1
- CS1584187 wiring: 1-1, 2-2, 3-3, 4-4, 5-5, 6-6, 7-7, 8-8
- CS1351587 wiring: 1-3, 2-6, 3-1, 4-4, 5-5, 6-2, 7-7, 8-8
- CS1884187 wiring: 1-1, 2-2, 3-3, 4-4, 5-5, 6-6, 7-7, 8-8

SAVE OVER* 15%

641836

Female to Female Couplers		1+	5+
CS2041787	CAT 5	£1.05	£0.81
CS1299587	CAT 5E	£1.92	£1.46
CS1351487	Fully Crossed	£0.82	£0.61
CS1584187	CAT 6	£2.98	£2.65
CS1884187	CAT 6 (35x16x21mm)	£3.21	£2.77
Female to Male Adaptor			
CS1351587	Crossover	£0.89	£0.74

Soft Edge Faceplates

pro-SIGNAL



SAVE OVER* 30%

- CAT 5E/6 faceplates with a 'soft edge' curved look - designed to fit into the 'modern office'
- Available with 1 or 2, RJ45 sockets
- Backwards compatible with Cat 5
- 568A/B UTP wiring layout
- Fits a standard UK, 86x86mm backbox

Contents: Faceplate and screws 551610

CAT 5E		1+	5+
CS1420787	1 Port	£2.48	£1.93
CS1420887	2 Port	£3.25	£2.68
CAT 6			
CS2391187	1 Port	£2.36	£2.03
CS2391287	2 Port	£3.35	£2.90

CAT5E Wiring Box

pro-SIGNAL



- Connection box for 4 twisted cable pairs
- Ideal for custom wiring or converting between different system wiring specifications

449899

		1+	5+
CS1386987	White	£2.55	£2.11
CS1524387	Black	£2.55	£2.11

CAT6 Wiring Boxes

pro-SIGNAL




- Connection boxes for 4 twisted cable pairs
- Ideal for custom wiring or converting between different system wiring specifications

449752

		1+	5+
CS1387087	Black	£2.53	£2.10
CS2730887	White	£2.53	£2.10

CAT 5E RJ45 Low Profile Patch Cables

SAVE OVER* 75%



pro-SIGNAL

499456

	White	Blue	Green	Grey	Red	Yellow	Pink	Violet	Orange	Black	1+	5+
0.2m	CS1755087	CS1755287	CS1755187	CS1755387	CS1755487	CS1755587	CS1755687	CS1755787	CS1755987	CS1755887	£0.29	£0.27
0.5m	CS1738287	CS1738887	CS1739987	CS1741087	CS1742187	CS1743287	CS1744387	CS1744987	CS1746587	CS1745487	£0.38	£0.36
1m	CS1738387	CS1738987	CS1740087	CS1741187	CS1742287	CS1743387	CS1744487	CS1745087	CS1746687	CS1745587	£0.54	£0.49
2m	CS1738487	CS1739087	CS1740187	CS1741287	CS1742387	CS1743487	CS1744587	CS1745187	CS1746787	CS1745687	£0.83	£0.79
3m	CS1738587	CS1739187	CS1740287	CS1741387	CS1742487	CS1743587	CS1744687	-	CS1746887	CS1745787	£0.99	£0.95
4m	-	CS1739287	CS1740387	CS1741487	CS1742587	CS1743687	-	-	-	CS1745887	£1.40	£1.33
5m	CS1738687	CS1739387	-	CS1741587	CS1742687	CS1743787	CS1744787	CS1745287	CS1746987	CS1745987	£1.73	£1.61
6m	-	CS1739487	CS1740587	CS1741687	CS1742787	CS1743887	-	-	-	CS1746087	£1.95	£1.85
7m	-	CS1739587	CS1740687	CS1741787	CS1742887	CS1743987	-	-	-	CS1746187	£2.22	£2.11
10m	CS1738787	CS1739687	CS1740787	CS1741887	CS1742987	CS1744087	CS1744887	CS1745387	CS1747087	CS1746287	£3.05	£2.89
15m	CS2372787	CS1739787	CS1740887	CS1741987	CS1743087	CS1744187	CS2497687	CS2497887	CS2498287	CS1746387	£4.71	£4.20
20m	CS2372887	CS1739887	CS1740987	CS1742087	CS1743187	CS1744287	CS2497787	CS2497987	CS2498387	CS1746487	£5.48	£5.20
25m	CS2496487	CS2496687	CS2496887	CS2497087	CS2497287	CS2497487	-	-	-	CS2498087	£7.79	£7.40
30m	CS2496587	CS2496787	CS2496987	CS2497187	CS2497387	CS2497587	-	-	-	CS2498187	£8.98	£8.66

CAT 6 RJ45 Patch Cables

SAVE OVER* 60%



pro-SIGNAL

499457

	White	Grey	Red	Yellow	Green	Blue	Violet	Black	Orange	Pink	1+	5+
0.2m	-	CS1756087	CS1756187	CS1756287	CS1756387	CS1756487	-	CS1756687	-	CS1756887	£0.55	£0.48
0.5m	CS2499287	CS1723587	CS1724587	CS1725587	CS1726587	CS1727587	CS1728587	CS1729187	CS1729787	CS1730387	£0.70	£0.62
1m	CS2499387	CS1723687	CS1724687	CS1725687	CS1726687	CS1727687	CS1728687	CS1729287	CS1729887	CS1730487	£0.82	£0.74
2m	CS2499487	CS1723787	CS1724787	CS1725787	CS1726787	CS1727787	CS1728787	CS1729387	CS1729987	CS1730587	£1.35	£1.29
3m	CS2499587	CS1723887	CS1724887	CS1725887	CS1726887	CS1727887	CS1728887	CS1729487	CS1730087	CS1730687	£1.57	£1.55
5m	CS2499687	CS1723987	CS1724987	CS1725987	CS1726987	CS1727987	CS1728987	CS1729587	CS1730187	CS1730787	£2.04	£1.87
10m	CS2499787	CS1724087	CS1725087	CS1726087	CS1727087	CS1730887	CS1729087	CS1729687	CS1730287	CS1730887	£3.65	£3.44
15m	CS2499887	CS1724187	CS1725187	CS1726187	-	CS1728187	CS2498487	CS2498587	CS2498987	CS2499087	£5.54	£4.78
20m	-	CS1724287	-	CS1726287	CS1727287	CS1728287	-	CS2498687	-	-	£6.72	£6.14
25m	-	CS1724387	-	-	CS1727387	CS1728387	-	CS2498787	-	-	£7.91	£7.33
30m	-	CS1724487	CS1725487	CS1726487	CS1727487	CS1728487	-	CS2498887	-	-	£8.98	£8.25

CCA Patch Cables

pro-SIGNAL



SAVE OVER* 35%

- RJ45 to RJ45 Cat5e patch cables
- Copper clad aluminium conductor (CCA)
- Selection of colours and lengths are available

675620

Red		1+	5+
CS2144987	0.2m	£0.24	£0.22
CS2145087	0.5m	£0.29	£0.27
CS2145187	1m	£0.36	£0.34
CS2145287	2m	£0.56	£0.53
CS2145387	3m	£0.76	£0.72
CS2145487	4m	£0.89	£0.84
CS2145587	5m	£1.11	£1.04
CS2145987	15m	£3.05	£2.66

Blue			
CS2146187	0.2m	£0.24	£0.22
CS2146287	0.5m	£0.29	£0.27
CS2146487	2m	£0.56	£0.53
CS2146587	3m	£0.76	£0.72
CS2146787	5m	£1.11	£1.04
CS2147087	10m	£2.38	£2.06
CS2147287	20m	£4.64	£4.01
Grey			
CS2147387	0.2m	£0.24	£0.22
CS2147487	0.5m	£0.29	£0.27
CS2147587	1m	£0.36	£0.34
CS2147687	2m	£0.56	£0.53
CS2147787	3m	£0.76	£0.72
CS2147887	4m	£0.89	£0.84
CS2147987	5m	£1.11	£1.04
CS2148287	10m	£2.38	£2.06
CS2148387	15m	£3.05	£2.66
CS2148487	20m	£4.64	£4.01
Green			
CS2148587	0.2m	£0.24	£0.22
CS2148687	0.5m	£0.29	£0.27
CS2148787	1m	£0.36	£0.34
CS2148887	2m	£0.56	£0.53
CS2148987	3m	£0.76	£0.72
CS2149187	5m	£1.11	£1.04
CS2149387	7m	£1.68	£1.45
CS2149487	10m	£2.38	£2.06
CS2149587	15m	£3.05	£2.66
CS2149687	20m	£4.64	£4.01

White			
CS2149787	0.2m	£0.24	£0.22
CS2149887	0.5m	£0.29	£0.27
CS2149987	1m	£0.36	£0.34
CS2150087	2m	£0.56	£0.53
CS2150187	3m	£0.76	£0.72
CS2150287	4m	£0.89	£0.84
CS2150387	5m	£1.11	£1.04
CS2150587	7m	£1.52	£1.45
CS2150687	10m	£2.38	£2.06
CS2150787	15m	£3.05	£2.66
CS2150887	20m	£4.64	£4.01
Yellow			
CS2150987	0.2m	£0.24	£0.22
CS2151087	0.5m	£0.29	£0.27
CS2151187	1m	£0.36	£0.34
CS2151287	2m	£0.56	£0.53
CS2151387	3m	£0.76	£0.72
CS2151887	10m	£2.38	£2.06
CS2151987	15m	£3.05	£2.66
CS2152087	20m	£4.64	£4.01
Orange			
CS2152187	0.2m	£0.24	£0.22
CS2152287	0.5m	£0.29	£0.27
CS2152387	1m	£0.36	£0.34
CS2152487	2m	£0.56	£0.53
CS2152587	3m	£0.76	£0.72
CS2152687	4m	£0.98	£0.84
CS2152787	5m	£1.11	£1.04
CS2152987	7m	£1.68	£1.45
CS2153087	10m	£2.38	£2.06
CS2153187	15m	£3.05	£2.66
CS2153287	20m	£4.64	£4.01

OUTDOOR LEISURE

Pop-Up 2 Person Tent



- Spacious 2 person tent
- Lightweight and compact
- Supplied with 4x guy ropes and 6x pegs
- Ventilation mesh opening with weather cover
- 2x Internal pockets
- Taped seams
- Lightweight durable material
- 2500HH waterproofing
- Dimensions in carry bag: 95x120x220cm

SAVE OVER* 25%

1+ £18.50 | 3+ £16.95

order code LH0366787 697752

2 Person Dome Tent



SAVE OVER* 30%

- Spacious design
- Ideal for festivals and weekend breaks
- Lightweight fibreglass poles
- Supplied with guy ropes and pegs
- Ventilation mesh opening with weather cover
- Taped seems
- Sewn in groundsheet
- 190T Breathable polyester material
- 1500HH Flysheet
- Dimensions in carry bag (2 person): 100x120x200cm

1+ £9.50 | 3+ £8.98

order code LH0366887 697753

Groundsheets



SAVE OVER* 35%

- Protect the tent floor from dirt and damage
- Waterproof
- 8 Eyelets
- Drawstring Bag

697758

		1+	5+
LH0367387	1.8x2.4m	£2.69	£2.50
LH0367487	2x3m	£3.50	£3.30

Compact Mat




SAVE OVER* 15%

- 3 Seasons
- Fabric: XPE foam
- Dimensions (LxWxD): 145x50x0.7cm

1+ £2.69 | 10+ £2.45

order code LH0356487 696377

Single and Double Airbeds



- Ideal for camping & caravanning, home use or travelling & trekking
- Durable PVC construction
- Easy to inflate and deflate
- Flocked PVC on the top for extra comfort
- Suitable for indoor and outdoor use
- Navy blue in colour
- Dimensions: Single inflated: 186x78x20cm
- Dimensions: Double inflated: 195x140x20cm

SAVE OVER* 60%

464115

		1+	3+
CP0405587	Single	£5.98	£5.50
CP0405687	Double	£11.28	£9.50

Inflatable Pillow



- Ideal for use when camping, at the beach or travelling
- Soft flocked top surface for optimum comfort
- Dimensions (WxLxD): 280x430x90mm

SAVE OVER* 25%

1+ 95p | 10+ 89p

order code LH0339887 694549

Folding Camping Chair



SAVE OVER* 30%

- Ideal for camping, fishing or use in the garden
- Lightweight, fold away design
- Supplied in carry bag with integral handle and drawstring closure
- Water-resistant canvas
- Convenient cup holder in arm rest
- 81cm Height

1+ £5.99 | 3+ £5.50

order code LH0367787 697762

Aluminium Directors Chair



- Durable canvas seat & back rest
- Ideal for camping, caravanning, garden & outdoor use
- The arms also have a soft, comfortable rubber grip
- Material: 600D Polyester
- Dimensions: 560x470x430/790mm
- Approx item weight: 1000g
- Available in blue

SAVE OVER* 60%

1+ £16.48 | 5+ £15.65

order code CP0603987 678992

Folding Sit Mat



- Waterproof coated
- Wipe clean surface
- Colour may vary
- Size packed: 305x95x45mm
- Size flat: 305x390x10mm
- Weight: 120g

SAVE OVER* 25%

1+ £2.20 | 10+ £1.85

order code LH0118587 540542

Folding Stool



SAVE OVER* 15%

- 300lb Weight capacity
- Height when open is 220mm

1+ £2.95 | 5+ £2.58

order code LH0111387 551031

Orca Camping Chair





- Extremely comfortable 'bucket' chair
- Fold away design
- Supplied with carry bag so easy to store and transport
- Lightweight
- Made from durable material
- Additional padding for added comfort

SAVE OVER* 25%

1+ £17.50 | 5+ £15.98

order code LH0366487 697749

Picnic Blanket



SAVE OVER* 25%

- Waterproof P.P. base
- Foil base, foam padded inner, woven top layer
- Waterproof fleece
- Colour: Forest green
- Packed dimensions: 35x12x12cm

1+ £6.42 | 5+ £5.75

order code LH0357187 696395

Folding Stool



- Packs into convenient carry bag
- Size: 330x330x460mm
- Weight: 980g

SAVE OVER* 40%

1+ £2.49 | 5+ £2.20

order code LH0103287 533704

Olive PVC Poncho



- Lightweight hooded poncho with hood and visor
- Electronically welded seams enables the poncho to be used as an emergency groundsheet
- 170T polyester with PVC coating
- One size fits all (133x205cm)

SAVE OVER* 10%

1+ £1.89 | 5+ £1.75

order code LH0359687 696429

Water Repellent Aerosol Spray



SAVE OVER* 20%

- Factory-applied stain and water treatment
- Use on canvas, nylon, leather, suede and most other fabrics
- Long-lasting silicone solution

1+ £2.55 | 5+ £2.38

order code LH0350987 698389

All prices exclude VAT

Metal Tent Pegs - 10 Pack



SAVE OVER* 15%

- Heavy duty garden and tent peg set
- Galvanised for long life
- Ideal for anchoring netting, garden fabrics, twine
- Perfect as replacement tent pegs
- **Supplied in a pack of 10**
- 9" Length

1+ 76p | 10+ 71p

order code CP0608287 678999

Heavy Duty Plastic Tent Ground Pegs



- Pack of 4x heavy duty 300mm (12") plastic tent ground pegs
- Strong 2mm thick plastic construction
- Each peg includes a tie hole and hook to secure ropes

1+ 74p | 10+ 69p

order code LH0389487 714452

ABS Mallet with Tent Peg Remover



SAVE OVER* 20%

- Heavy duty ABS plastic
- Use with plastic or steel pegs
- Peg puller handle
- 7.4oz

1+ £1.95 | 5+ £1.74

order code LH0351287 696380

Twin Pack Glow Sticks



- Lightweight and reliable light source
- Non-toxic and weatherproof
- 2x 12 Hour light sticks
- For emergency signalling
- Easy to activate
- LPDE casing, glass inner casing
- Length: 15cm
- Colour: Yellow

1+ £1.28 | 10+ £1.15

order code LH0358287 696384

Emergency Foil Blanket



SAVE OVER* 20%

- Waterproof & windproof foil blanket
- Helps to retain body heat in survival, emergency & first aid situations
- Ideal for when treating shock or hypothermia
- Reflects radiated heat back to the user, even when wet
- Unfolded size: 130x200cm (pocket size when folded)

1+ 55p | 10+ 49p

order code CP0610087 679010

Orienteering Compass



SAVE OVER* 20%

- Meridian lines
- Neck cord included
- Size: 9x6.5x1.5cm
- Rules: mm, cm,1/8 inch
- Graduations: 2°, 10°, 20°

1+ £1.62 | 10+ £1.50

order code LH0359187 699240

10 Citronella Tea Lights



SAVE OVER* 55%

1+ £1.65 | 10+ £1.42

order code LH0102087 533702

Portable Gas Stove



SAVE OVER* 30%

- Ideal for camping, picnics and general outdoor use
- Auto ignition lighting
- Automatic safety shut-off
- Windshield to protect flame
- Flame adjustment control
- Lightweight for easy transportation
- Operates off aerosol style Butane gas cartridges (not included)
- Supplied with plastic carry case
- Dimensions: 343x275x82mm
- Weight: 1.86kg

1+ £6.50 | 3+ £5.99

order code CP0415987 464132

Gas Cartridges



SAVE OVER* 20%



- Safe, reliable and easy-to-use
- Ability to operate in extreme conditions and at altitude
- Butane/propane mix for increased performance
- Valved cartridge
- Butane/propane mix (70/30 butane/propane)

696402

	Butane/ Propane Mix	Size (cm)	1+	5+
LH0348787	97g	9x7	£2.99	£2.68
LH0348887	220g	10.5x9	£2.99	£2.68
LH0348987	445g	10.5x16	£3.88	£3.60

5 Litre Water Carrier



SAVE OVER* 20%

- Handy water carrier
- Ideal for camping/ caravanning & other outdoor activities
- Easy to use twist on/off tap
- Flat packed for easy storage

1+ 99p | 10+ 90p

order code CP0610887 678155

Small Whistling Kettle



SAVE OVER* 15%

- Material: Aluminium
- Capacity: 1 litre
- Dimensions (HxWxD): 15.5x15.5x10.5cm

1+ £3.97 | 5+ £3.55

order code LH0357287 696385

Gas Piezo Match Lighter



SAVE OVER* 15%

- Refillable gas lighters
- Colour may vary

1+ £2.46 | 10+ £2.25

order code LH0103487 532966

400ml Travel Mug



- Travel mug with a double insulated wall
- Suitable for warm or cold drinks
- Ideal for use when walking or camping
- Weight 156g

SAVE OVER* 20%

1+ £1.15 | 10+ £0.99

order code CP0611887 679014

Cooler - Icetime 13



SAVE OVER* 25%

- 17h Cooling with Freez'Packs
- Weight: 1.9Kg
- Capacity: 13L

1+ £14.10 | 3+ £13.67

order code LH0296687 653509

48 Can Cool Bag



- Insulated to keep your food & drinks cool, protecting contents from heat
- Can be used with or without ice
- Handy shoulder strap & carry handles
- Front pocket with zip for easy access
- Easy wipe interior
- Portable, lightweight & also collapsible for easy storage when not in use

1+ £5.67 | 5+ £4.98

order code LH0340687 694556

227g Refill Butane Gas



SAVE OVER* 15%

- Resealable butane cartridge for use on most portable gas stoves
- Bayonet style cartridge
- Designed for horizontal use
- Supplied in packs of 4

1+ £4.50 | 3+ £3.78

order code LH0206287 653508

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

15L Black Backpack



- Lightweight 15 litre Backpack
- Padded back system for extra comfort
- Wide mouth front pocket with zip
- 2 Mesh side pockets
- Black in colour
- Dimensions (HxWxD): 430x250x210mm
- Weight: 0.35kg

SAVE OVER* 25%

1+ £4.99 | 3+ £4.60

order code LH0202687 675438

Electric Bug Zapper



SAVE OVER* 15%

- The ultimate fly, wasp and bug zapper
- Requires 2x AA batteries

1+ £2.45 | 5+ £2.20

order code LH0109687 536810

14" Round Barbecue



- Easy to assemble round barbecue
- Ideal for camping/ caravanning, gardens, beaches & picnics
- Enamelled fire bowl
- Chrome plated grill
- Rotisserie spit
- Complete with wind shield
- Cooking height: 67cm/26"
- Overall height: 70cm/27 ½"
- Grill diameter: 41cm/16"

SAVE OVER* 30%

1+ £11.50 | 3+ £9.98

order code CP0606387 678133

3kg Barbecue Charcoal Briquettes



SAVE OVER* 30%

- Easy to use and light
- Smokeless
- Long burning
- Will provide a constant heat for up to 3 hours
- Ideal for use in charcoal BBQs, smokers & fire pits
- Comply with EN 1860-2:2005

1+ £3.18 | 3+ £2.75

order code CP0605787 678127

Disposable Barbecue



- Quick & easy to use with no mess & no hassle
- Simply use then safely dispose of
- Ready to cook on in approximately 20 minutes
- Provides around 1½ hours of cooking time
- 25x31cm

SAVE OVER* 25%

1+ £1.60 | 5+ £1.45

order code LH0340087 694551

Victorian Station Style Garden Clock



SAVE OVER* 15%

- Features a double-sided rotating face
- Suitable for outdoor use
- Requires 2x AA batteries (not supplied)
- Diameter (Face): 200mm
- Dimensions (H): 510mm

1+ £8.98 | 3+ £8.50

order code LH0386787 700319

Wooden Garden Umbrella



- This wooden umbrella comes complete with 6 ribs
- Ideal for use in the garden
- The covering measures 210cm in diameter
- Approx Pole Size (LxDia): 220-230cm x 38mm

SAVE OVER* 30%

1+ £17.43 | 3+ £16.89

order code CP0604787 678995

9kg Cast Iron Effect Parasol Base



SAVE OVER* 25%

- Bronze colour decorative design
- Accommodates parasol pole up to 50mm diameter
- Diameter: 450mm

1+ £11.97 | 3+ £11.25

order code LH0387887 700312

2 Seater Wood and Cast Iron Garden Patio Bench



SAVE OVER* 10%

- Wood and cast iron garden patio bench
- 2 Seater with lattice pattern cast iron back panels cast iron arms and legs
- Slatted panel seat
- Simple and easy to assemble

1+ £38.40 | 3+ £36.00

order code LH0386587 700317

Paint Your Own Wooden Bird House



- Manufactured from pine wood
- Comes with 4 colour paint pots & 1 paint brush
- Dimensions: 130x95x90mm

SAVE OVER* 25%

1+ £1.88 | 10+ £1.70

order code CP0612487 699234

Deluxe Nesting Box



- Fir wood construction
- Waterproof aluminium roof
- Provides an ideal nesting area for small birds such as sparrows & blue tits etc.
- Aluminium protector around the entrance hole to help prevent predators
- Easy access hatch in the back
- Dimensions (WxDxH): 165x155x213mm
- Entrance Size: Ø25mm

1+ £2.69 | 10+ £2.42

order code LH0340487 694554

Bird Seed Feeder



SAVE OVER* 15%

- Sturdy plastic construction
- Ideal for hanging in the garden for attracting and feeding wild birds

1+ 85p | 10+ 79p

order code LH0385287 699725

Traditional Bird Feeding Station



- All-in-one solution for feeding wild birds
- Includes three brackets for hanging, water dish and tray
- Height: 190cm

Note: Bird feeders not included

SAVE OVER* 10%

1+ £9.32 | 3+ £8.94

order code LH0385587 699728

Suet Fat Ball Bird Feeder



- Plastic coated metal construction
- Holds up to 4 suet fat balls

SAVE OVER* 15%

1+ 85p | 10+ 79p

order code LH0385387 699726

Bird Nut Feeder



- Wire mesh and plastic construction
- Ideal for hanging in the garden for attracting and feeding wild birds

SAVE OVER* 15%

1+ 85p | 10+ 79p

order code LH0385787 699730

26cm Traditional Wooden Thermometer



- Celsius and Fahrenheit scales

SAVE OVER* 20%

1+ 89p | 10+ 80p

order code LH0385087 699723

All prices exclude VAT

Solar Powered LED Topiary Ball

SAVE OVER* 10%



- 20 Warm white LED bulbs
- Suitable for hanging or display in a pot
- 27cm

1+ £8.26 | 5+ £7.54

order code LH0385687 699729

Solar Powered Garden Owl Light

SAVE OVER* 15%



- 2 Bright white LED bulbs
- Ideal for borders and pathways
- Wire free installation place in your borders
- Solar powered rechargeable batteries
- Automatically activated at dust
- Dimensions (HxWxD): 26x15.5x17cm

1+ £6.98 | 3+ £6.45

order code LH0384387 699718

Solar Powered Meerkat Log Light

SAVE OVER* 25%



- Fitted with a white LED bulb
- Ideal for borders and pathways
- Wire free installation
- Solar powered rechargeable batteries
- Automatically activated at dust
- Dimensions (HxWxD): 16x13x10cm

1+ £3.78 | 3+ £3.34

order code LH0384487 699719

Solar Powered Garden Owl Light



SAVE OVER* 25%

- Fitted with 2 bright white LED bulbs
- Supplied with 1x rechargeable battery
- Dimensions (HxWxD): 15x12x12cm

1+ £3.89 | 3+ £3.53

order code LH0384587 699720

Solar Colour Changing Ball Light



- Solar powered light with no wiring
- Colour changing effect
- Stainless steel and glass construction
- Crackled glass effect
- Simple and easy to use
- Dimensions: 290x80x80mm (excluding spike)

SAVE OVER* 20%

1+ £2.48 | 10+ £1.99

order code LH0381687 699103

150 LED Solar Lights




- Stylish LED solar string light
- Ideal for decorating plants, wreaths, garlands etc.
- 150 Bright LED lamps
- Multi-function: off, flashing, static
- Overall length of 16.7m
- No electricity or wiring required
- Features a separate solar panel making it easier to conveniently place in a sunnier area

SAVE OVER* 15%

1+ £8.98 | 5+ £8.25

order code LH0372787 697765

20 LED Solar Butterfly Lights




- Decorate and light up your garden with these stunning LED butterfly lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area

SAVE OVER* 15%

1+ £4.55 | 5+ £4.24

order code LH0372887 697766

20 LED Solar Flower Lights



- Decorate and light up your garden with these stunning LED flower lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area


SAVE OVER* 15%

1+ £4.55 | 5+ £4.24

order code LH0373087 697768

20 LED Solar Star Lights

SAVE OVER* 15%



- Decorate and light up your garden with these stunning LED star lights
- Solar powered so no electricity, batteries or wiring required
- Features 20 bright white LED lamps
- Complete with a separate solar panel making it easier to conveniently place in a sunnier area

1+ £4.55 | 5+ £4.24

order code LH0373187 697769

24 LED Solar Lights



- Stylish LED solar string light
- Ideal for decorating plants, wreaths, garlands etc.
- 24 Bright LED lamps
- Flashing function
- Overall length of 4m
- No electricity, batteries or wiring required
- Features a separate solar panel making it easier to conveniently place in a sunnier area

SAVE OVER* 15%

1+ £3.97 | 5+ £3.56

order code LH0373287 697770

30L Food Storage Tub



- Ideal for storing bird or pet food
- High density polyethylene
- Features a hinged lid with snap and lock closure
- Keeps moisture out
- Capacity: 15.5kg of dry food

SAVE OVER* 15%

1+ £8.94 | 3+ £8.50

order code LH0382787 699706

19L Food Storage Tub



- Ideal for storing bird or pet food
- High density polyethylene
- Features a hinged lid with snap and lock closure
- Keeps moisture out
- Capacity: 8kg of dry food

SAVE OVER* 10%

1+ £7.94 | 3+ £7.42

order code LH0382887 699707

Dog Bowls

SAVE OVER* 10%



- Constructed from stainless steel
- Available in two sizes

699710

	Dims (ØxD)	1+	10+
LH0383387	21x7cm	£0.92	£0.84
LH0383487	16x5cm	£0.87	£0.79

Heavy Duty Dog Chain Lead



SAVE OVER* 15%

- 1.8m Lead with faux leather handle
- Suitable for most medium and large dogs
- Supplied with a full colour swing tag label

1+ £2.10 | 5+ £1.94

order code LH0383787 699712

25" Ball & Launcher Dog Toy

SAVE OVER* 10%



The ideal toy for pet dogs, the ball can be thrown to a great distance allowing for pet dogs to gain plenty of exercise.

1+ 94p | 10+ 87p

order code LH0384087 699715

Dog Tennis Balls

SAVE OVER* 10%



- Supplied in packs of 4

1+ 97p | 10+ 89p

order code LH0384187 699716

Selfie Telescopic Arm Kit



- Handheld lightweight stainless steel selfies telescopic arm kit
- Ideal for use with most digital cameras and smartphones
- Very lightweight, portable and easy to carry
- Anti-rust stainless steel
- Extends from 20 - 97cm
- Rotates 360°
- East adjustment to any angle
- Security wrist strap
- Take perfect self portraits anywhere

SAVE OVER* 10%

1+ £4.28 | 5+ £3.82

order code LH0416687 706630

BATTERIES & POWER SUPPLIES

5.6W Solar Charger

SAVE OVER* 15%



Model: PA6-005

- 5.6W Maximum power output/356mA output current
- Designed to charge car and small vehicle batteries
- Extends battery life - saving on replacement costs
- Manufactured using Triple-Junction amorphous silicone technology
- Works in all light conditions
- Waterproof to IPX4 grade
- Connects quickly and easily - includes cigarette lighter adaptor and battery clamps
- Dimensions (HxWxD): 341x258x15mm

Contents: Panel, battery clamp cable, cigarette lighter adaptor, supports, expanders, nails and user guide

679144

Technical Data

Rated Power	5.6W
Output Current/Voltage	356mA/15V
Weight	910g

1+ £16.43 | 5+ **£15.60**

order code BT0561587

Power Alkaline Bulk Batteries

SAVE OVER* 15%



- Philips AAA/AA Power alkaline batteries available in bulk quantities
- Mercury and Cadmium free
- 5 Year shelf life

679151

		1+	10+
BT0541387	AAA 96pk	£16.95	**£16.58**
BT0561387	AAA 288pk	£49.95	**£45.94**
BT0541487	AA 96pk	£16.95	**£16.58**
BT0538287	AA 288pk	£49.95	**£46.92**

Smart Battery Disposal Unit & Tester



- Environmentally friendly way to test and dispose of household batteries
- Integrated battery tester for AA, AAA, C and D batteries with LED indicator for battery level
- Prevents good batteries from being wasted
- Dead batteries can be stored internally, ready for recycling
- Dimensions (HxDia.) 228x128mm

1+ £8.71 | 5+ **£8.28**

order code BT0558287

673668

PB420 Ni-MH Charger with 8x AA & 4x AAA ReCyko+ Batteries

SAVE OVER* 15%



- Charges 2 or 4xAA/AAA Ni-MH batteries
- Supplied with 8x AA and 4x AAA pre-charged Ni-MH batteries
- High retention rates; ReCyko+ batteries retain 85% capacity after 12 months
- Twin channel charging with LED indicators

Technical Data

Input Voltage	230VAC 50Hz
	AA 2000mAh - 13.5hrs
Charge Time	AAA 800mAh - 5hrs
Charging Current	AA/AAA 180mA
Output Voltage	2.8V DC
Dimensions (HxWxD)	106x75x43mm

1+ £13.50 | 5+ **£12.48**

order code BT0574487

688290

Ultra Alkaline AAA/AA 8+4 Free Battery Packs



SAVE OVER* 25%


- Buy 8 Ultra Alkaline AAA or AA batteries and get another 4 free
- High power, long life batteries
- Last up to 6 times longer than ordinary zinc carbon batteries
- 7 Year shelf life

643747

		1+	10+
BT0520287	AAA 8+4 Free	£2.29	**£2.04**
BT0520387	AA 8+4 Free	£2.29	**£2.04**

Plus Power Batteries 5+3 Free with Duralock

SAVE OVER* 20%



- Buy 5 Duracell Plus Power AA or AAA batteries and get 3 extra batteries free
- Guaranteed power for 10 years whilst in storage with new Duralock technology
- Long lasting batteries for a wide range of everyday appliances
- Guaranteed against leakage

685559

		1+	10+
BT0571287	AAA (5+3 Free)	£2.75	**£2.62**
BT0571387	AA (5+3 Free)	£2.75	**£2.62**

Industrial Alkaline Batteries 6+6 Packs Free

SAVE OVER* 10%



- Buy 6 packs of Energizer Industrial AAA/AA alkaline batteries and get another 6 packs free
- 10 Batteries per pack (120 batteries in total)
- Powerseal locks in power for up to 10 years
- Lasts up to 7 times longer than conventional Zinc Carbon batteries
- Leak-proof design for enhanced reliability

700745

BT0588887	AAA 6+6 Packs Free	**£26.95**
BT0588987	AA 6+6 Packs Free	**£26.95**

Power Alkaline Value Battery Packs



SAVE OVER* 15%

- Buy 4 Philips Power Alkaline AAA or AA batteries and get another 4 batteries free
- Buy 2 Philips Power Alkaline 9V PP3 batteries and get another 2 batteries free
- Lasts up to 6x longer than standard zinc carbon batteries
- Mercury and cadmium free
- 5 Year shelf life

674921

		1+	10+
BT0561187	AA 4+4pk	£1.53	**£1.35**
BT0561287	AAA 4+4pk	£1.53	**£1.35**

PJ996 'Lantern' Style Battery

PJ996 Alkaline battery which is suitable for many applications such as lanterns and torches. 12x the performance of standard zinc batteries



SAVE OVER* 25%

Technical Data

Type	Capacity (Ah)	Voltage (V)	Dims. (HxWxD)mm
PJ996, (4R25)	24	6	110x67x67

1+ £6.95 | 10+ **£6.42**

order code BT0058687

Ultimate Lithium



- Lasts 7x longer than standard alkaline batteries in digital cameras
- Up to 20 year shelf life
- Ideal for use in high drain devices, such as digital cameras, MP3 players and GPS systems
- Minimal capacity loss at low temperatures
- 33% Less weight than alkaline equivalent
- Thermal overload protection
- Operating temperature: -40°C to +60°C

491781

		Pack	1+	5+
BT0393587	AAA	2	£3.59	**£3.22**
BT0393687	AAA	4	£5.98	**£5.62**
BT0459987	AAA	10	£14.95	**£14.43**
BT0393787	AA	2	£3.59	**£3.22**
BT0393887	AA	4	£5.98	**£5.62**
BT0460087	AA	10	£14.95	**£14.43**

Silver Oxide Button Cells



- Highly stable discharge characteristics compared to alkaline button cells
- Applications include watches, clocks, calculators, toys and remote controls
- Long shelf life and low self-discharge (90% capacity after 1 year)
- Nominal voltage 1.55V
- 0% Mercury
- **Supplied in strips of 5**

SAVE OVER* 40%

683017

	Type	1+	10+
BT0565887	GP357/SR44	£5.98	**£5.40**
BT0566087	GP377/SR66	£1.70	**£1.45**
BT0566187	GP386/SR43	£4.38	**£3.98**
BT0566287	GP389/SR54	£2.98	**£2.66**

Lantern Batteries

SAVE OVER* 25%



- 6V PJ996 and 9V PP9 zinc carbon batteries, typically used in lighting applications

Technical Data

474194

	Voltage	Dims. (HxWxD)mm
BT0374887	6V	110x67x67
BT0374987	9V	81x66x52

		1+	10+
BT0374887	PJ996	£2.21	**£1.82**
BT0374987	PP9	£3.35	**£2.89**

All prices exclude VAT

High Power Alkaline Batteries



- High power, long-life batteries giving up to six times the life of ordinary zinc carbon batteries
- Supplied in three grades of Alkaline - Standard, Ultra and Ultra Plus
- 7 Year shelf life (N type battery - 3 year shelf life)

SAVE OVER* 40%

655367

			1+	10+
Bulk - Standard Alkaline				
BT0001887	N	20	£5.43	£4.69
BT0009087	AAA	40	£6.59	£5.70
BT0007587	AA	40	£6.75	£5.86
BT0006987	C	10	£7.80	£6.63
BT0006487	D	10	£9.71	£8.38
BT0008387	PP3	10	£9.50	£8.20
BT0579387	3LR12	1	£1.69	£1.46
Bulk - Ultra Alkaline				
BT0562587	AAA	24	£4.93	£4.25
BT0562687	AA	24	£4.93	£4.25
BT0615587	AA	40	£7.65	£7.05
BT0615687	C	4	£2.79	£2.42
BT0615787	D	4	£3.15	£2.74
BT0615887	PP3	4	£3.72	£3.28
Carded - Standard Alkaline				
BT0009787	N	2	£0.77	£0.67
BT0329887	AAAA	2	£0.90	£0.76
Carded - Ultra Alkaline				
BT0008987	AAA	4	£0.99	£0.90
BT0007487	AA	4	£0.99	£0.90
BT0456187	C	2	£1.53	£1.30
BT0456287	D	2	£1.72	£1.47
BT0456387	PP3	1	£1.12	£0.96
Carded - Ultra Plus Alkaline				
BT0447987	AAA	4	£1.12	£0.96
BT0448087	AA	4	£1.12	£0.96

Lithium Button Cells



- Non-rechargeable Lithium coin cells
- Typical applications include memory backup, calculators, cameras and watches
- 10 Year shelf life
- Supplied in packs of 5

SAVE OVER* 45%

Technical Data

682965

Type	Voltage (V)	Dimensions (HxDia.)	Capacity (mAh)
CR1220	3	2.0x12mm	40
CR1616	3	1.6x16mm	55
CR1620	3	2.0x16mm	68
CR2016	3	1.6x20mm	75
CR2025	3	2.5x20mm	150
CR2032	3	3.2x20mm	235
CR2430	3	3.0x24mm	275
CR2450	3	5.0x24mm	540

			1+	10+
BT0582387	CR1220		£1.35	£1.03
BT0582487	CR1616		£1.35	£1.03
BT0582587	CR1620		£1.35	£1.03
BT0562087	CR2016		£1.35	£1.03
BT0562187	CR2025		£1.35	£1.03
BT0562287	CR2032		£1.35	£1.03
BT0582687	CR2430		£1.87	£1.43
BT0582787	CR2450		£1.87	£1.43

Order online at cpc.co.uk

Ultra Alkaline Batteries





- Non-rechargeable, mercury and cadmium free
- Long lasting, dependable power across a wide range of everyday applications
- Available in blister, business or bulk packs
- 6 Year shelf life (AAA/AA) 5 year (C/D/PP3)

SAVE OVER* 40%

682432

Technical Data

Voltage (V)	Voltage (V)	Dimensions (HxDia)
AAA	1.5	44.5x10.5mm
AA	1.5	50.5x14.5mm
C	1.5	26.2x50mm
D	1.5	34.2x61.5mm
PP3	9	26.5x17.5x48.5mm

Carded Packs		Qty	1+	10+
BT0561687	AAA	4	£0.90	£0.70
BT0561787	AA	4	£0.90	£0.70
BT0589187	C	2	£1.29	£1.13
BT0589287	D	2	£1.49	£1.30
BT0589387	PP3	1	£0.98	£0.80
Business Packs				
BT0561887	AAA	40	£4.98	£4.68
BT0561987	AA	40	£4.98	£4.68
BT0589487	C	10	£5.98	£5.42
BT0589587	D	10	£6.92	£6.37
BT0589687	PP3	10	£8.63	£7.64

Alkaline Classic Value Battery Packs



SAVE OVER* 20%

- Great value Energizer Classic AAA and AA alkaline batteries
- 7 Year shelf life

464906

	1+	10+
BT0368587 AA Value 24pk	£6.49	£5.98
BT0453187 AAA Value 16pk	£4.95	£4.58

Power Alkaline Batteries



SAVE OVER* 30%

- Powers all high energy consuming devices, such as electronic toys and portable audio devices
- Lasts up to 6x longer than standard zinc carbon batteries
- 5 Year shelf life
- 0% Cadmium, mercury and lead

651865

		1+	10+
BT0533087	AAA 12pk	£2.55	£2.10
BT0541087	AAA 24pk	£4.48	£3.86
BT0533187	AA 12pk	£2.55	£2.10
BT0538187	AA 32pk	£6.98	£6.08

Zinc Chloride Batteries

SAVE OVER* 35%



Ideal for appliances demanding heavy or continuous use that require low to medium power.

450963

Blister Packed		Pack	1+	10+
BT0009187	AAA	4	£0.67	£0.58
BT0007787	AA	4	£0.61	£0.55
BT0007187	C	2	£0.61	£0.55
BT0006687	D	2	£0.92	£0.80
BT0008487	PP3	1	£0.61	£0.55
Bulk Packed				
BT0009287	AAA	40	£3.98	£3.73
BT0007887	AA	40	£3.98	£3.73
BT0030787	C	24	£5.41	£4.86
BT0006787	D	20	£7.16	£6.63
BT0008587	PP3	10	£3.52	£3.07
BT0581687	3R12	1	£0.71	£0.64

Primary Lithium 9V Battery



- Ideal for smoke detectors, medical equipment, wireless transmitters and military applications
- Wide operational temperature range -40°C to +60°C with excellent discharge performance at extremely low temperatures
- Complies with UL and UN38.3 safety standards
- Lasts 5 times longer than standard 9V alkaline batteries
- Low self-discharge rate
- 10 Year shelf life

SAVE OVER* 10%

Technical Data

Nominal Voltage	9V
Type	PP3
Capacity	800mAh @ 600Ω to 5.4V
Operating Temperature	-40°C to +60°C

1+ £4.93 | 10+ £4.28

order code BT0544787

665552

9V Long Life Lithium Manganese Battery



- Lasts up to 5x longer than alkaline batteries
- Ideal as an alkaline replacement for smoke detectors, fire alarms and remote controls
- Up to 10 year shelf life
- Same size footprint as a standard alkaline battery but with 18% less weight
- Over current protection safety feature
- Wide operating temperature range
- UL Certified

SAVE OVER* 20%

Technical Data

Nominal Voltage	9V
Type	PP3
Capacity	1200mAh
Pulse Capability	1050mA
Max. Discharge	150mA continuous
Weight	34g
Dimensions (HxWxD)	48.5x26.5x17.5mm

1+ £4.98 | 10+ £4.35

order code BT0519387

651264

EkoPower Pre-Charged Ni-MH Batteries



SAVE OVER* 25%

- Pre-charged and ready to use out of the pack
- High capacity retention; 85% after 12 months, 50% after 24 months
- 4x Longer lasting than alkaline batteries
- Environmentally friendly
- Recharge up to 1000 times
- Ideal for digital cameras, MP3 players and R/C toys

Technical Data - Batteries

676493

Type	Voltage (V)	Capacity (mAh)	Dim. (HxDia.) mm
AA	1.2	1300	50.5x14.5
AAA	1.2	650	44.5x10.5

Technical Data - Charger

Input Voltage	230V AC 50Hz
Charging Current	180mA (AA/AAA)
Charging Times	
AA 1300mAh	13.5hrs
AAA 650mAh	4hrs

		1+	5+
BT0557787 AA	4	£3.50	£3.22
BT0557887 AAA	4	£3.50	£3.22
PB420 Charger & 4x BT0557987 AA Batteries		£6.98	£6.49

StayCharged Ni-MH Batteries with Duralock



- Stays charged for up to 12 months
- Pre-charged, ready to use out of the pack
- 1 Charge lasts up to 45 hours in a wireless mouse or 250 pictures in a digital camera
- Ideal for powering high drain devices

Technical Data

673669

Type	Voltage (V)	Capacity (mAh)	Dimensions (HxDia.) mm
AAA	1.2	800	44.5x10.5
AA	1.2	2400	50.5x14.5

			1+	5+
BT0558887	AAA 4pk		£7.95	£7.58
BT0580587	AA 4pk		£7.95	£7.58

Ni-Cad/Ni-MH Desktop Charger/ Discharger

SAVE OVER* 20%



- Charges 1-10 AA or AAA and 1-2 9V Ni-Cad/Ni-MH batteries simultaneously
- 12 Individual charging channels
- Fully discharges batteries before recharging; LEDs flash alternating red and green whilst discharging
- Negative Δ V cut-off
- Supplied with 230V AC adaptor and 12V DC cigarette plug adaptor

Note: Batteries shown for illustration purposes only, not supplied

1+ £15.40 | 5+ £14.40

order code BT0368487

515903

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Industrial Alkaline Batteries

INDUSTRIAL by DURACELL



SAVE OVER* 40%

- High power batteries dedicated to industrial and commercial markets
- Most powerful Duracell industrial battery to date - packaged for the professional user
- 7 Year shelf life (9V PP3 5 year shelf life)

Technical Data

702944

Type	Voltage (V)	Dia. (mm)	Height (mm)
AAA	1.5	10.5	44.5
AA	1.5	14.5	50.5
C	1.5	26.2	50.0
D	1.5	34.2	61.5
PP3	9.0	26.5	48.5

Box Packed	Type	PackSize	1+	10+
BT0582887	AAA	10	£3.98	£3.69
BT0582987	AA	10	£3.98	£3.69
BT0583087	C	10	£7.65	£6.95
BT0583187	D	10	£8.95	£7.88
BT0583287	PP3	10	£9.95	£9.22
Bulk Packed				
BT0583387	AAA	500		£99.95
BT0615387	AA	638		£149.95

LP Series AGM Lead Acid Batteries

SAVE OVER* 25%



- All purpose, maintenance free, rechargeable lead batteries
- Extended cycle life
- Very low self-discharge
- Deep discharge rate
- AGM (Absorbant Glass Matt) construction
- Wide opering temperature: -15°C to +50°C
- Ideal for UPS, emergency backup power, emergency lighting, communication equipment, alarm and security systems

Technical Data

Capacity	Weight (kg)	Dimensions (HxWxD)	Terminals
6V 3.2Ah	0.67	66x34x134	T1
6V 7Ah	1.15	100x34x151	T1
6V 12Ah	1.75	100x51x151	T1
12V 1.2Ah	0.57	58x43x97	T1
12V 2.3Ah	1.00	66x35x178	T1
12V 2.9Ah	1.10	105x56x79	T1
12V 5Ah	1.75	99x53x151	T1
12V 7Ah	2.20	100x65x151	T2
12V 12Ah	3.56	101x98x151	T2
12V 18Ah	5.32	168x77x182	T3

682966

		1+	5+
BT0550487	6V 3.2Ah	£4.72	£4.17
BT0550687	6V 7Ah	£5.64	£5.14
BT0550787	6V 12Ah	£9.72	£8.95
BT0551087	12V 2.9Ah	£8.12	£7.42
BT0595187	12V 5Ah	£8.22	£7.48
BT0551187	12V 7Ah	£10.48	£9.54
BT0551287	12V 12Ah	£17.97	£16.60
BT0551387	12V 18Ah	£24.64	£22.85

Power Bank 4400 Portable Chargers with Flashlight

SAVE OVER* 15%



- Portable USB chargers; ideal for recharging your phone or tablet wherever you are
- Provides up to 2 full phone recharges
- Solid ABS enclosure in a variety of colours
- Convenient built-in LED flashlight
- 1A Output for phones and portable USB devices
- 4400mAh Battery capacity with LED indicator
- Dimensions (HxWxD): 90x42x21mm

Contents: Power Bank charger, Micro USB cable and user guide

702265

		1+	3+
BT0592787	White/Red	£10.95	£10.25
BT0592887	Black/Lime	£10.95	£10.25
BT0592987	Blue/White	£10.95	£10.25

908G Lantern Battery

GP

SAVE OVER* 10%



- 6V Zinc Chloride lantern battery
- Applications include lanterns, road lamps and other heavy duty lighting devices
- Equivalent sizes: 4R25, PJ996
- Mercury free
- Dimensions (HxWxD): 111x66x66mm

1+ £1.98 | 10+ £1.77

order code BT0575587 685558

Universal Ni-Cad/Ni-MH Battery Charger

SAVE OVER* 20%



A universal desktop Ni-Cad/Ni-MH battery charger/ discharger with selectable output voltage and charge current.

- Selectable output voltage (2.8V to 14.0V) for 2-10 battery cells
- Selectable charge current 500mA/1000mA
- Reverse polarity, short circuit and overload protection
- Supplied with Tamiya plug and crocodile clip connectors, and detachable jack plug

Technical Data

Input Voltage	230V ac 50Hz
Selectable Output Voltage	2.8V (2 cells)/5.6V (4 cells)/7.0V (5 cells)/8.4V (6 cells)/9.8V (7 cells)/11.2V (8 cells)/14.0V (10 cells)
Selectable Charge Current	500mA/1000mA
Charge Time	2.5-5 hours (depending on battery capacity)
Dims (WxHxD)	76x60x122mm

1+ £10.98 | 5+ £10.16

order code BT0338787 530804

iEP1000 10,000mAh Dual Port USB Power Bank

TECKNET



- Ultra slim USB charger with dual outputs
- USB ports optimise charging for your device
- High capacity 10,000mAh Li-Polymer battery
- Provides enough charge for over 35 hours of movie playback (device dependant)
- Built-in power meter displays remaining charge
- Rechargeable via USB connection

Contents: Power Bank charger, USB cable and user guide

1+ £18.95 | 3+ £17.49

order code BT0594587 707098

6000mAh Dual USB Portable Power Chargers with Torch

LM5 DATA



SAVE OVER* 10%

- Stylish, lightweight and portable USB chargers
- Easily recharge your smartphone or tablet
- Dual USB ports for simultaneous charging
- Convenient built-in LED torch with SOS function
- 1A and 2A Output for phones and tablet devices
- 6000mAh Battery capacity with LED indicator
- Rechargeable via USB connection
- Dimensions (HxWxD): 20x64x100mm

Contents: Portable charger, Micro USB cable and user guide

705036

		1+	3+
BT0594987	Black	£12.95	£11.86
BT0595087	White	£12.95	£11.86

iEP1200 12,000mAh Dual Port USB Power Bank

TECKNET



SAVE OVER* 10%

- Sleek, portable USB charger with dual outputs
- USB ports provide 3.1A output allowing you to charge two devices simultaneously
- Huge 12,000mAh capacity provides enough to charge most smartphones 6 times
- Premium quality components and Samsung grade A battery cells ensure high charging efficiency
- Smart power meter with 4 LED indicators
- Safety circuit and heat resistant design
- Rechargeable via USB connection

Contents: Power Bank charger, USB cable and user guide

1+ £19.95 | 3+ £18.56

order code BT0594687 704178

Portable Solar Charger with LED Light

Alife by ENERGY

SAVE OVER* 15%



- Compact solar charger with USB output
- Powerful LED light for use as a reading light
- Lightweight, portable design for travelling
- Charges most equipment with a USB port such as smartphones, tablets and MP3 players
- Triple-Junction amorphous silicone technology
- Waterproof to IPX2 grade
- Supplied with hook and suction cup
- Dimensions (HxWxD): 120x73x21mm

1+ £15.50 | 3+ £14.52

order code BT0567087 682426

Battery Tester with LCD Display

SAVE OVER* 30%



- For testing AAA, AA, C, D, 9V primary and rechargeable batteries
- CR123A, CR2, CR-V3, 2CR5, CR-P2 camera batteries
- 1.5V & 3V Button cells
- Powered by 1x AAA alkaline battery (not included)
- Dimensions (HxWxD): 23x88x118mm

1+ £4.50 | 3+ £4.12

order code BT0346887 471992

Phono Leads - Premium Quality



SAVE OVER* 30%

A range of premium quality 2x Phono(RCA) plug to plug connecting leads, giving superior performance in Hi-Fi, home cinema and other stereo audio systems.

- Low loss, high definition
- Durable 24K gold plated, all metal phono plugs with strain reliefs
- Double shielded to minimise interference and ghosts; includes outer braided shield and 100% inner foil shielding
- High grade cables with OFC conductors and low capacitance dielectric to improve signal transfer and minimise loss and noise
- Flexible, rugged outer PVC jackets
- Colour coded connectors for L+R stereo audio
- Excellent performance and value

483276

		1+	10+
AV1405987	5m	£4.57	£4.10
AV1406087	10m	£7.62	£6.70

2.5mm Jack Plug to Plug



SAVE OVER* 15%

With pure copper conductors. Available in mono or stereo types.

651782

Mono		1+	25+
AV1363487	2m	£0.74	£0.64
Stereo			
AV1362987	1m	£0.45	£0.35
AV1363087	2m	£0.93	£0.84
AV1363187	3m	£1.08	£0.95
AV1363287	5m	£1.13	£0.97

2.5mm Stereo Jack Plug To Socket Lead



SAVE OVER* 15%

- 5m • Pure copper conductors

1+ £1.29 | 5+ £1.13

order code AV1862787

638195

Stereo 3.5mm Jack Plug to Stereo 3.5mm Jack Plug



SAVE OVER* 45%

- Pure copper conductors

495563

		1+	5+
AV1860787	0.25m	£0.45	£0.39
AV1364587	0.5m	£0.53	£0.40
AV1364687	1.2m	£0.74	£0.45
AV1364787	2m	£0.85	£0.61
AV1580287	3m	£1.02	£0.83
AV1364887	5m	£1.15	£0.98
AV1364987	7m	£1.84	£1.29
AV1365087	10m	£1.96	£1.73
AV1365187	15m	£2.88	£2.51
AV1365287	20m	£2.99	£2.63
AV1365387	25m	£3.40	£3.04

6.35mm(¼") Stereo Jack Plug to Plug



With gold plated stereo jack connectors and pure copper conductors.

SAVE OVER* 15%

461742

		1+	5+
AV1369487	1m	£1.55	£0.98
AV1369587	2m	£1.65	£1.02
AV1369687	3m	£1.75	£1.08
AV1369787	5m	£2.47	£1.85
AV1369887	10m	£3.30	£2.78

XLR Socket to Plug Leads




SAVE OVER* 20%

3-Pin XLR leads for balanced audio and microphone connections. Features flexible, two core screened cable with pure copper conductors.

471286

		1+	5+
AV1422587	1m	£2.01	£1.65
AV1422787	3m	£2.42	£1.91
AV1422987	6m	£3.30	£2.88
AV1423087	10m	£4.89	£4.10

1G/2G Brush Plates - Vertical



- 1G or 2G Vertical brush plates with white brushes
- For use wherever cables pass through walls to keep the outlet looking clean & tidy
- Mount straight on to wall or on to UK back box (not included)
- Cable entry dimensions (WxH): 20x55mm
- Available in 1G or 2G versions

698992

		1+	5+
AV2249787	1G	£1.50	£0.98
AV2375187	2G	£1.95	£1.60

Scart to 3x Phono Socket Adaptor



An audio/video adaptor with an integral IN/OUT switch to control the direction in relation to the scart plug. Pure copper conductors.

1+ £1.10 | 5+ £0.80

order code AV1360987

511114

HDMI 'A' Plug to Mini 'C' Plug Leads



SAVE OVER* 30%

- HDMI Specification compliant
- Moulded HDMI 19-pin plug to plug
- Gold plated connectors and contacts
- Suitable for small portable devices with min 'C' type connectivity

516873

		1+	5+
AV1717487	1m	£2.63	£2.10
AV1717587	2m	£2.83	£2.27
AV1717687	3m	£4.57	£3.66
AV1717787	5m	£5.92	£4.74

Active HDMI Lead - 20m



SAVE OVER* 35%

- Active HDMI plug to plug leads
- Active circuitry built into moulded HDMI connectors
- Better signal & picture quality
- Simple plug and play, powered by HDMI source
- Gold plated connectors

1+ £28.33 | 5+ £26.42

order code AV2122287

651788

HDMI Leads



SAVE OVER* 30%

- Moulded HDMI plug to plug leads
- Gold plated contacts

623374

		1+	5+
AV2059887	0.5m	£0.80	£0.64
AV2059987	1m	£0.85	£0.67
AV2060087	1.5m	£0.90	£0.72
AV2060187	2m	£0.95	£0.78
AV2060287	3m	£1.54	£1.25

HDMI Leads with Metal Connectors



- High Speed with Ethernet HDMI plug to plug leads with metal connectors
- Gold plated contacts
- Moulded strain reliefs

667982

		1+	5+
AV2252287	0.5m	£2.89	£2.32
AV2252387	1m	£3.11	£2.49
AV2252587	2m	£3.55	£2.84
AV2252687	3m	£4.00	£3.19
AV2252787	5m	£4.40	£3.52
AV2252887	10m	£8.45	£6.76
AV2252987	15m	£10.25	£8.20

BNC Plug to Plug Leads



A range of BNC plug to plug leads for video interconnections. Manufactured from RG59, 75Ω cable with pure copper conductors.

SAVE OVER* 45%

634547

		1+	10+
AV1861987	0.15m	£0.75	£0.64
AV1862087	0.25m	£0.78	£0.66
AV1862187	0.5m	£0.85	£0.72
AV1411487	1m	£0.98	£0.89
AV1411587	1.5m	£1.20	£1.05
AV1411687	2m	£1.38	£1.22
AV1411787	3m	£1.65	£1.44
AV1411887	5m	£2.45	£2.20
AV1411987	10m	£3.70	£3.20
AV1412087	20m	£5.75	£4.95
AV1412187	30m	£7.90	£7.20
AV1412387	50m	£13.50	£12.20

HDMI Straight to 90° Leads



SAVE OVER* 20%

- HDMI Straight plug to HDMI 90° plug leads
- 90° HDMI connector is ideal for side HDMI connections on flat screen TVs
- Moulded bodies with gold plated connectors

651792

		1+	5+
AV2143687	2m	£1.78	£1.42
AV2143787	3m	£2.16	£1.73
AV2143887	5m	£3.01	£2.41

HQ Satellite 'F' Type Plug to Plug Leads



A high quality 'F' type coaxial lead for Satellite connections. Features gold plated contacts and fully shielded, high definition PC-OFC coaxial cable.

SAVE OVER* 25%

651784

		1+	5+
AV2028587	1m	£1.60	£1.30
AV1429187	2m	£1.90	£1.50
AV2028687	3m	£2.45	£1.80
AV2028887	10m	£4.10	£3.60

HQ HDMI Plug to Plug Leads



SAVE OVER* 35%

High quality HDMI leads which have metal bodies and gold plated contacts.

522223

		1+	5+
AV1720487	1m	£2.73	£2.18
AV1720587	1.8m	£3.04	£2.43
AV1720787	5m	£4.07	£3.25
AV1720887	7m	£4.89	£3.91

HDMI Leads - High Speed



SAVE OVER* 20%

- HDMI High Speed plug to plug leads
- Superior quality 24AWG/0.51mm conductors
- Moulded plugs & strain reliefs
- Gold plated contacts

704551

		1+	5+
AV2356887	1m	£1.95	£1.76
AV2356987	1.5m	£2.34	£2.11
AV2357087	2m	£2.68	£2.41
AV2357187	3m	£3.55	£3.20
AV2357387	10m	£8.44	£7.60

HDMI Extender



Extends the length of any HDMI cable by regenerating the HDMI signal before it sends the outputs to the HDMI monitor or projector

- **Input/Output:** 19 pin HDMI sockets
- Extends existing HDMI cable lengths up to 35m (requires 5v power supply if over 35m, not included)

1+ £10.75 | 5+ £9.20

order code AV1849587 532281

HDMI Repeater-30m



SAVE OVER* 10%

- Extend HDMI cable runs up to 30m at 1080p video resolution
- Adjustable 8 level EQ to improve signal quality from 1m to 30m cable runs
- Can be daisy chained by purchasing 2 or more units for longer cable runs, each extra unit will require an external power source (5VDC) not supplied
- **Input:** HDMI lockable socket
- **Output:** HDMI lockable socket
- Plug & play, no external power required when using on its own
- Can be powered externally (5VDC not supplied) if using on old tv with low HDMI voltage output
- 480i, 576i, 1080i Interlaced & 480p, 576p, 720p, 1080p Progressive HDTV resolutions
- Maximum screen resolution 1920x1080p
- 12 Bit per channel (36bit all channel) deep colour
- HDMI 1.3b with HDCP pass through
- 225MHz/2.25Gbps Per channel (6.75Gbps all channels) bandwidth
- Supports DTS Digital, Dolby Digital, (including DTS-HD & DolbyTrue HD) compressed audio & LPCM uncompresses audio
- Metal body for better EMI elimination & gold plated contacts

1+ £15.80 | 5+ £14.20

order code AV1997287 612645

TOSLink Optical Leads



SAVE OVER* 65%

A range of TOSLink plug to plug optical leads available with 4mm cable.

464961

		1+	5+
AV1859387	0.5m	£0.70	£0.60
AV1434487	1m	£0.90	£0.78
AV1434587	1.5m	£1.10	£0.95
AV1434687	2m	£1.50	£1.30
AV1434787	3m	£1.82	£1.60
AV1434887	5m	£3.20	£2.80
AV1434987	10m	£5.20	£4.50

HDMI Splitter - 1 to 2



A 1 to 2 HDMI splitter which allows a HDMI output signal to be split and viewed on 2 separate HDMI equipped HDTV displays simultaneously.

- HDMI 1.1, 1.2a, 1.3b, HDCP 1.1, 1.2 & DVI 1.0 Compliant
- LED Indicators for Power, Input & Outputs 1/2
- VGA, SCGA, XGA, SXGA & UXGA (1600x1200) PC resolutions
- 480i, 576i, 480p, 576p, 720p, 1080i & 1080p HDTV resolutions
- 12bit Deep colour up to 1080p support
- HDMI Input Cable length: 15m Max
- HDMI Output Cable length: 20m Max
- Trailing lead length: 500mm
- Supplied with power adaptor
- Dimensions (WxHxD): 58 x 24 x 116mm

1+ £19.50 | 5+ £17.20

order code AV2080987 698877

1 to 2 HDMI Splitter



- Full 1080p HD resolution
- HDCP compliant • Gold plated contacts
- Powered by 5V UK mains adaptor (included)

Compact 2 to 1 HDMI splitter in a strong metal case, which distributes the input of the HDMI signal into 2 identical outputs simultaneously.

1+ £25.50 | 5+ £23.20

order code AV1850087 531524

3.5mm Stereo Jack Plug to 90° Plug



SAVE OVER* 40%

- Pure copper conductors

1+ 45p | 10+ 38p

order code AV1365487 608867

Lightweight Stereo Headphones



SAVE OVER* 15%

- Lightweight
- All plastic construction
- Available in three lead lengths

651437

		1+	5+
AV1877787	1.2m	£0.77	£0.64
AV1877887	1.8m	£0.80	£0.67
AV1877987	3m	£0.91	£0.83

Infrared Hub



Model: PSG03519



SAVE OVER* 25%

- A simple IR Hub which allows you to control your AV equipment from two different locations
- Receive and route infrared commands from any remote control to concealed Audio/Video equipment
- **Input:** 3.5mm Jack socket
- **Outputs:** 3x 3.5mmjack sockets
- Compatible with KEENE & most 3-pole terminated IR transmitters & receivers
- Receivers & Transmitters available separately
- Supplied with power supply
- Dimensions: (WxHxD): 26x23x48mm

622880

		1+	5+
AV2024287	IR Hub	£8.50	£7.20
AV2024387	IR Receiver	£7.80	£6.40
AV2024487	IR Single Emitter	£2.70	£2.20
AV2024587	IR Dual Emitter	£3.40	£2.60

Ear Hanging Stereo Earphones



SAVE OVER* 20%

- Close to the ear fit
- Lightweight
- Comfortable to wear
- Ideal for outdoor activities including walking and exercising

1+ £1.80 | 5+ £1.48

order code AV1877487 541538

Lightweight Digital Stereo Headphones



SAVE OVER* 15%

- Super bass sound
- Ideal for use with MP3 players
- Ratchet adjustable headband
- Lightweight comfortable design-only 62g

1+ £2.20 | 5+ £1.80

order code AV1762587 520329

Educational Headphones




SAVE OVER* 20%

A pair of strong and durable headphones with an adjustable, padded headband, ear cushions and a 2m lead terminating in a stereo 6.35mm (¼") jack plug. The headphones are widely used in education, especially for language labs and are suitable for use with the AV01506 headset junction box.

1+ £7.60 | 5+ £6.20

order code AV1275487 501251

Stereo Headphones with Microphone



SAVE OVER* 25%

A pair of headphones with a tough plastic, adjustable headband and a flexible boom microphone. Ideal for multimedia, communication, public address or other applications where a hands-free design is required. The boom microphone can be turned through 360° allowing the microphone to be positioned on either side of the head. Supplied with 1m cable terminating in 2x 3.5mm jack connectors.

1+ £3.45 | 5+ £2.51

order code AV1275187 475795

Foldable Hi-Fi Headphones



A pair of headphones designed for use with music systems and featuring a folding design for easy storage and transportation.

1+ £4.95 | 5+ £4.20

order code AV2519887 713952

Stereo TV Headphones



- Light weight stereo headphones with adjustable headband
- Ideal for use with televisions, HiFi's, CD, MP3 and other audio devices
- Suitable for people with impaired hearing
- Swivel & tilt action earcups
- Leatherette type ear cushions for comfort & long use
- In-line volume control with mono/stereo switch & belt clip

1+ £2.70 | 5+ £2.20

order code AV1975387 609343

SECURITY & CCTV

Wireless Driveway Alarm with PIR

SAVE OVER* 20%



- PIR weatherproof wireless sensor and receiver unit
- Wireless RF transmission up to 90m
- PIR sensor will detect motion and trigger the receiver to turn on alarm or chime
- High and low sound switch
- Alarm/chime/off select switch
- Wireless sensor requires 9V battery (not supplied)
- Available in white, black or black/green

712754

		1+	3+
SR0773787	White	£19.98	£17.65
SR0939287	Black	£19.98	£17.65
SR0939387	Black/Green	£19.98	£17.65

Keypad PIR Sensor Alarm



Protect your valuables without the need for wiring with this 100dB, PIR motion sensor alarm.

- Ideal for sheds, outbuildings and homes
- Siren sounds when motion is detected
- Easily programmable, 4-digit security code
- Comes complete with a panic button
- 3x Mode settings - Chime/Instant/Delay
- Requires 3x AA batteries (not supplied)
- PIR detection angle: 160°
- Range: 5m

1+ £6.65 | 3+ £5.29

order code SR0940487 713230

Video Door Phone with Handset



SAVE OVER* 25%

- 4" HD TFT-LCD colour screen
- Handsfree or handset option
- Easy to install
- Door lock control
- Video and two way audio
- Infrared night-vision

1+ £39.98 | 3+ £34.50

order code SR0876687 698445

Lock Releases

SAVE OVER* 30%



- Suitable for low to medium traffic applications
- Suits mortice mounted nightlatches with 12mm max. throw

Technical Data

	Voltage	Fail Lock Unlocked	Jaw Strength
SR0764687	12V AC/DC	Locked	880 lbs
SR0764787	12V DC	Locked	880 lbs
SR0764887	12V DC	Unllocked	880 lbs

639735

			1+	3+
SR0764687	Locked		£11.25	£9.99
SR0764787	Locked		£14.10	£13.25
SR0764887	Unlocked		£17.98	£16.74
Rim Case For Outward Opening				
SR0764987			£7.82	£7.60

100 Series Digital Codelocks



SAVE OVER* 15%

633448

- Digital code door lock with oval handle and soft rounded lock case
- Ideal for restricting access for low usage doors i.e. stock cupboards, warehouses, garages or sheds
- Holdback option, to keep door unlocked when required

		1+	3+
SR0530287	Silver grey + holdback	£21.98	£19.99
SR0530387	Polished brass + holdback	£27.75	£19.99

Iron Padlocks



SAVE OVER* 10%

- Iron body with brass cylinder
- Hardened steel shackle
- Multi-pin tumbler mechanism
- Includes 3x steel keys

Technical Data

Body Size	Shackle Clearance Horizontal	Shackle Clearance Vertical	Shackle Dia.	
38mm	21mm	22mm	6mm	SR0887687
50mm	26mm	26mm	8.5mm	SR0887787
62mm	31mm	33mm	9.5mm	SR0887887

704071

	Body Size	1+	3+
SR0887687	38mm	£1.49	£1.35
SR0887787	50mm	£1.84	£1.69
SR0887887	62mm	£2.35	£2.19

Portable Key Storage Box

SAVE OVER* 30%



- 4 Dial resettable combination lock
- Wall mountable
- Dimensions: (HxWxD) 120x88x 40mm

1+ £9.25 | 3+ £8.47

order code SR0822887 651240

All-Weather Combination Padlocks



40mm Body 50mm Body

- Stainless steel shackle
- Die-cast alloy body with blue dual compound cover
- Fully recodeable with 10,000 possible combinations
- Code wheels spaced for ease of use
- Double locking mechanism
- Push button spring opening
- Available with 40mm or 50mm body

Technical Data

Body Size	Shackle Clearance Horizontal	Shackle Clearance Vertical	Shackle Dia.	
40mm	17mm	20mm	6mm	SR0909587
50mm	22.6mm	26mm	8mm	SR0909687

706784

			1+	3+
SR0909587	40mm		£8.49	£7.99
SR0909687	50mm		£15.74	£14.85

Passive PIR IS-215T



- Look down zones
- Tamper switch

SAVE OVER* 30%

1+ £6.75 | 3+ £5.98

order code SR0482887 637470

Bell Box

Model: AG6

- Horizontal and vertical mounting
- Front and rear tamper
- NiCad back-up battery included
- Dimensions: (HxWxD) 55x200x300mm

1+ £19.75 | 3+ £18.84

order code SR0812887

Low Traffic Door Closer



SAVE OVER* 10%

- Compact, economical design for low traffic areas
- Fixed strength - power size 3
- Suitable for both fire door and conventional applications
- Separate latch action and closing speed adjustment provides total control of the full closing cycle
- Silver finish with matching arms
- Suitable for left and right side closing doors
- Tested and certified to EN 1154, Certifire approved
- 10 Year manufacturer's warranty

Technical Data

Max. Door Width	950mm
Max. Door Weight	60kg
Body Dimensions (WxHxD)	181x40x60mm

1+ £18.92 | 3+ £17.75

order code SR0668087 495688

Low Profile LED Beacons



SAVE OVER* 15%

Elmdene's low profile beacons are a range of visual warning devices that utilise efficient LED technology. They are available in either 12V or 24V DC power variants and there are two mounting options either a single stud (wing nut supplied) or twin M3 thread fixing options.

- Low profile design (44mm)
- Low current operation
- Maximum light intensity and dispersion
- Compatible with a wide range of systems
- IP66 rated
- Fresnel lens
- Polycarbonate and ABS construction
- Suitable for use in fire, intrude, access control systems or general applications
- 12V or 24V DC versions available
- Available with amber, blue, transparent or red lens

706787

			1+	3+
12V DC				
SR0908587	Amber	Single	£4.79	£4.34
SR0908687	Amber	Twin	£4.79	£4.34
SR0908787	Blue	Single	£4.79	£4.34
SR0908887	Blue	Twin	£4.79	£4.34
SR0908987	Transparent	Single	£4.79	£4.34
SR0909087	Transparent	Twin	£4.79	£4.34
SR0909187	Red	Single	£4.79	£4.34
SR0909287	Red	Twin	£4.79	£4.34
24V DC				
SR0909387	Red	Single	£4.79	£4.34
SR0909487	Red	Twin	£4.79	£4.34



652441

Micro Smoke Alarms

LIFESAVER



- Compact 100mm size offers maximum protection
- Loud, piercing 85dB horn
- Flashing red LED
- Ionisation technology
- Low battery warning
- Kitemarked, BS 5446
- Available in single or twin packs

SAVE OVER* 15%

693502

		1+	3+
SR0870587	Single	£4.25	£3.78
SR0870687	Twin Pack	£7.98	£7.45

Fire Blanket



Extinguish fires in seconds. Ideal for home or work.

- High quality glass fibre
- Both sides are coated
- Size: 100x100cm
- PVC Container with quick release action
- Certified DIN EN1869:997

SAVE OVER* 15%

1+ £6.25 | 3+ £5.48

order code SR0755887 541555

Multi-Purpose Fire Extinguisher

LIFESAVER



This multi-purpose fire extinguisher is designed for use on small domestic fires before they get out of control and without taking unnecessary risks. A fire extinguisher's rating is the measure of its fire fighting capability, and for domestic purposes, an ABC-rated extinguisher is recommended because it can be used on most types of fire common to the home or vehicle.

- Easy to use, lightweight extinguisher
- Pressure gauge for added reassurance that the extinguisher is fully charged and ready to use
- Mounting bracket included as standard
- Fully approved to the European Standard EN3
- 5A 34BC Fire rating
- Safe for use on electrical fires
- Weight: 1kg

SAVE OVER* 15%

Technical Data

Extinguishing Agent	Dry Powder (Mono-Ammonium Sulphate)
Discharge Range	4m
Discharge Duration	7.8 Seconds
Temperature Range	-30°C to +60°C
Propellant	9 Bar Nitrogen @ 20°C

1+ £14.98 | 3+ £13.49

order code SR0936587 712968

Carbon Monoxide Alarm



Carbon monoxide alarm certified to BS EN 50291, the Detecta10 is a cost effective, simple, yet reliable means of sensing the 'silent killer'.

- Long life
- Easy to install
- Loud, 85dB alarm
- 3x LED readout
- Low battery and end-of-life alarm
- Supplied with 9V battery

1+ £14.97 | 3+ £14.47

order code SR0922987 713824

10-Year Carbon Monoxide Alarms

Kidde



10LLCO

SAVE OVER* 15%



10LLDCO

Models: 10LLCO & 10LLDCO

Sleek, lightweight CO alarms with non-replaceable, sealed-in Lithium batteries for ten years of continuous protection – meaning the user never needs to change the batteries for the full duration of the alarm's life.

- Sealed-in Lithium batteries – will last the full 10-year alarm life without ever needing to be replaced
- Continuous monitoring of carbon monoxide
- Alarm memory – the red LED will flash every 60 seconds to indicate a CO 'event' has occurred
- Unique water-based Kidde CO electrochemical sensor
- CO 'Quick-Test' feature – temporarily de-sensitises the CO sensor to allow quick-testing using Kidde approved CO sprays
- Interrogation feature – allows peak level, test history to be analysed by Kidde upon arrangement
- 3x LEDs – Alarm, Operate and Fault
- End-of-life alarm alerts user to replace alarm after 10 years of protection
- Test/Reset button to allow regular testing of alarm function

Model: 10LLDCO

- Peak level display allows the highest CO level recorded between 11-999ppm to be displayed

712966

	Model	1+	3+
SR0936387	10LLCO	£19.97	£18.92
SR0936487	10LLDCO	£21.50	£19.99

Mains Ionisation Smoke Alarm

Kidde



An ionisation sensing smoke alarm which may detect invisible fire particles (associated with fast flaming fires) sooner than an photoelectric/optical alarm.

- Interlinks with up to 24 hard-wired Kidde alarms so all sound simultaneously if any activate
- 230V mains powered with battery back-up
- Ionisation sensor technology
- Hush button for temporary silence
- Test button
- Loud 85dB alarm
- 5 Year manufacturer warranty

SAVE OVER* 20%

1+ £9.97 | 3+ £9.45

order code SR0869487 693497

Gas Detector Alarm



High sensitivity alarm for detecting the leakage of household gas, liquid gas and natural gas.

SAVE OVER* 35%

- Housed in a white plastic enclosure
- Test function
- Fixed 1.5m mains lead and plug

1+ £7.34 | 3+ £6.97

order code SR0780887 637488

Indoor Break Glass Call Points

KAC



- Indoor surface mounting call points available as 470Ω or 680Ω versions
- Unique 'Plug & Play' installation concept
- Anti-tamper facility
- Enhanced aesthetics
- Fully approved to the latest standards, including EN54-11 and LPCB 166b/39 & 166b/40
- Backward compatibility
- Additional transparent hinged covers available for extra protection, ideal for schools etc
- Operating temperature: -40 to +55°C
- Voltage: 24VDC
- Dimensions (WxHxD): 89x93x58.5mm

SAVE OVER* 20%

501952

		1+	3+
SR0657687	Call Point 470Ω	£5.94	£5.47
SR0657787	Call Point 680Ω	£5.94	£5.47
Accessories			
SR0657887	Hinged Cover	£3.49	£2.98
SR0657987	Hinged Cover Seals (Pk5)	£0.84	£0.75
SR0227587	Spare Glass (Pk10)	£5.79	£5.44
SR0658087	Spare Keys (Pk10)	£5.41	£5.19

Break Glass Request To Exit Switch

KAC



- Unique Plug & Play installation concept
- Total flexability in the choice of operating element
- Selectable Normally Open or Normally closed contacts
- Anti-tamper facility
- Enhanced aesthetics
- Backward compatibility
- Resettable unit or Break Glass unit available
- Available in a range of colours
- Weight: 0.16kg
- Dimensions (HxWxD): 93x89x59.5mm

SAVE OVER* 20%

521252

			1+	3+
Break Glass Single Pole				
SR0686687	Green		£9.29	£8.96
SR0686787	Yellow		£9.29	£8.96
SR0686987	White		£9.29	£8.96
Break Glass Double Pole				
SR0687087	Green		£18.57	£17.97
Re-Settable Single Pole				
SR0687187	Green		£9.52	£9.25
SR0687287	Yellow		£9.52	£9.25
SR0687387	Blue		£9.52	£9.25
SR0687487	White		£9.52	£9.25
Re-Settable Double Pole				
SR0687587	Green		£18.78	£18.27
Spares				
SR0227587	Spare Glass		£5.79	£5.44

Call Point Stoppers

STI



Surface Mount **Flush Mount**

The Call Point Stoppers are aesthetic inexpensive covers which provides a secure fit to a wide range of electrical switches and call points. The covers prevent misuse to the device without restricting legitimate operation. Ideal for shopping centres, hotels, schools, colleges, hospitals, nursing homes and all public buildings where there is a risk of malicious or accidental activation.

- Constructed from tough clear polycarbonate
- Easy to install, can retrofit over an existing device
- Spring loaded hinge mechanism
- Protects equipment from accidental operation, vandalism and misuse
- Can protect a wide range of industry standard call points and switches
- Cover backed by a 3-year guarantee against breakage in normal use
- Polycarbonate tested from -40°C to +49°C
- Available in red or green, for flush or surface mounted application

SAVE OVER* 20%

Note: Call point shown for illustration purposes only, not included.

708687

Red		1+	3+
SR0910487	Flush	£16.65	£15.42
SR0910587	Surface	£23.99	£22.29
Green			
SR0910687	Flush	£16.65	£15.42
SR0910787	Surface	£23.99	£22.29

Electromagnetic Door Holders

Briton



Contract Magnet

Wall Magnet

When used in conjunction with a suitable door closing device, fire alarm and detection system, these Briton electromagnetic hold open devices permit fire doors to be held open during normal operation. In the event of fire or smoke detection the units are automatically deactivated allowing the doors to close under the action of the door operator.

- Fully certified to EN 1155
- Built-in release/test button to simulate alarm activation
- EN 1634 fire tested for 2-hour timber fire doors
- Guarantee: 5 Years mechanical and 2 Years electrical

SAVE OVER* 15%

704259

Contract Magnet		1+	3+
SR0902387	Contract Magnet	£35.50	£33.60
SR0902787	Floor Mounting Bracket	£21.20	£19.73
Wall Magnet			
SR0902487	Wall Magnet	£119.99	£114.25
SR0902587	Wall Mounted Cover	£17.98	£17.40
SR0902687	Floor Mounting Bracket	£19.99	£18.98

All prices exclude VAT

Hi-Res Miniature Colour Camera

SAVE OVER* 35%



- ⅓" Sony CCD
- 600 TVL
- 3.7mm Taper pinhole lens
- BNC Connection
- Dimensions: (WxHxD) 25x10x25mm
- Supplied with power adaptor

1+ £27.75 | 3+ £25.50

order code SR0800087 651124

Colour Bullet Camera



SAVE OVER* 30%

- ⅓" Sony CCD
- 420 TVL
- 3.6mm Board lens
- Dimensions (DiaxH) 20x62mm
- Supplied with power adaptor

1+ £27.90 | 3+ £25.55

order code SR0800187 651123

800TVL 20m IR Weatherproof Camera



SAVE OVER* 40%

- ⅓" HDIS 960H sensor
- 800TVL High resolution
- Water resistance - IP66 rated
- 3.6mm Fixed lens
- 20m IR night vision
- 12V 1A PSU recommended (not included)

1+ £17.75 | 3+ £16.25

order code SR0874887 701028

800TVL 30m IR Weatherproof Camera



SAVE OVER* 15%

- ⅓" 960H High sensitivity sensor
- 800TVL High resolution
- 3.6mm Fixed lens
- IP66 Weatherproof rating
- 30m IR Range
- 12V 1A PSU Recommended (not included)

1+ £28.42 | 3+ £26.80

order code SR0862087 691852

800TVL 40m IR Vari-Focal Camera



SAVE OVER* 35%

- ⅓" HDIS 960H sensor
- 800TVL High resolution
- Water resistance - IP66 rated
- 2.8–12mm Manual zoom
- 40m IR night vision
- 3 Axis cable built-in bracket
- 12V, 1A PSU recommended (not included)

1+ £29.98 | 3+ £27.50

order code SR0874987 701029

800TVL 30m IR Vari-Focal Camera



SAVE OVER* 15%

- ⅓" 960H High sensitivity sensor
- 800TVL High resolution
- 4-9mm Vari-focal lens
- IP66 Weatherproof rating
- 30m IR Range
- 12V 1A PSU Recommended (not included)

1+ £42.10 | 3+ £39.95

order code SR0862387 691855

60m 1000TVL Day/Night IR Camera



- ⅓" 1.3M Sony Exmor CMOS sensor
- 5x Digital zoom (controller required - SR08741, sold separately)
- Min. illumination, 0 Lux @ (F1.2, IR on)
- 6.0mm Lens
- 1000TVL
- 60m IR range
- IP66 rated
- Input Voltage: 12V DC

SAVE OVER* 15%

1+ £48.90 | 3+ £44.95

order code SR0891487 706284

800TVL 20m Weatherproof IR Dome Camera

SAVE OVER* 25%



- ⅓" HDIS 960H sensor
- Vandalproof housing
- Water resistance - IP66 rated
- 800TVL High resolution
- 2.8–12mm Manual zoom
- 20m IR night vision
- 12V 1A PSU recommended (not included)

1+ £37.49 | 3+ £34.50

order code SR0875287 701441

800TVL Vandalproof 20m IR Dome Camera



SAVE OVER* 40%

- ⅓" HDIS 960H image sensor
- 800TVL Resolution
- 3.6mm Fixed lens
- 20m IR range
- Dimensions (ØxH): 94x70mm
- 12V 1A PSU recommended (not included)

1+ £16.65 | 3+ £14.99

order code SR0867587 696066

1000TVL Weatherproof Varifocal Dome Cameras



SAVE OVER* 20%

- ⅓" Sony Exmor digital image sensor IMX238
- 1000TVL High resolution
- IR LED range 25-30m
- 2.8-12mm Varifocal lens
- Day/night operation
- Armoured housing
- IP66 Weatherproof rating
- Power requirement: 12Vdc, 1A (not included)

699470

		1+	3+
SR0876387	Grey	£39.99	£37.40
SR0876487	White	£39.99	£37.40
SR0876587	Black	£39.99	£37.40

800TVL Vandalproof 20m IR Dome Camera



SAVE OVER* 40%

- ⅓" HDIS 960H image sensor
- 800TVL resolution
- 3.6mm fixed lens
- 20m IR range
- Dimensions (ØxH): 94x70mm
- 12V 1A PSU recommended (not included)

1+ £16.65 | 3+ £14.99

order code SR0867487 697408

20m 1000TVL IR Ceiling Camera



SAVE OVER* 20%

- ⅓" Sony 720P CMOS imager
- Up to 8x digital zoom
- Min. illumination, 0 Lux @ (F1.2, IR on)
- Ultra-wide dynamic performance, up to 115dB
- Surface or flush ceiling fit (both supplied)
- IR cut filter
- 2 Year manufacturer's warranty
- IP66 Rated
- Input Voltage: 12V DC

1+ £39.99 | 3+ £37.40

order code SR0894187 705422

1000TVL 1280H Small Dome Camera



- High resolution of 1000TV lines (Colour and B/W)
- Min. illumination 0.09Lux@F1.8, 50IRE, 0.05Lux@F1.8, 30IRE
- Built-in fixed lens (3.6mm)
- SSDR, SSNRIV, Defog
- Coax: Pelco-C (Coaxitron)
- Power: 12V DC

SAVE OVER* 15%

1+ £49.99 | 3+ £46.65

order code SR0923787 711081

800TVL 20m IR Vari-Focal Dome Camera



- ⅓" 960H High sensitivity sensor
- 800TVL High resolution
- 2.8-12mm Vari-focal lens
- IP66 Weatherproof rating
- 20m IR Range
- 12V 1A PSU Recommended (not included)

1+ £29.97 | 3+ £27.50

order code SR0862987 691861

40m HD-CVI Outdoor Day/Night IR Camera



SAVE OVER* 15%

- Coaxial cable transmission technology giving HD pictures at up to 500m on RG59 coax cable
- ⅛" 1.3MP Sony Exmor CMOS sensor
- 8mm Fixed lens
- Smart IR control
- Min. illumination: 0 Lux @ (F2.0, IR on)
- HD-CVI/CVBS 960H dual output (720p)
- Wide dynamic range (WDR): Off-Low-Middle-High
- 40m IR range
- IP66 Rated
- Input Voltage: 12V DC

Note: Will only work with HD-CVI DVRs.

1+ £64.50 | 3+ **£59.99**

order code SR0896687 714428

40m HD-CVI Outdoor Day/Night Varifocal IR Camera



SAVE OVER* 15%

- Coaxial cable transmission technology giving HD pictures at up to 500m on RG59 coax cable
- ⅛" 1.0MP CMOS sensor
- Min. illumination: 0 Lux @ (F1.2, IR on)
- 2.8-12mm HD varifocal lens
- HD-CVI output (720p)
- 40m IR range
- IP66 Rated
- Input Voltage: 12V DC

Note: Will only work with HD-CVI DVRs.

1+ £54.50 | 3+ **£49.99**

order code SR0895887 714427

PIR Spy Camera

SAVE OVER* 20%



- ⅛" Sony CCD
- Low illumination
- 800 TVL
- Auto white balance
- 3.7mm Taper pinhole lens
- Supplied with power adaptor
- Dimensions (WxHxD): 70x40x119mm

1+ £26.65 | 3+ **£22.90**

order code SR0882787 702942

HD960H Covert Camera with Audio



- 10x10mm with pinhole cone lens & 2mm aperture
- Sony 960H CCD sensor
- 3.6mm Wide angle lens for 78° viewing angle
- Xvision X1K DSP
- 700TVL (960x576) resolution
- 0.01 Lux low light intensity
- Automatic Digital Noise Reduction
- Integrated microphone for high quality audio

1+ £39.99 | 3+ **£34.50**

order code SR0882487 702803

CCTV Switch Mode PSUs



SAVE OVER* 10%

- 12V DC, with 1A, 2A, 3.5A or 5A versions available
- Ideal for CCTV
- UK mains plug
- Lead length: 3.6m
- 2.1mm DC output plug

Technical Data 713827

	PW0390787	PW0390887	PW0390987	PW0391087
Amp Rating	1A	2A	3.5A	5A
Input Voltage	100 - 240VAC			
Output Voltage	Fixed 12V			

		1+	3+
PW0390787	1A	£6.95	**£5.99**
PW0390887	2A	£8.75	**£7.54**
PW0390987	3.5A	£11.10	**£9.99**
PW0391087	5A	£12.24	**£10.76**

CCTV Plug & Play Cable

SAVE OVER* 30%



- Carries sound, picture and power
- Connect cables together
- Pre-terminated with standard connectors
- Suitable for internal or external use

667157

		1+	3+
SR0801287	40m	£9.96	**£8.39**
SR0801387	30m	£7.56	**£6.29**
SR0801487	20m	£5.56	**£4.65**

Clip Type Video to Cat 5 Balun



SAVE OVER* 45%

- Compact size and easy installation
- Built-in transient suppression protection
- Supplied in pairs

1+ £3.84 | 3+ **£3.19**

order code SR0796787 651140

Professional 19" LED CCTV Monitor



SAVE OVER* 25%

Model: X19LED

- 19" Colour screen
- HDMI, BNC, Phono and VGA connections
- 3D Noise filter
- Resolution: 1366x768

1+ £149.99 | 3+ **£137.50**

order code SR0830087 671641

HD-CVI DVRs



SR0895087 & SR0895087



SR0895187, SR0895487, SR0914287 & SR0914387

- 720p/1080p HDD recording over coax (RG59)
- Control of motorised Zoom VF cameras over coax
- Works up to 500m on RG59 coax
- Supports down the coax control signals
- Alarm tagging of video recordings
- Smartphone apps available
- User-friendly CMS
- SATA HDD interface up to 4TB
- USB or network backup
- HDMI output
- Available with or without HDD installed

SAVE OVER* 30%

706288

	Channels	HDD Cap.	1+	3+
SR0895087	4	None	£81.20	**£77.75**
SR0895187	8	None	£128.20	**£119.90**
SR0937187	16	None	£153.29	**£148.40**
SR0895387	4	4TB	£239.98	**£231.50**
SR0895487	8	4TB	£289.90	**£276.50**
SR0937287	16	4TB	£399.99	**£386.90**

Order online at cpc.co.uk

Wi-Fi HD IP Outdoor Dome Camera with Night Vision

SAVE OVER* 10%



Models: IPV68P2P & IPV68POE

The ebode IPV68 is the first 960P, 1.3MP wireless indoor/outdoor camera with PTZ (3x optical zoom) and auto-focus. With hassle-free, 3-step set-up and installation, thanks to a unique QR code scanning method. This dome camera keeps an eye on your house, offce, store or garage with live views during day and night.

- Includes IR-Cut filter for automatic colour correction
- Free DDNS service embedded so live feeds are available wherever you are
- Free Android and iOS app available
- Supports IE6 and above, Firefox, Chrome and Safari
- Day/night surveillance
- H.264 video compression, supports Onvif
- Motion detection alarm via e-mail and FTP
- 2-Way audio
- IEEE 802.11b/g/n wireless connection
- Security standard - WEP, WPA and WPA2
- IP66 rated
- Weight: 1.8kg

Model: IPV68POE

- Power over Ethernet (PoE) RJ45 port transfers data and power on one single cable

Contents: IP camera, power adaptor, resource CD, Ethernet cable, mounting bracket and screws, Wi-Fi antenna, surveillance sticker and quick start guide

712755

			1+	3+
SR0936687	IPV68P2P	£129.60		**£119.99**
SR0937087	IPV68POE	£137.75		**£124.50**

Spider Repellant

SAVE OVER* 25%



- Designed to stop spiders spinning webs and nesting on CCTV cameras
- Suitable for use in other areas to deter spiders, indoors or outdoors
- Also use on PIRs to reduce false alarms
- Can be used to remove other crawling insects such as ants, fleas, flies and wasps
- 300ml Aerosol

1+ £5.75 | 3+ **£5.25**

order code SR0841787 677509

12V Boxed CCTV Switch Mode PSUs

SR0898587



SR0898287



SAVE OVER* 15%

- 12V DC (13.8V), with 1A, 2A, 3A or 5A versions available
- Full current to load and battery charging
- Modular construction provides ease of upgrade/servicing
- Energy efficient
- Universal mains input voltage
- LED status indication
- Front tamper protection
- 3-Year warranty

Technical Data 704066

Input Voltage	90 - 264VAC
Output Voltage	13.8VFixed

			1+	3+
SR0898287	1A	£21.90		**£19.98**
SR0898387	2A	£36.24		**£34.50**
SR0898487	3A	£44.45		**£42.24**
SR0898587	5A	£77.20		**£72.95**

10" Water Pump Pliers

DURATOOL



SAVE OVER* 30%

- Drop forged, heat treated, fully polished steel machine finish
- Lacquer coated to resist rust and corrosion

1+ £2.97 | 5+ £2.49

order code TL1034687 632073

Electricians Scissors

DURATOOL



SAVE OVER* 25%

- Plastic coated finger loops
- 140mm Length

1+ £2.79 | 4+ £2.19

order code TL1578687 705217

4 Piece Screwdriver Set

DURATOOL



1+ £1.89 | 5+ £1.39

order code TL1039287 628457

25 Piece Mini Tool Kit

DURATOOL



A quality 25 piece tool kit containing a range of popular service tools. The tools are all made from chrome vanadium steel and are supplied in a rigid, blow moulded case. The kit contains:

- 9x Bit assortment: PH1, PH2, PH3, slotted 5, 6 and 7mm, & torque 10, 15 and 20mm
- 1x Adaptor
- 1x Magnetic tip handle
- 1x 5" Mini long nose pliers
- 1x 4.5" Mini side cutters
- 1x 115mm Tweezers
- 4x ¼" drive sockets: 5, 6, 8 and 10mm
- 1x Extension bar
- 6x Precision screwdrivers - 4 slotted and 2 Phillips

SAVE OVER* 15%

1+ £3.35 | 5+ £2.93

order code TL1040687 634332

Pocket Size Magnetizer/ De-Magnetizer

DURATOOL

SAVE OVER* 10%

- Magnetizes or demagnetizes most steel screwdrivers or other small tools
- Collects metal items from inaccessible places



1+ 84p | 10+ 69p

order code TL1406887 633899

14-in-1 Stubby Ratchet Screwdriver

DURATOOL



- Stubby ratchet screwdriver
- 3 Settings - forward, reverse and fixed
- Supplied with 7x 32mm long double ended bits
- Phillips, slotted, torx, hex and square combination bits • Overall length: 120mm


Bit Combinations: PH1 - SL3, PH2 - SL5, PH3 - SL6, T15 - T20, T25 - T30, H4 - H5, S1 - S2 (square)

1+ £2.89 | 4+ £2.59

order code TL1121587 480093

11 Piece Ratchet Screwdriver Set

DURATOOL



Offset ratchet screwdriver with ¼" bit holder and ¼" square drive head for driving ¼" square drive bits. Ratchet has selector knob for forward/reverse.

- Phillips: PH1, PH2
- Pozi: PZ1, PZ2
- Slotted: 4, 5, 6mm
- Torx: T10, T15, T20
- ¼" Adaptor
- Supplied in a handy plastic clip/holder

SAVE OVER* 10%

1+ £1.98 | 5+ £1.29

order code TL1502587 662896

16oz Claw Hammer

DURATOOL

SAVE OVER* 10%



1+ £2.69 | 4+ £2.44

order code TL1029787 628477

Trade prices on over 100,000 stocked products

200mm Cable Cutter

DURATOOL



SAVE OVER* 10%

- Drop forged, heat treated fully polished steel
- Soft grip handles

Technical Data

Size	Cutting Capacity: wire Copper
200mm	12mm

1+ £4.46 | 4+ £3.64

order code TL1496187 663082

2.4V Dustbuster Vac

BLACK & DECKER



Model: NV2410N-GB

- Ideal for light cleaning tasks
- Wide mouth enables the scooping of larger items
- Clear bagless dirt bowl makes it easy to see the dirt and know when to empty
- Removable, washable dirt bowl and filters
- Air Flow: 863 l/min
- Dustbowl Capacity: 370 ml
- Supplied with Charging base, wall attachment

1+ £13.98 | 3+ £11.95

order code SI1684987 706807

12 Piece Pound Through Screwdriver Set

DURATOOL



- Polypropylene handles
- Chrome vanadium steel blades
- Butt-end hex bolsters for use with a spanner or ratchet for increased torque
- Magnetized black tips
- Supplied in a blow moulded plastic carrying case

Contents: Slotted: 3.2x75, 5x75, 6x38, 6x100, 8x150, 9.5x200mm, Phillips: PH0x75, PH1x75, PH2x38, PH2x100, PH3x150, PH4x200mm

1+ £8.79 | 4+ £6.48

order code TL1499987 656491

Tape Measures

DURATOOL



SAVE OVER* 10%

628518

	Length	Width	1+	5+
TL1017387	3m/10ft	13mm	£0.87	£0.69
TL1017487	5m/16ft	19mm	£1.45	£1.25
TL1017587	8m/26ft	25mm	£2.56	£2.17

Cable Access Kit - Standard

DURATOOL



SAVE OVER* 30%

12 Piece non-conductive fibreglass cable access kit allows you to gain access to wire cables under floorboards, ceiling ducts, trunking and wall cavities.

- Extended length 10m

Contents:

10x 1m Fibreglass rods
1x Flexible acrylic connection that can be set to any angle
1x Brass hook
1x Plastic storage case

1+ £7.98 | 5+ £5.94

order code TL1462787 712335

Metal Spray Gun




- Comfortable ergonomic design with lockable on/off trigger
- Spray to jet adjustment

1+ £3.45 | 4+ £2.78

order code SI1649087 693915

5 Piece Mini Pliers Set

DURATOOL



SAVE OVER* 15%

1+ £4.99 | 5+ £4.47

order code TL1033087 628470

Leather Punch



- 6 Tubes on a revolving turret for easy hole size selection
- Hole sizes: 2.5, 2.9, 3.3, 3.7, 4.0, 4.5mm
- Perfect for punching holes in leather belts, dog leashes, horse tack, shoes, boots etc

1+ £3.94 | 4+ £2.69

order code TL1601987 714470

Light Duty Staple Gun

SAVE OVER* 25%



- Suitable for use with 4 to 8mm staples
- Supplied with 100x 6mm and 100x 8mm staples

1+	5+
£3.98	£2.47

order code TL1605687 695771

150mm (6") Junior Hacksaw Blades



SAVE OVER* 10%

- 24 Teeth per inch
- Black finish
- Supplied in packs of 10

1+	5+
£1.00	£0.76

order code TL0937587 633760

Reversible Circlip Pliers



- Versatile circlip pliers with accurately machined tips
- Made fron hardened chrome vanadium steel
- Adjust to insert or remove internal and external circlips
- Plastic moulded handles with slip guards
- Jaw capacity - 20mm
- Overall length 160mm

1+	4+
£4.79	£3.57

order code TL1727387 714471

10oz Stubby Claw Hammer

SAVE OVER* 15%



A 10oz stubby claw hammer with a cushioned grip. The solid steel shaft has a polished and heat treated head. The hammer is 160mm in length.

1+	4+
£2.94	£1.98

order code TL1221887 499683

Hand Axe

DURATOOL




- 1¼lb (0.57kg) High visibility hand axe with fibreglass shaft
- Drop forged head
- Grooved rubber grip
- 41cm Length

1+	5+
£3.94	£3.12

order code TL1030287 633904

6" Junior Hacksaw

DURATOOL



SAVE OVER* 15%

- Drop forged frame
- Supplied with general purpose blade

1+	5+
79p	49p

order code TL1576787 698368

Craft Knives

DURATOOL

SAVE OVER* 30%



628482

		1+	5+
TL1287087	Small	£0.45	£0.37
TL1287187	Large	£0.59	£0.50

Basic Assorted Wet & Dry Papers



- Ideal for sanding metal, wood, painted surfaces and plastic
- Dimension : 230x280mm each sheet
- Supplied in pack of 5
- Contains: 1x P120 Fine, 2x P80 Medium, 2x P40 Coarse paper

1+	5+
£1.09	£0.72

order code TL1707787 710996

Sales Counter
Open 7 days a week

300mm (12") Hacksaw Blades

- Supplied in packs of 12

1+	5+
£1.64	£1.00

order code TL0937687



SAVE OVER* 10%

633762

Hand Rivet Gun

DURATOOL



SAVE OVER* 20%

A hand riveter supplied complete with rivets to fit the four interchangeable tips.

- The riveter can be operated with one hand using the automatic gripping action
- Spanner is included to interchange the heads which screw into the handle when not in use
- Length 240mm
- Supplied with four different sizes: 20x2.4x6mm, 20x3.2x6mm, 20x4x6mm and 20x4.8x8mm

1+	4+
£2.79	£2.45

order code TL1043387 634129

Heavy Duty Rubble Sacks



- 125 Micron (500 Gauge) thick
- Packs of 10
- Dimensions: 880x533mm (31"x21")

1+	5+
£3.97	£2.94

order code SI1530087 633974

600mm Claw Pick Up Tool

DURATOOL



SAVE OVER* 25%

- A 600mm long claw tool for retrieving small objects

1+	5+
£1.29	£0.92

order code TL1048187 628488

Folding Trolley

DURATOOL



SAVE OVER* 20%

- Rubber wheels
- Folds flat when not in use for easy storage
- Maximum load of 20kg

Dimensions:

- Folded (HxWxD): 380x360x80mm
- Open (HxWxD): 380x360x300mm

1+	5+
£7.94	£4.98

order code TL1287287 628524

Woodworker Brush Set - 6 Piece

ProDec

SAVE OVER* 20%



- Synthetic bristles
- Nickel plated ferrule
- Wooden handle

Sizes:
2x 1.5", 2x 2", 1x 3" PLUS 1x 2" Angled

1+	5+
£6.98	£6.49

order code TL1702087 711693

24" Bolt Cutters

DURATOOL

- Drop forged, heat treated steel
- Tubular steel handles with rubber grips allow maximum leverage
- Adjustable jaws
- Ideal for cutting bolts, rivets, rods, bars, chains etc.

SAVE OVER* 20%



1+	5+
£6.98	£6.49

order code TL1496387 668004

6" Quick Clamp

DURATOOL



SAVE OVER* 30%

- 150mm (6") Clamping capacity

1+	5+
£3.98	£2.79

order code TL1051087 633807

Magnetic Clip

DURATOOL



- Magnetic strength: 1.45lbs.
- Chrome plated
- Dimensions: 50x45mm

1+	5+
98p	69p

order code SG3310987 623278

Compartment Boxes

DURATOOL

- Removable compartments
- Transparent
- Hinged lids

SAVE OVER* 45%



634287

		(WxDxH)	1+	5+
SG3289187	18	230x125x35mm	£1.01	£0.92
SG3289287	18	292x186x42mm	£2.01	£1.53
SG3289387	24	382x235x48mm	£4.92	£3.98

Multi Purpose Pre-Moistened Wipes



- Multi purpose, pre-moistened wipes, suitable for use on tools and most surfaces
- Removes most paints, adhesives, sealants and many more
- Clean your hands of oil, grease, ground-in dirt, ink, paint and tar when no water is available
- Effective against a range of bacteria
- Tested in accordance with European Standard EN1276
- Ideal for industry, home, DIY and the mechanic
- Compactly designed container with a re-sealable lid
- Supplied in a tub of 150 wipes


1+ £6.97 | 5+ £4.98

order code SA0176487 633995

60mm Swivel Table Vice with Anvil

DURATOOL

SAVE OVER* 10%



- Open to 80mm
- Locking swivel base turns through 360°
- Mounting clamp opens up to 45mm

1+ £7.92 | 5+ £6.64

order code TL1030887 633810

Telescopic Magnetic Pick Up Tool

DURATOOL



SAVE OVER* 55%

- Extends from 130mm to 625mm
- Powerful magnet for retrieving objects up to 5lb (2.27kg)

1+ 85p | 4+ 64p

order code TL1048287 628489

10" Jumbo Funnel

DURATOOL



Manufactured from durable plastic, this jumbo funnel is ideal for a variety of purposes. 200mm in length.

- 10" Diameter mouth

1+ £1.19 | 4+ £0.94

order code SI1597087 656099

32oz Rubber Mallet

DURATOOL

SAVE OVER* 20%



- 32oz Rubber mallet with wooden handle
- Solid rubber head

1+ £1.97 | 5+ £1.46

order code TL1030087 633757

Small Snap Off Craft Knives

18



SAVE OVER* 15%

A pack of 6 plastic craft knives with transparent housing and fully retractable, snap off blades.

1+ £1.59 | 5+ £0.99

order code TL0870887 511132

35 Piece Hobby Knife Set

DURATOOL

SAVE OVER* 15%



1+ £7.94 | 5+ £4.98

order code TL1050787 633782

6 Piece Needle File Set

DURATOOL




- Size: 3x140mm

Supplied in a plastic carry case

1+ £3.79 | 5+ £2.94

order code TL1035787 633789

Sand Paper



- Suitable for general purpose sanding and paint preparation
- Assorted pack contains 2x P120 Fine, 3x P80 Medium, 3x P40 Coarse
- Dimensions (WxL): 230x280mm

711690

	Grit Size	1+	4+
TL1707887	Fine P120	£0.85	£0.64
TL1707987	Medium P80	£0.85	£0.64
TL1708087	Coarse P40	£0.85	£0.64
TL1708187	Assorted	£0.85	£0.64

42 Piece Screwdriver Kit

DURATOOL

SAVE OVER* 15%



1+ £7.95 | 5+ £6.47

order code TL1037187 633655

Retractable Utility Knife

DURATOOL

SAVE OVER* 40%



- Cast metal construction

1+ £1.59 | 5+ £0.99

order code TL1049387 628483

300mm Hacksaw

DURATOOL



- Lightweight metal hacksaw frame
- Frame designed to hold extra blades
- Designed to cut at 90 and 45°
- Supplied with 24 tpi blade

1+ £4.98 | 5+ £3.47

order code TL1496887 656692

Combination Spanner Sets

DURATOOL



- Offset metric combination wrenches
- Made from carbon steel
- Equal sizes at both ends

SAVE OVER* 10%

Sizes:

- 5 Piece: 8, 10, 12, 13, 15mm
- 11 Piece: 6,7,8,9,10,11,12,13,14,17 & 19mm

704211

		1+	5+
TL1575787	5 Piece	£1.97	£1.59
TL1575887	11 Piece	£4.92	£3.98

Flexible Funnel

DURATOOL



- PVC funnel with detachable flexible neck
- Supplied with a removable gauze filter
- Aperture size of funnel mouth 110mm

1+ 79p | 5+ 49p

order code SI1596987 657115

Garden Waste Bag



Laminated green garden waste bag, mould and mildew proof, comes with four nylon carrying handles

- Dimensions (LxWxH): 700x700x500mm

1+ £3.49 | 4+ £2.94

order code SI1530687 633911

Drain Rod Set

DURATOOL

SAVE OVER* 15%



- Manufactured from polypropylene with zinc-alloy and brass end connections
- 10 Rods with 2 attachments
- 9m Long when fully assembled

Contents: 9x 920mm Rods, 1 double worm screw and plunger

1+ £9.98 | 4+ £8.79

order code TL1462287 660324

4-Way Wheel Brace

DURATOOL



- Gives extra torque for removing tight wheel nuts
- 4 Sockets fit 17, 19, 21 and 23mm wheel nuts
- Length: 355mm

1+ £2.95 | 5+ £2.49

order code TL1577787 705405

* % discount against 2015 Catalogue Price or the standard website price on one or more items listed

Torx Key Set



- Cushion handle
- High quality chrome vanadium steel blades

Torx : T9, T10, T15, T20, T25, T27, T30, T40

1+ £2.89 | 5+ £1.89

order code TL1503387 659580

Hex Key Set - Ball Ended



- Cushion handle
- High quality chrome vanadium steel blades
- Chamfered ball point end allows user to work at angles up to 25°

Metric: 2, 2.5, 3, 4, 5, 6, 8mm

1+ £2.98 | 5+ £1.94

order code TL1503287 659579

5 Piece Offset Ratchet Spanner Set



- 30° Offset design helps prevent bruised and scraped knuckles
- Sizes: 6x8, 10x12, 11x13, 14x17 and 19x21mm

1+ £7.25 | 5+ £6.47

order code TL1043687 628509

2 Piece Strap Wrench Set

SAVE OVER* 15%



1+ £4.62 | 5+ £3.80

order code TL1027987 628512

Disposable Overshoes

SAVE OVER* 15%



- Made from 100 micron PVC
- Textured finish
- Elastic ankle closure
- Ideal for hygiene rules, food processing
- Supplied in pack of 100
- CE marked

1+ £4.97 | 10+ £2.49

order code HE3186087 634061

6 Piece Flat Wood Drill Bit Set



SAVE OVER* 20%

- Precision ground high carbon steel
- ¼" Hexagonal shaft

Contents: 10, 12, 16, 18, 20, 25mm

1+ £2.77 | 4+ £2.18

order code TL1134587 628374

10" Caulking Gun



- Capacity: 410ml

1+ £1.79 | 5+ £0.99

order code TL1049087 628500

Magnetic Dish



- Stainless steel magnetic dish
- Strong magnet with protective rubber cover
- Keep small tools and parts together
- 150mm Diameter

1+ £2.94 | 4+ £1.98

order code TL1042587 633856

Order online at cpc.co.uk

6 Piece Mini Brush Set



- Brushes: 2x Brass, 2x steel, 2x nylon

1+ £3.98 | 5+ £2.47

order code TL1042987 628493

Ear Defenders



- Lightweight and sturdy construction
- Padded for comfortable wearing
- Adjustable head band and cups
- SNR=25
- Conforms to EN 352-1

1+ £2.94 | 5+ £2.49

order code HE3308787 685238

Rigger Gloves



SAVE OVER* 15%

- Large size

1+ 89p | 5+ 79p

order code HE3181887 634044

Dipped Gloves

SAVE OVER* 15%



- Latex coated palm for a sure grip
- Knitted back and wrist
- For general handling
- Close fitting and flexible
- Conforms to EN 388

634046

		1+	5+
HE3107387	Medium	£0.97	£0.84
HE3107487	Large	£0.97	£0.84
HE3184287	X Large	£0.97	£0.84

Latex Gloves

SAVE OVER* 20%



- 100 Disposable, non-sterile, ambidextrous gloves
- Available in powdered or powder free versions
- CE marked EN420, EN455 (medical grade)

634037

		1+	10+
Powdered			
HE3185187	Medium	£4.92	£3.98
HE3185287	Large	£4.92	£3.98
HE3185387	Extra Large	£4.92	£3.98
Powder Free			
HE3185487	Medium	£4.92	£3.98
HE3185587	Large	£4.92	£3.98
HE3185687	Extra Large	£4.92	£3.98

Criss Cross Gloves



SAVE OVER* 15%

A general purpose work glove with PVC criss cross grip, for increased grip.

1+ 98p | 10+ 61p

order code HE3184087 634043

Clamp Tool with Magnifier



- Strong alligator clips hold work securely
- Heavy cast iron base for added stability

SAVE OVER* 15%

1+ £2.45 | 10+ £1.98

order code TL1047887 633812

Coal Shovel



- All metal construction
- Tubular metal handle and tray shaped pan to prevent coals slipping off the sides
- Lightweight and sturdy
- Matt black finish

SAVE OVER* 10%

1+ £2.56 | 4+ £1.98

order code SI1571087 643519

Plastic Compartment Box

DURATOOL



- Manufactured from polypropylene
- Transparent hinged lid
- 10 Compartment
- Dimensions: (HxWxD)35x240x180mm

1+	10+
99p	86p

order code SG3316187 651249

Stainless Steel Screw Set



- Contains 8 popular sizes
- Pan head
- Made from stainless steel
- Supplied in a handy, transparent assortment case

410 Piece Self-Tapping Set:
- 80: 3x12mm, 70: 3x16mm, 65: 3x20mm, 60: 4x12mm, 50: 4x16mm, 40: 4x20mm, 25: 5x12mm, 20: 5x25mm
- Contains 16 popular sizes
- Made from stainless steel
- Supplied in a handy, transparent assortment case

420 Piece Assortment Screw Set:
- 80 Flat Head: 6x ⅝", 80 Oval Head: 6x ⅝", 80 Pan Head 6x ⅝", 45 Flat Head 8x ¾", 45 Oval Head 8x ¾", Pan Head 8x¾", 25 Flat Head 8x 1¼", 20 Pan Head 8x 1¼"

705414

	1+	5+
FN0264287 Self-Tapping	£4.79	£3.98
FN0264487 Assortment	£4.93	£3.98

75 Piece Wing Nut Set

DURATOOL



- Contains 6 popular sizes
- Made from steel
- Supplied in a handy, transparent assortment case

Contents:
- 15 Pieces:- M5x0.8mm
- 15 Pieces:- M5x0.5mm
- 12 Pieces:- M6x1mm
- 13 Pieces:- M6x0.75mm
- 10 Pieces:- M8x1.25mm
- 10 Pieces:- M8x1mm

SAVE OVER* 10%

1+	5+
£2.56	£1.97

order code FN0266187 660770

135 Piece Washer Kit

Contents:
Blank Washers (Dia x Depth):
- 5x10, 12, 13, 14x5mm
- 5x15, 16, 17x7mm

Washers (Inner Dia x Outer Dia x Depth):
- 10x0.8mm Depth: 10.5x18, 16x21, 17.5x24, 18x21, 12x19, 21x24, 24x32mm
- 10x 1.5mm Depth: 10.5x18, 16x21, 17.5x24mm



1+	5+
£3.55	£2.49

order code FN0264987 705411

210 Piece Flat / Spring Washer Set

- Made from steel
- Supplied in an assortment case

Contents:
- 45 Pieces; M5
- 30 Pieces: M6
- 20 Pieces: M8
- 10 Pieces: M10



SAVE OVER* 10%

1+	5+
£1.84	£1.57

order code FN0291587 705412

Pozidriv Self-Tapping Countersunk Screw Kit



Zinc plated, Pozidriv self-tapping screws with a countersunk head.
- 160 Piece

Contents:
- 51: 3x12mm • 30: 3.5x16mm
- 25: 3.5x19mm • 17: 4x16mm
- 15: 4x19mm • 12: 4x25mm
- 8: 4x30mm • 5: 5x30mm

1+	5+
£1.93	£1.57

order code FN0291787 705413

Goldstar Countersunk Screw Kit



- Zinc plated
- Gold colour
- 780 Piece

Contents:
190: 3x16mm, 170: 3x20mm, 90: 3.5x25mm, 70: 3.5x30mm, 70: 4x30mm, 40: 4x35mm, 42: 4x40mm, 35: 5x40mm, 28: 5x50mm, 25: 5x60mm, 20: 5x80mm

1+	5+
£8.46	£6.94

order code FN0292387 710997

419 Piece O-Ring Kit

DURATOOL



- Contains almost every O-Ring size you are ever likely to need
- Ideal for the garage or workshop and for general plumbing use
- Includes 32 popular metric sizes
- Supplied in plastic storage case

1+	5+
£5.98	£4.79

order code FN0264587 660775

250 Piece Picture Hanging Set

DURATOOL



- 10 Assortments
- Supplied in a handy, transparent assortment case
- 40: 4 x 17mm Hooks
- 35: 5 x 22mm Hooks
- 20: 7 x 26mm Hooks
- 40: 2.5 x 25mm Cup Hooks
- 30: 3 x 32mm Cup Hooks
- 40: 2.5 x 20mm Eye Hooks
- 20: 2.5 x 30mm Eye Hooks
- 5: 6" Picture Wire
- 6: Screw Rings

SAVE OVER* 15%

1+	4+
£4.99	£3.89

order code FN0263287 653584

500 Piece Cotter Pin Assortment

DURATOOL



- Six popular sizes
- Supplied in a handy, transparent assortment case

Contents:
- 150pc: 1.6x25.4mm
- 150pc: 2.4x25.4mm
- 85pc: 2.4x38.1mm
- 60pc: 3.2x31.2mm
- 35pc: 3.2x50.8mm
- 20pc: 4x63.5mm

1+	5+
£2.98	£2.47

order code FN0195187 628565

200 Piece Spring Assortment Set

DURATOOL



- 20 Popular extended and compressed spring sizes
- Ideal for the garage or workshop and for general plumbing use
- Supplied in plastic storage case

Contents:
Compressed Springs:
- 10x7x12.5, 6.5x10, 5.5x17.5, 5.5x38, 7x19mm • 6x9.5x16mm
- 12x9.5x19mm • 8x9x35mm

Extending Springs:
- 10x7x38, 5x20.5, 5.5x25.5, 6.5x22, 8.5x36.5, 8x31.5mm
- 8x8x28.5, 4.5x44.5mm
- 12x8.5x47, 8x44.5, 7x51, 4x79.5mm

SAVE OVER* 10%

1+	5+
£3.29	£2.87

order code FN0265187 677762

505 Piece Rivet Set

DURATOOL



- 7 Popular sized blind rivets
- Rust proof aluminium heads with steel shanks
- Fits most hand and air riveters, foreign and domestic
- Supplied in a sectioned plastic case

Diameter	Overall Length	Qty
3.2mm	8mm	120
3.2mm	10mm	100
4.0mm	10mm	100
4.0mm	12mm	60
4.0mm	14mm	50
4.8mm	12mm	40
4.8mm	14mm	35

1+	5+
£5.98	£4.89

order code FN0262787 653585

125 Piece Grommet Assortment Set

DURATOOL



- 18 Popular grommet sizes
- Supplied in plastic storage case

1+	5+
£3.94	£2.94

order code FN0264787 705415

980 Piece Hex Full Nut Kit

DURATOOL



This kit contains a selection of the most popular sizes.
- Steel and zinc plated

Size (mm)	Qty	Size (mm)	Qty	Size (mm)	Qty
M3	200	M5	200	M8	100
M4	200	M6	200	M10	50
				M12	30

1+	5+
£9.45	£7.96

order code FN0262887 653578

650 Piece Cotter Pin Set

DURATOOL



Size (mm)	Qty	Size (mm)	Qty
1.6x22	100	2.5x45	50
1.6x36	80	3.2x50	50
2.0x22	100	4.0x45	50
2.0x36	80	7/64"x50	40
2.5x25	60	9/64"x50	40

- 10 Popular sizes
- Supplied in a handy, transparent assortment case

SAVE OVER* 25%

1+	5+
£4.79	£3.95

order code FN0263187 657836

Air Duster

pro-POWER



- Emits a powerful blast of dry air, for instant cleaning
- Removes dust, dirt and loose contaminants from most surfaces
- Suitable for use on computer, photographic, test and audio/visual equipment
- **Safe, non-flammable formula**

643511

		1+	12+
SA0241787	200ml	£3.98	**£3.59**
SA0188287	400ml	£7.94	**£6.17**

Foam Cleaner 400ml

pro-POWER



- Advanced formula for cleaning and degreasing
- May affect some fabrics, test on a small area before general use

SAVE OVER* 15%

1+ £1.98 | 12+ **£1.74**

order code SA0188187 634218

Freezer Spray 400ml

pro-POWER



- Aids rapid fault detection in electronic components
- Provides heat sink protection during soldering and calibration
- Tests trace continuity in PCBs
- Cools components to -50°C

1+ £8.23 | 12+ **£7.10**

order code SA0188387 634260

Switch and Contact Cleaner

pro-POWER



- Removes dirt, grease, oil and other contaminants
- Leaves a residual oil film, which increases with the contact area and reduces resistance
- Compatible with most plastics and rubber compounds
- Supplied with a plastic applicator to reach inaccessible components
- 200ml

1+ £2.26 | 12+ **£1.74**

order code SA0189187 634257

Label Remover

pro-POWER



- Specially developed formula for the removal of self-adhesive stickers and labels
- Suitable for use on any hard surface
- Neutralises the label's adhesive backing, to allow rapid removal
- Pleasant citrus odour
- Safe on most plastics
- 200ml

SAVE OVER* 25%

1+ £3.07 | 12+ **£2.67**

order code SA0188987 634233

Glass and Screen Cleaner

pro-POWER



- Powerful solvent blend to remove dust, dirt, oils and finger marks from all glass surfaces
- Leaves a bright, residue-free finish
- 400ml

SAVE OVER* 15%

1+ £2.26 | 12+ **£1.84**

order code SA0188787 634237

Silicone Lubricant

pro-POWER



- Lubricates, protects and waterproofs all types of mechanical devices
- Effective on plastic gears, rubber parts, printer head guides, white goods and automotive products
- Clean, non-staining film
- Restores shine to vinyl, rubber, leather and wood
- 400ml

SAVE OVER* 20%

1+ £2.18 | 12+ **£1.84**

order code SA0189387 634267

Butane Gas Refill

pro-POWER

SAVE OVER* 10%

A 200ml can of ultra-refined, high quality butane gas suitable for refilling portable gas soldering irons and butane filled apparatus.



1+ £1.74 | 12+ **£1.41**

order code SA0189487 465246

Blue Paper Roll



General purpose, highly absorbent paper roll for light economic wiping. Can be dispensed from the outside or from the centre once the cardboard core has been removed.

- Dimension single sheet (HxW) 395x190mm

Supplied in packs of 6 rolls

683552

Blue Roll (PK6)		1+	4+
SI1611987	Single Ply - 300m	£15.95	**£13.98**
SI1612087	Double Ply - 150m	£14.95	**£12.49**

Toilet Rolls




- No special dispenser required
- 2 Ply tissue paper

633983

	Sheets Per Roll	Rolls Per Case	1+	4+
HE3160187	200	36	£7.49	**£6.49**
HE3160287	320	36	£9.94	**£7.98**

All Purpose Cleaning Cloths

STRONG HOLD



- Multi-purpose wipe
- Absorbent • Disposable
- Apertured to ensure great food and dirt pick-up
- Excellent value • Packs of 50

652868

		1+	5+
SA0258287	Blue	£2.97	**£1.98**
SA0258387	Green	£2.97	**£1.98**
SA0258487	Red	£2.97	**£1.98**
SA0258587	Yellow	£2.97	**£1.98**

Dusters - Cotton



SAVE OVER* 15%

- 100% Yellow cotton dusters.
- Supplied in packs of 10.
- Dimensions: 490x490mm.

1+ £2.49 | 10+ **£1.86**

order code SA0176387 705845

Mini Centre Feed Roll



- Centre hole: 55mm (with cardboard core intact)
- Sheet dimension (HxW) 395x200mm
- **Supplied in packs of 12 rolls**

1+ £15.94 | 4+ **£13.98**

order code SI1612287 683553

Bicycle Accessory Kit



SAVE OVER* 20%

- 5 Piece bike kit
- Consists of 5 LED white front light with quick fix bracket
- Light mode on/flash/off, requires 3x AA batteries
- 5 LED red back light with mounting bracket
- Light mode on/flash/off requires, 2x AAA batteries
- 10 x 650mm cable lock with PVC coating and supplied with two keys
- Two piece reflective bands with quick fastening plastic buckles, size 30 x 180mm

1+ £6.80 | 5+ £5.70

order code CP0641287 699843

Bicycle Computer




SAVE OVER* 20%

- Bicycle computer with thirteen functions
- Suitable for cycle tyre sizes 20-27"
- Functions include: LCD screen, 24hr clock, kilometre/mile conversion, tyre circumference adjustment, current speed, total distance, trip distance, average speed, maximum speed, trip time, scan function, auto start/stop, temperature
- Supplied with AG13 battery

1+ £4.80 | 5+ £3.70

order code CP0639987 699841

iPad & Tablet Holder



SAVE OVER* 15%

- IPad & tablet holder with sucker
- Universal fit suction mount
- Simple to fit & easy to use
- Strong suction cup attachment
- Versatile, rotate & tilt mechanism
- Simple push button adjustment
- Suitable for most iPads/tablets & portable DVD players

1+ £4.50 | 5+ £3.75

order code CP0632187 694678

Seat Organiser with Cool Bag



SAVE OVER* 15%

- Car seat organiser
- Insulated main pocket which helps keep items hot or cold
- 2x Netted pockets for bottles etc. plus a large external pocket
- Built-in tissue dispenser
- Easily attaches to the back of the driver or passenger seat
- Also protects the back of the seat from dirt and scuffs
- Easily cleans with a damp cloth or sponge

1+ £4.70 | 5+ £3.80

order code CP0678487 712341

Air Conditioning Cleaner & Purifier





SAVE OVER* 40%

- Leaves the atmosphere in your car clean and fresh
- Eliminates bacteria, mould and fungi build up
- Removes unpleasant odours
- Deodorises upholstery and carpets
- Easy to use 10 minute total cleaning treatment
- 150ml Canister

1+ £4.50 | 5+ £3.60

order code CP0381087 653039

Breathalysers



SAVE OVER* 10%

- Twin pack of breathalysers
- All vehicles travelling to France must by law carry two NF approved breathalysers
- Complies with the French legislation

1+ £3.40 | 5+ £2.75

order code CP0761987 713397

European Travel Kit



SAVE OVER* 10%

- 1x Warning triangle
- 2x High visibility jackets
- 1x Universal bulb kit
- 1x Set of beam converters • GB sticker
- First aid kit • Foil blanket
- Twin pack of NF approved breathalyzers
- Packed in a compact carry bag
- Dimensions (HxWxD): 215x450x100mm
- Weight: 1.6kg

1+ £24.50 | 5+ £21.44

order code CP0761587 713398

Automotive BC Powder 1KG Fire Extinguisher



SAVE OVER* 15%

- Fitting bracket included
- Accordance to En3 & CE0062 standards
- Class B - FLAMMABLE FUELS/LIQUIDS SUCH AS PETROL, DIESEL, OIL PARAFFIN
- Class C - FLAMMABLE GASES SUCH AS ACETYLENE, LPG, NATURAL GAS
- Dry powder can also be used on electrical fires as powder is not a conductor of electricity

1+ £7.50 | 5+ £6.40

order code CP0626687 694636

Tetrion Moisture Mate



SAVE OVER* 20%

- Avoid serious problems such as condensation, damp and mildew
- Ideal for use in the home, office, caravan, motorhome or boat
- Refill pack replaces the used crystals
- Unit supplied with crystals
- Dimensions box (LxWxH): 232x85x92mm
- Dimensions refill (LxWxH): 72x36x240mm

675533

		1+	5+
CP0603387	Moisture mate	£3.20	£2.50
CP0603487	Refill	£1.75	£1.50

12/24V 1A Twin USB Charger



SAVE OVER* 15%

- Suitable for all standard USB charger cables
- Suitable for iPads, tablets, iPhones and smartphones
- LED Power indicator
- Rated Supply Voltage: 12/24V DC
- Rated Output Voltage: 5V

1+ £3.90 | 5+ £3.30

order code CP0676987 714468

5" 12V Oscillating Fan



SAVE OVER* 20%

1+ £3.50 | 5+ £2.80

order code CP0548487 631269

Recording Journey Camera



SAVE OVER* 35%

- HD in-vehicle video journey recorder
- Ideal for journey recording
- Up to 16 hours on 32GB SD card (not provided)
- Provides quality video evidence in case of accident/ incident disputes
- Infrared night vision feature with motion sensing activation
- Continuous loop recording on SD card (not provided)
- 2.5" Screen compact in-car digital video recorder
- AVI HD video
- Simple USB 2.0 - hi-speed PC connection for fast downloading
- Real time on screen information

1+ £18.50 | 5+ £16.60

order code CP0626087 694633

4 Piece Bungee Cord Set



- Ideal for tying down on roof racks and trailers
- Set contains 2x 18" and 2x 24" bungee cord with rubber tipped hooks
- Cord diameter: 5/16"

1+ 88p | 5+ 75p

order code CP0416787 535177

80cm Luggage Hook Cords



- 4x Stronger than standard elastics
- 17mm Wide for added surface contact
- Heavy duty steel hooks with protective coating to avoid damage to the cargo or any scratches
- Ideal for securing luggage to vehicles, roof bars, roof racks and trailers
- Supplied in a pair

1+ £1.72 | 5+ £1.34

order code CP0679487 714469

4 Piece Ratchet Tie Down Set



- Ideal for securing large items, cargo etc
- Made from weather resistant nylon webbing with steel hooks
- Steel ratchet with quick release mechanism
- Adjusts from 1.2-4.5m
- Breaking strength 450kg
- Safe working capacity 225kg

SAVE OVER* 25%

1+ £9.40 | 5+ £7.80

order code CP0618087 698252

All Season Screen Wash

A concentrated, high power, windscreen washer additive. In use it quickly removes dirt, grime and insect deposits. In addition, it helps to prevent the water bottle contents from freezing.



SAVE OVER* 35%

662403

		1+	5+
CP0243587	1Ltr	£1.10	£0.96
CP0243687	5Ltr	£3.44	£2.80

23cm Wall Clocks



- Quartz movement
- Requires 1x AA battery (not included)

SAVE OVER* 20%

698928

		1+	5+
OE0625487	White	£3.50	**£2.98**
OE0625587	Black	£3.50	**£2.98**

25.5cm Wall Clocks



- Quartz movement
- Full numbered dial
- Plastic case and lens
- Requires 1x AA battery (not included)

SAVE OVER* 25%

714453

		1+	5+
OE0625687	White	£4.98	**£4.45**
OE0625787	Black	£4.98	**£4.45**

30cm Wall Clocks



- Quartz movement
- Full numbered 12/24 hour dial
- Plastic case and lens
- Requires 1x AA Battery (not included)

SAVE OVER* 20%

696008

		1+	3+
OE0625887	White	£6.78	**£6.40**
OE0625987	Black	£6.78	**£6.40**

30cm Radio Controlled Wall Clock



- Radio controlled for split second accuracy
- Automatic set and updated
- Full numbered 12/24 hour dial
- Silver plastic rim and clear lens
- Requires 1x AA Battery (not included)

SAVE OVER* 25%

1+ £11.58 | 3+ **£10.97**

order code OE0625387 696007

Radio Controlled LCD Wall Clock

Model: Halo



- Radio controlled for split second accuracy
- Automatically sets to correct time & date
- Calendar, temperature and moon phase
- 12/24 Hour format
- Desk or wall mount
- Requires 2x AA batteries (not included)
- Dimensions (WxHxD): 260x176x35mm

SAVE OVER* 10%

1+ £15.20 | 5+ **£13.94**

order code OE0624387 686917

Water Resistant Stopwatch

SAVE OVER* 30%



- 1/100 second
- Lap and split timing up to 24 hours
- Bi-Bi alarm
- Green EL backlight
- Water resistant
- Clock and alarm
- Supplied with neck lanyard
- Easy to use
- Ideal for timing exams, gym work, running, swimming and all other outdoor activities
- Supplied with CR2032 Lithium battery
- Colour: Silver
- Dimensions: 85x55x19mm

1+ £2.75 | 5+ **£2.48**

order code OE0619887 677355

Radio Controlled LCD Wall Clock

Model: Stratus



- Radio Controlled for split second accuracy
- Automatically sets to correct time & date
- Smartlit – night time controlled backlight
- Calendar, temperature and moon phase
- 12/24 hour format
- Desk or wall mount
- Dimensions (WxHxD): 285x170x30mm

SAVE OVER* 10%

1+ £15.20 | 5+ **£13.94**

order code OE0624487 688057

Heavyweight Tape Dispenser

SAVE OVER* 25%



- Ideal for home and office use
- Non-slip base
- Dispenses tape up to 25mm
- Dimensions (HxWxD): 85x60x172mm

1+ £1.79 | 5+ **£1.58**

order code OE0629987 700132

Countdown Timer - Large Display

A min-sec countdown timer for domestic or office use. The unit can countdown from a maximum of 99min 59sec and includes start/stop, min/sec set and clear push buttons. An audible bleeper sounds when the count has reached zero and the unit is mounted using the magnetic stand/clip. Supplied with battery. Dimensions (WxHxD): 60x60x18mm.



SAVE OVER* 30%

1+ £2.99 | 10+ **£2.75**

order code CT0009987 516825

Literature Wall File, Clear

SAVE OVER* 20%



- Stylish wall file suitable for organising all paperwork, brochures, advertising material etc
- Can be mounted flush to walls, desks or cupboards using the screw and plugs supplied
- Wall files can be linked together enabling a system to be built to suit
- Dimensions (HxWxD): 268x256x100mm

Note: Contents not included.

1+ £3.24 | 5+ **£2.75**

order code OE0626287 710654

A4 Clipboards



SAVE OVER* 10%

A choice of rigid PVC coated A4 clipboards featuring a pen holder and clear front pocket.

- Available in blue or black

700119

		1+	10+
OE0628087	Blue	£0.98	**£0.90**
OE0628187	Black	£0.98	**£0.90**

Permanent Marker Pens



OE0629787

- 7 Thick permanent marker pens
- Waterproof
- Bullet tips
- Contains 3 black, 2 blue and 2 red marker pens

SAVE OVER* 15%

OE0631087

- 8 Permanent marker pens
- Fine point tips
- Contains black, orange, dark blue, purple, yellow, red, green and light blue colours

700131

		1+	10+
OE0629787	Thick	£0.98	**£0.90**
OE0631087	Standard	£0.98	**£0.90**

Roller Tip Pens

- Pack of 8 pens (3 blue, 3 black and 2 red)
- Colour coded barrels and lids
- Fine tips

1+ £1.05 | 10+ **£0.95**

order code OE0630887

Cross Cut Shredder



- Cross cut model for home or office use
- Paper entry width of 223mm
- Shreds up to 5 sheets of paper
- Cut size of 4x35mm
- Shreds credit cards
- 14 Litre bin capacity
- Safety switch and auto stop
- Dimensions (HxWxD): 340x230x180mm
- Weight: 3.22kg

SAVE OVER* 20%

1+ £16.98 | 5+ **£15.50**

order code OE0524187 521107

Ballpoint Pens




- Easy grip pens
- Waterproof ink
- 0.6mm Tip
- Pack of 8

700142

		1+	10+
OE0631187	Blue	£0.98	**£0.84**
OE0631287	Black	£0.98	**£0.84**

Self Adhesive Packing Tape

A range of classic quality packing tape and a low noise type.



SAVE OVER* 20%

(WxL):

Standard Type	50mmx66m	
Low Noise	48mmx66m	530233

Standard		Pack	1+	3+
OE0399287	Brown	6	£9.13	**£7.84**
OE0399687	Brown	36	£47.71	**£45.60**
OE0399387	Clear	6	£9.13	**£7.84**
OE0399787	Clear	36	£47.71	**£45.60**
Low Noise				
OE0399487	Brown	6	£9.13	**£7.84**
OE0399887	Brown	36	£47.47	**£45.60**
OE0399587	Clear	6	£9.13	**£7.84**
OE0399987	Clear	36	£47.71	**£45.60**




700141

All prices exclude VAT

Polypropylene Self Adhesive Packing Tape - 66m

DURATOOL

- 50mm in Width



SAVE OVER* 30%

495609

		1+	10+
OE0515087	Buff (brown)	£0.82	**£0.70**
OE0515187	Clear	£0.82	**£0.70**
OE0515287	Red	£1.52	**£1.19**
OE0516987	Yellow	£1.52	**£1.19**
OE0517087	Blue	£1.52	**£1.19**
OE0517187	Green	£1.52	**£1.19**

		1+	3+
OE0517287	Brown Buff 36 Pack	£23.98	**£22.21**

Bulk Tape Dispenser



SAVE OVER* 25%

Lightweight, quality dispenser with high impact plastic and steel design. Fully adjustable tape brake and position guide ensures improved performance. Angled blade for easy cutting on toughest tapes. For tapes 50mm width x66m. Core size 76mm.

1+ £4.71 | 5+ **£4.08**

order code OE0514687 489791

Stretch Wrap

- Hand held stretch wrap for all your applications
- Additives give tack on both sides
- 17µm film thickness in black or clear
- Wound on standard cores
- Hand held dispenser available
- Not suitable for use with food



SAVE OVER* 35%

489167

		1+	3+
Clear			
OE0485187	400mmx250m	£5.87	**£5.10**
Black			
OE0485287	500mmx250m	£7.43	**£6.98**
Dispenser			
OE0485387	Universal Hand Held	£17.26	**£15.98**

Performer Paper - 80gsm

xerox



SAVE OVER* 10%

- Supplied in reams of 500 sheets in A4 or A3
- Suitable on all laser and inkjet printers

521126

		Sheets	1+	5+
OE0524887	A4	500	£4.39	**£3.98**
OE0524987	A3	500	£7.97	**£7.29**

Magic Tape

Scotch



SAVE OVER* 20%

Ideal for office use and gives a neat professional finish to every job. Virtually invisible when applied, it stays that way over time and won't ghost on photocopies. Use it to repair a torn document, assemble pages, mount items to be photocopied, or to post an announcement. You can write on it too.

- 19mm x 33m

1+ £2.22 | 5+ **£2.05**

order code OE0398387 504224

Heavy Duty Stick On Coins

VELCRO



SAVE OVER* 10%

A range of self-adhesive VELCRO brand coin fasteners. The coins are ideal for securing items to hard materials, such as securing picture frames, Christmas lights, spirit levels etc..

- An alternative to nails, glue or screws
- Suitable for indoor use and outdoor certain outdoor projects
- Strong and water resistant adhesive
- Supports a maximum weight of up to 2kg per coin
- Dimensions: 45mm
- Supplied in packs of 6 sets (hook & loop coins)
- Available in black or white

Note: Not recommended for fabrics, dashboards, flexible vinyl, or underwater use. Continued exposure to full sunlight can damage fastener

710313

		1+	5+
OE0633287	Black	£2.35	**£2.09**
OE0633387	White	£2.35	**£2.09**

Super Slim Oval Fasteners

VELCRO



SAVE OVER* 25%

A range of self-adhesive oval super-slim stick-on VELCRO Brand Fasteners. These are ideal for the securing opened bags of food such as pasta and hanging lightweight items i.e charts, posters

- An alternative to glue
- Supports a maximum weight of up to 500g
- Dimensions: 35mm length
- Available in packs of 100 or 18 sets (hook & loop adhesive oval fasteners)

Note: Not recommended for fabrics, dashboards, flexible vinyl, or underwater use. Continued exposure to full sunlight can damage fastener

710314

		1+	5+
OE0634187	Pack of 100	£4.32	**£3.94**
OE0634287	Pack of 18	£1.97	**£1.76**

A3 Laminator with Jam Release



SAVE OVER* 20%

- Jam release
- 3 Minute warm up time
- Accommodates 150-250 Micron Pouches
- Seals airtight in seconds
- Never clouds or discolours with age
- Protects against tampering, grease and most liquids
- Advanced hot roller technology

1+ £20.32 | 3+ **£18.94**

order code OE0615587 677788

Heavy Duty Stick On Tape

VELCRO



SAVE OVER* 25%

A range of self-adhesive Velcro Brand Heavy Duty Stick On Tapes. These are ideal for fixing a tool rack to a wall.

- An alternative to nails, glue or screws
- Strong adhesive
- Supports a maximum weight of up to 15kg per 100mm strip
- Width: 50mm
- Cut-to-length (hook and loop tape)
- Available in 1m, 2.5m & 5m lengths

Note: Not recommended for fabrics, dashboards, flexible vinyl, or underwater use. Continued exposure to full sunlight can damage fastener

709105

White		1+	5+
OE0420987	1m	£5.39	**£4.58**
OE0633487	2.5m	£8.94	**£8.26**
OE0421187	5m	£19.98	**£18.24**
Black			
OE0420887	1m	£5.48	**£4.69**
OE0633587	2.5m	£8.94	**£8.26**
OE0421087	5m	£19.98	**£18.24**

Desktop Calculator

RS



SAVE OVER* 20%

- Dual powered operation
- 8 Digit display
- Auto power off
- Square root function
- Audible keystroke option
- DImensions (WxLxH): 95x125x30mm

1+ £1.42 | 10+ **£1.25**

order code OE0630387 700136

A4 Refill Paper Pad

RS



SAVE OVER* 10%

- Ruled sheets with margin
- Pre-punched with two holes
- Contains 240 pages per pad

1+ 96p | 10+ **89p**

order code OE0632387 700148

Masking Tape

General purpose paper masking tape suitable for a multitude of uses. Supplied on 50m rolls in either 25mm or 50mm widths.



SAVE OVER* 40%

462569

		1+	10+
OE0424187	25mmx50m	£0.98	**£0.92**
OE0517787	50mmx50m	£1.45	**£1.29**

A4 Copier Paper

xerox



SAVE OVER* 10%

- Quality 75gsm white A4 paper
- Ideal for office printer and fax use
- Suitable for everyday use with laser or inkjet printers
- Dimensions (LxW): 297x210mm
- Supplied in packs of 500 sheets

1+ £2.60 | 3+ **£2.25**

order code OE0641987 711246

Clear Adhesive Tape (4 Rolls)

- 25mm x 50m (75mm core)



SAVE OVER* 15%

1+ £2.24 | 10+ **£1.99**

order code OE0517487 608864

A4 & A3 Laminating Pouches - 100 Pack

- Compatible with most laminating machines



SAVE OVER* 40%

621381

A4		1+	5+
OE0565387	150 Micron	£6.24	**£5.40**
OE0565487	250 Micron	£9.62	**£8.54**
A3			
OE0565587	150 Micron	£9.62	**£8.54**
OE0565687	250 Micron	£17.42	**£16.68**

Delivered by Royal Mail C9 10002

Return address: Marketing Department, CPC, Faraday Drive, Fulwood, Preston PR2 9PP.

130110DCG

All prices exclude VAT **Offers valid until 7th August 2015**

Outdoor Enclosure with 4 Gang Extension Socket - 2m, IP64

PRO-ELEC

code PL1080687

See page 9



1+ £11.50

3+ **£9.89**

SAVE OVER* **35%**

GU10 LED Lamp - 3W

PRO-ELEC

code LP0783187

See page 19



1+ £1.68

5+ **£1.39**

SAVE OVER* **25%**

Flexi Desk Lamp

PRO-ELEC

code LP0791287

See page 27



SAVE OVER* **15%**

1+ £3.28

3+ **£2.80**

Dusk-to-Dawn LED Night Light

code LA0286387

See page 6



SAVE OVER* **15%**

1+ £1.49

3+ **£1.20**

HDMI Lead

pro-SIGNAL

code AV2060187

See page 61

- 2m

HIGH SPEED



1+ 95p

5+ **78p**

SAVE OVER* **30%**

29" Tower Fan

PRO-ELEC

code HG0088187

See page 31



SAVE OVER* **30%**

1+ £13.75

3+ **£12.50**

Portable Gas Stove

code CP0415987

See page 55



SAVE OVER* **30%**

1+ £6.50

3+ **£5.99**

Cross Cut Shredder

PRO-ELEC

code OE0524187

See page 74



SAVE OVER* **20%**

1+ £16.98

5+ **£15.50**

12 LED Headtorch

PRO-ELEC

code LA0306487

See page 29



1+ £1.39

5+ **£1.18**

SAVE OVER* **50%**

Although every effort has been made to ensure prices are correct at the time of going to print, CPC reserves the right to change all prices without notice and at any time. All prices are subject to the current rate of VAT. Products may be available elsewhere from CPC at a different price. Prices in this brochure are only valid during the dates stated on the front of this brochure, and are subject to change in line with market and economic conditions without notice and at any time. Discounts shown throughout are against the original Catalogue price or a previously published price. Some goods are supplied with a manufacturers or CPC guarantee; please check at the time of purchase. Full terms and conditions are available upon request, alternatively view our main Catalogue or online at cpc.co.uk. If you wish to be removed from our brochure mailing list please write to the Marketing Manager at the address provided within this brochure, stating your account number, or phone our sales office. CPC is a division of Premier Farnell UK Limited. Registered No. 860093. Registered Office: 150 Armley Rd, Leeds LS12 2QQ, UK. Trading address: CPC, Component House, Faraday Drive, Fulwood, Preston, PR2 9PP. Details of CPCs data protection policy are available upon request (please quote SUDATA), or to view in our main catalogue or online at cpc.co.uk.
Battery Producer Registration Number: BPRN00563. WEE Producer Registration Number: WEE/AK0049TZ.

A Premier Farnell Company

ISO9001