LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.



Product Features

- LED strip is a low Voltage flexible Ribbon available in DC:12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades
- Available in DC:12V and 220V with different color range from Warm White to RGB
- Available in IP20 and IP65 rating
- Available in 8mm or 10mm width
- Available in 1 or 1.5 meter rigid bar options with different options of Aluminium Profiles

Applications

Ideal for illuminating Borders, Edges, Cabinets, Bars and any area with limited space for installation.





MOTION PIR SENSOR

DIMMABLE

NEW

LED Bedlight With Sensor-Single Bed

VT-8067	EAN Code
2548 - 3000K Warm White	3800157628433
2549 - 4500K Day White	3800157628440

BOX QTY. 25

Watts:	**3W**
Voltage:	**DC 12 V**
LED/M:	**30**
Strips length:	**1.2 m x1**
Sensor Distance:	**2-5 m**
Delay time:	**30sec, 130sec, 380sec**

NEW

LED Bedlight With Sensor-Double Bed

VT-8068	EAN Code
2550 - 3000K Warm White	3800157628457
2551 - 4500K Day White	3800157628464

BOX QTY. 18

Watts:	**6W**
Voltage:	**DC 12 V**
LED/M:	**30**
Strips length:	**1.2 m x 2**
Sensor Distance:	**2-5 m**
Delay time:	**30sec, 130sec, 380sec**



NEW

BS PLUG

- 5 Meter Roll
- Power Supply

VT-5050 60	EAN Code
2545 - 3000K Warm White	3800157626804
2546 - 6000K White	3800157626811
2534 - Pink	3800157625326

BOX QTY. 20

A+

BS PLUG

- 5 Meter Roll
- Power Supply
- RGB Remote Control With Battery

VT-5050 60	EAN Code
2544 - RGB	3800157625975

BOX QTY. 20

A+

LED Type:	**SMD 5050**	lm/M:	**1000lm**
Watt/M:	**10W**	lm/LED:	**9-11 lm**
Current/M:	**1.5A**	Beam Angle:	**120°**
Voltage:	**AC: 100-265V, 50/60Hz**	IP Rating:	**IP20**
LED Qty	**60**	Width:	**8mm**

10mm

3000lm/m HIGH LUMENS | CRI >80 | 240 LED/M | IP20 RATED | 5M ROLL | BOX QTY. 400



2835-NON WP | 240 LED/M A++

18W 2835-NON WP

	EAN Code
2164 - 3000K Warm White	3800157610117
2165 - 4500K Day White	3800157610124
2166 - 6000K White	3800157610131

LED Type:	**2835**	lm/M:	**3000lm**
Watt/M:	**18W**	lm/LED:	**20-22 lm**
Current/M:	**1.5A**	Beam Angle:	**120°**
Voltage:	**DC:12V**	IP Rating:	**IP20**
LED Qty:	**240**	Width:	**10mm**

8mm

CRI >80 | 204 LED/M | IP20 RATED | 5M ROLL | BOX QTY. 400



2835-NON WP | 204 LED/M A+

18W 2835-NON WP

	EAN Code
2461 - 3000K Warm White	3800157612234
2462 - 4500K Day White	3800157612241
2463 - 6000K White	3800157612258

LED Type:	**2835**	lm/M:	**1700lm**
Watt/M:	**18W**	lm/LED:	**9-11 lm**
Current/M:	**1.5A**	Beam Angle:	**120°**
Voltage:	**DC:12V**	IP Rating:	**IP20**
LED Qty:	**204**	Width:	**8mm**



8mm

3000lm/m HIGH LUMENS | **CRI >95** | 120 LED/M | IP20 RATED | **5M** ROLL

BOX QTY. 400

5730-NON WP | 120 LED/M A++

18W 5730-NON WP	EAN Code
2162 - 3000K Warm White	3800157610094
2163 - 4500K Day White	3800157610100
2161 - 6000K White	3800157610087

LED Type:	**5730**	lm/M:	**3000lm**
Watt/M:	**18W**	lm/LED:	**20-22 lm**
Current/M:	**1.5A**	Beam Angle:	**120°**
Voltage:	**DC:12V**	IP Rating:	**IP20**
LED Qty:	**120**	Width:	**8mm**

5M ROLL



30 LED/M A+

4.8W 5050 - WP

500 lm/M

IP65 RATED

10mm

BOX QTY. 400



LED Type:	5050	Color:	SKU Code:	EAN Code:
Watt/M:	4.8W	White	2144	3800230621399
Current/M:	0.4A	Warm White	2145	3800230621412
Voltage:	DC:12V	Day White	2460	3800157612166
LED Qty:	30	Red	2118	3800230621528
lm/LED:	14 -16lm	RGB		
Beam Angle:	120°			
IP Rating:	IP65			
Width:	10mm			

5M ROLL



30 LED/M A+

4.8W 5050 - NON WP

500 lm/M

IP20 RATED

10mm

BOX QTY. 400



LED Type:	5050	Color:	SKU Code:	EAN Code:
Watt/M:	4.8W	White	2133	3800230621382
Current/M:	4A	Warm White	2135	3800230621405
Voltage:	DC:12V	RGB	2124	3800230621535
LED Qty:	30			
lm/LED:	14 -16lm			
Beam Angle:	120°			
IP Rating:	IP20			
Width:	10mm			

5M ROLL



60 LED/M A+

10.8W 5050 - WP

1000 lm/M

IP65 RATED

10mm

BOX QTY. 400



LED Type:	5050	Color:	SKU Code:	EAN Code:
Watt/M:	10.8W	White	2148	3800230621498
Current/M:	0.8A	Warm White	2149	3800230621511
Voltage:	DC:12V	Day White	2150	3800230621474
LED Qty:	60	Red	2152	3800230624775
lm/LED:	14 -16lm	Green	2153	3800230621450
Beam Angle:	120°	Blue	2151	3800230621436
IP Rating:	IP65	RGB	2155	3800230621559
Width:	10mm			

5M ROLL



60 LED/M A+

10.8W 5050 - NON WP

1000 lm/M

IP20 RATED

10mm

BOX QTY. 400



LED Type:	5050	Color:	SKU Code:	EAN Code:
Watt/M:	10.8W	White	2126	3800230621481
Current/M:	0.8A	Warm White	2122	3800230621504
Voltage:	DC:12V	Day White	2143	3800230621467
LED Qty:	60	Red	2128	3800230624468
lm/LED:	14 -16lm	Green	2138	3800230621443
Beam Angle:	120°	Blue	2137	3800230621429
IP Rating:	IP20	Yellow	2156	3800230628824
Width:	10mm	RGB	2120	3800230621542

5M ROLL



60 LED/M A+

3.6W 3528 - WP

400 lm/M

IP65 RATED

8mm

BOX QTY. 400



LED Type:	3528	Color:	SKU Code:	EAN Code:
Watt/M:	3.6W	White	2031	3800230621146
Current/M:	0.3A	Warm White	2032	3800230621177
Voltage:	DC:12V	Day White	2043	3800230621191
LED Qty:	60	Red	2036	3800230621276
lm/LED:	5 -6lm	Green	2034	3800230621238
Beam Angle:	120°	Blue	2035	3800230621245
IP Rating:	IP65	Yellow		
Width:	8mm			

5M ROLL



60 LED/M A+

3.6W 3528 - NON WP

400 lm/M

IP20 RATED

8mm

BOX QTY. 400



LED Type:	3528	Color:	SKU Code:	EAN Code:
Watt/M:	3.6W	White	2005	3800230621153
Current/M:	0.3A	Warm White	2016	3800230621160
Voltage:	DC:12V	Day White	2041	3800230621184
LED Qty:	60	Red	2015	3800230621269
lm/LED:	5 -6lm	Green	2011	3800230621221
Beam Angle:	120°	Blue	2013	3800230621252
IP Rating:	IP20	Yellow	2009	3800230621214
Width:	8mm			

5M ROLL



120 LED/M A+

7.2W 3528 - WP

600 lm/M

IP65 RATED

8mm

BOX QTY. 400



LED Type:	3528	Color:	SKU Code:	EAN Code:
Watt/M:	7.2W	White	2037	3800230621290
Current/M:	0.6A	Warm White	2038	3800230621313
Voltage:	DC:12V	Day White	2044	3800230621337
LED Qty:	120	Red	2039	3800230621375
lm/LED:	5 -6lm	Blue	2027	3800230621351
Beam Angle:	120°			
IP Rating:	IP65			
Width:	8mm			

5M ROLL



120 LED/M A+

7.2W 3528 - NON WP

600 lm/M

IP20 RATED

8mm

BOX QTY. 400



LED Type:	3528	Color:	SKU Code:	EAN Code:
Watt/M:	7.2W	White	2002	3800230621283
Current/M:	0.6A	Warm White	2025	3800230621306
Voltage:	DC:12V	Day White	2042	3800230621320
LED Qty:	120	Red	2030	3800230621368
lm/LED:	5 -6lm			
Beam Angle:	120°			
IP Rating:	IP20			
Width:	8mm			

5M ROLL



204 LED/M A+

18W 3014 - NON WP

1700 lm/M

IP20 RATED

10mm

BOX QTY. 400



LED Type:	**3014**	Color:	**SKU Code:**	EAN Code:
Watt/M:	**18W**	**White**	**2403**	**3800230628053**
Current/M:	**1.5A**	**Warm White**	**2404**	**3800230628060**
Voltage:	**DC:12V**	**Day White**	**2405**	**3800157600309**
LED Qty:	**204**			
lm/LED:	**9-11lm**			
Beam Angle:	**120°**			
IP Rating:	**IP20**			
Width:	**10mm**			

5M ROLL



60 LED/M RGB + W A+

10.8W 5050 - NON WP

900 lm/M

IP20 RATED

10mm

BOX QTY. 400



LED Type:	**5050**	Color:	**SKU Code:**	EAN Code:
Watt/M:	**10.8W**	**RGB**	**2159(RGB+W)**	**3800230629623**
Current/M:	**1.2A**			
Voltage:	**DC:12V**			
LED Qty:	**30:30**			
lm/LED:	**15lm**			
Beam Angle:	**120°**			
IP Rating:	**IP20**			
Width:	**10mm**			

5M ROLL

DC:24V Voltage



60 LED/M A+

9W 5050 - NON WP

600 LED/M

IP20 RATED

10mm

BOX QTY. 200



LED Type:	**5050**	Color:	**SKU Code:**	EAN Code:
Watt/M:	**9W**	**White**	**2430**	**3800230621566**
Current/M:	**0.3A**	**Warm White**	**2431**	**3800230621573**
Voltage:	**DC:24V**	**Day White**	**2459**	**3800157612036**
LED Qty:	**60**			
lm/LED:	**14 -16lm**			
Beam Angle:	**120°**			
IP Rating:	**IP20**			
Width:	**10mm**			

10M ROLL

DC:24V Voltage


120 LED/M


A+


IP65 RATED

160° Beam Angle

BOX QTY. 05







Model No:	VT-555	VT-555	VT-555
SKU Code:	2512	2513	2514
Color/Temperature:	White	Warm White	Day White
Lumen lm/M:	320±5%	320±5%	320±5%
FPC Width MM:	7.5	7.5	7.5
Power W/M:	8-10W	8-10W	8-10W
Jacket Dia:	9 x16.5 mm	9 x16.5 mm	9 x16.5 mm
EAN Code:	3800157605656	3800157605663	3800157605670

10M ROLL


DC:24V Voltage

120 LED/M

A+

IP65 RATED

160° Beam Angle







Model No:	VT-555	VT-555	VT-555
SKU Code:	2515	2516	2517
Color/Temperature:	Blue	RED	Green
Lumen lm/M:	320±5%	320±5%	320±5%
FPC Width MM:	7.5	7.5	7.5
Power W/M:	8-10	8-10	8-10
Jacket Dia:	9 x16.5 mm	9 x16.5 mm	9 x16.5 mm
EAN Code:	3800157605687	3800157605694	3800157605700

10M ROLL

BOX QTY. 05


DC:24V Voltage

120 LED/M

A+

IP65 RATED

160° Beam Angle







Model No:	VT-555	VT-555	VT-555
SKU Code:	2518	2529	2531
Color/Temperature:	Yellow	Pink	Violet
Lumen lm/M:	320±5%	320±5%	320±5%
FPC Width MM:	7.5	7.5	7.5
Power W/M:	8-10	8-10	8-10
Jacket Dia:	9 x16.5 mm	9 x16.5 mm	9 x16.5 mm
EAN Code:	3800157605717	3800157619523	3800157619547



6PCS IINCLUDED

FIRE RATED

UV PROTECTION

IP65 RATED

Item:	Profile
SKU Code:	2527
EAN Code:	3800157608404



BOX QTY. 500



BOX QTY. 3000



BOX QTY. 2000

Item:	Power cord without plug	Pin	End safe cap
SKU Code:	3331	3333	3334
EAN Code:	3800157608268	3800157607889	3800157607896



LED Strip Sets

PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll


SKU Code:	Description:	EAN Code:	BOX Qty:
2351	**LED Strip Set SMD3528 60 LEDs 4500K IP20**	**3800230621634**	48
2350	**LED Strip Set SMD5050 30 LEDs RGB IP20**	**3800230621641**	48
2352	**LED Strip Set SMD5050 30 LEDs RGB IP65**	**3800230621658**	50
2353	**LED Strip Set SMD5050 60 LEDs RGB IP20**	**3800230621665**	50
2354	**LED Strip Set SMD5050 60 LEDs RGB IP65**	**3800230621672**	48
2355	**LED Strip Set SMD5050 60 LEDs White IP20**	**3800230621689**	48
2356	**LED Strip Set SMD5050 60 LEDs White IP65**	**3800230621696**	48


LED Strip

ACCESSORIES





SKU Code:	Description:	EAN Code:	BOX Qty:
3500	**Flexible Connector - LED Strip 3528**	**3800230622051**	100
3501	**Flexible Connector - LED Strip 5050**	**3800230622068**	5000
3502	**Flexible Connector - LED Strip 5050 RGB**	**3800230622075**	100
3503	**Connector - LED Strip 3528**	**3800230622082**	10000
3504	**Connector - LED Strip 5050**	**3800230622099**	5000
3505	**Connector - LED Strip 5050 RGB**	**3800230622105**	1000
3507	**Flexible Connector - LED Strip 3528 DC Female**	**3800230622112**	100
3508	**Flexible Connector - LED Strip 5050 DC Female**	**N/A**	5000
3509	**Connector - LED Strip 3528 Cross Type**	**N/A**	100
3510	**Connector - LED Strip 5050 Cross Type**	**N/A**	200
3511	**Connector - LED Strip 5050 L Type**	**N/A**	250
3512	**Connector - LED Strip DC Female**	**N/A**	100
















Aluminum Profiles


Model No:	VT-7101	VT-7101	VT-7102
SKU Code:	9981	9982	9983
Dimension:	16.76 x 10.3 x 1000 mm	16.76 x 10.3 x 1000 mm	16.9 x 12.48 x 1000 mm
Color of Fixture:	Transparent	Matt	Transparent
EAN Code:	3800230622129	3800230622136	3800230622143
	BOX QTY. 100	BOX QTY. 100	BOX QTY. 140

















Aluminum Profiles


Model No:	VT-7102	VT-7103	VT-7104
SKU Code:	9984	Transparent: 9985 / Matt : 9986	9987
Dimension:	16.9 x 12.48 x 1000 mm	26.5 x 9 x 1000 mm	19 x 19 x 1000 mm
Color of Fixture:	Matt	Transparent / Matt	Matt
EAN Code:	3800230622150	Transparent : 3800230622167	3800230622181
	BOX QTY. 140	Matt: 3800230622174 BOX QTY. 90	BOX QTY. 80


Aluminum Profiles


















Model No:	VT-7105	VT-7105	VT-7109
SKU Code:	9990	9991	9947
Dimension:	24.6 x 7.85 x 1000 mm	24.6 x 7.85 x 2000 mm	22x17x1000mm
Color of Fixture:	Milky	Milky	Milky
EAN Code:	3800230628077	3800230628794	3800157617208
	BOX QTY. 150	BOX QTY. 50	BOX QTY. 150

Aluminum Profiles















Model No:	VT-7106	VT-7107	VT-7108
SKU Code:	1000mm:9992 / 2000mm: 9993	9994	9995
Dimension:	17.5 x 7.8 x1000 / 2000 mm	60 x 35.1 x 1000 mm	ø20.54 x 1000 mm
Color of Fixture:	Milky / Milky	Milky	Milky
EAN Code:	1000mm : 3800230628800 2000mm : 3800230628817	3800157601399	3800157601405
	BOX QTY. 150 /70	BOX QTY. 16	BOX QTY. 56

NEW

2PCS PACK



BOX QTY. 250

LED Bar - NON WP

18W VT-4014 144

1700 lm/M

IP20 RATED

10mm

Power:	18W	Color:	SKU Code:	EAN Code:
Current:	1.5A	Warm White	2535	3800157625883
Voltage:	12V	Day White	2536	3800157625890
Lumens/LED:	20-24lm/LED	White	2537	3800157625906
LM/M:	1700lm			
Size:	1.0M			
LED Type:	SMD 4014			
IP Rating:	IP20			

NEW

10PCS PACK



BOX QTY. 500

LED Bar - NON WP

18W VT-4014 144


1700 lm/M

IP20 RATED

10mm

Power:	18W	Color:	SKU Code:	EAN Code:
Current:	1.5A	Warm White	2538	3800157625913
Voltage:	12V	Day White	2539	3800157625920
Lumens/LED:	20-24lm/LED	White	2540	3800157625937
LM/M:	1700lm			
Size:	1.0M			
LED Type:	SMD 4014			
IP Rating:	IP20			

NEW



BOX QTY. 100

LED BAR Profile Complete Set

18W VT-4014 144

1700 lm/M

IP20 RATED

10mm

LED Type:	18W	Color:	SKU Code:	EAN Code:
Watt/M:	1.5A	Warm White	2541	3800157625944
Current/M:	12V	Day White	2542	3800157625951
Voltage:	20-24lm/LED	White	2543	3800157625968
LM/M:	1700lm			
Size:	1.0M			
LED Type:	SMD 4014			
Width:	12mm			
IP Rating:	IP20			

Strip Controllers







SKU Code:	3300	3303	3304
Model No:	VT-2402	VT-2404	VT-2401
Description:	Dimmer for LED Strip with Remote Control	Radio Controller with Remote Control 4 Buttons	Infrared Controller with Remote Control 24 Buttons
Max Current /Watt:	8A, 96W	12A, 144W	6A, 72W
Input Voltage:	DC 12/24 V	DC 12/24 V	DC 12/24 V
Size:	115 x 55 x 35 mm	105 x 65 x 20 mm	65 x 35 x 22 mm
EAN Code:	3800230622198	3800230622204	3800230622211

Strip Controllers







SKU Code:	3307	3312	3317
Model No:	VT- DMX 512	VT-2405	VT-2401
Description:	DMX 512 Controller	Radio Controller with Touch Remote Contol	Infrared Controller with Remote Control 44 Buttons
Max Current /Watt:	4A x3, 360W	3A x4, 144W	6A, 72W
Input Voltage:	DC:12V	DC 12/24 V	DC 12/24 V
Size:	165 x 75 x 25 mm	130 x 65 x 25 mm	125 x 56 x 7 mm
EAN Code:	3800230622266	3800230622273	3800230622228

Strip Controllers







SKU Code:	3625	3318	3320
Model No:	VT-2472	N/A	N/A
Description:	Infrared Controller with Remote Control 24 Buttons	Radio Controller with Remote Control	Mini RF Controller
Max Current /Watt:	6A, 72W	500W	N/A
Input Voltage:	DC 12/24 V	DC:12V	DC:12V
Size:	N/A	120 x 75 x 25 mm	N/A
EAN Code:	3800157609920	3800230622235	3800230628022

Strip Controllers

BOX QTY.	500	50	100
			
SKU Code:	3319	3321	3663
Model No:	N/A	N/A	VT-2410
Description:	24B Mini Controller	WI-FI Single Controller	WI-FI Single Controller
Max Current /Watt:	N/A	N/A	6A 216W/432W
Input Voltage:	DC:12V	DC:12V	DC 12/24 V
EAN Code:	3800230628015	3800230628039	3800157619509

Strip Controllers

BOX QTY.	50	100	100
			
SKU Code:	3322	3326	3327
Description:	WI-FI RGB Controller	5050 60 RGB with LED Controller	RGB+W Amplifier
Input Voltage:	DC:12V	DC:12V	DC:12V
EAN Code:	3800230628046	3800230629630	3800157601047

Strip Controllers

BOX QTY.	100	100	1000
			
SKU Code:	3328	3009	3018
Description:	360W RF Controller	5050 RGB Strip Amplifier	5050 RGB Strip Mini-Amplifier
Input Voltage:	DC:12V	DC:12V	DC:12V
EAN Code:	3800157601054	3800230622259	3800230622242





Complete range of modules for

SIGNAGE INDUSTRY

Model No:	VT-50503
Watts:	0.72W/PC
Lumens:	66lm/PC
Beam Angle:	160°
CRI:	75
Voltage/Frequency:	DC:12V
Unit Size:	67 x 15 x 8.5mm
IP Rating:	IP67
Material:	ABS + PCB

SKU Code:	EAN Code:	Box Qty:
WHITE: 5116	3800157610209	2000
RED: 5117	3800157610216	2500
BLUE: 5118	3800157610223	2000
BLACK: 5119	3800157610230	2000

IP67 RATED



Model No:	VT-28353
Watts:	1W/PC
Lumens:	100lm/PC
Beam Angle:	120°
CRI:	75
Voltage/Frequency:	DC:12V
Unit Size:	53x12x4.6mm
IP Rating:	IP67
Material:	ABS+Aluminum Plate

SKU Code:	EAN Code:	Box Qty:
WHITE: 5120	3800157610247	5000
RED: 5121	3800157610254	3000
BLUE: 5122	3800157610261	
GREEN: 5123	3800157610278	5000

IP67 RATED



IP67 RATED

Model No:	VT-28356
Watts:	1.5
Voltage/Frequency:	DC 12V
Luminous Flux:	120-150lm
LED Type:	SMD2835
CRI:	>75
Beam Angle:	120°
Color of Fixture:	White
Body Type:	ABS+Aluminium
Dimension:	87 x 15 x 10mm
IP Rating:	IP67

SKU Code:	EAN Code:	Box Qty:
WARM WHITE: 5124	3800157621687	2000
WHITE: 5125	3800157621694	2000
RED: 5126	3800157621700	2000
BLUE: 5127	3800157621717	2000
GREEN: 5128	3800157621724	2000



IP68 RATED

Model No:	VT-28358
Watts:	1.44
Voltage/Frequency:	DC 12V
Luminous Flux:	120-135lm
LED Type:	SMD2835
CRI:	>75
Beam Angle:	160°
Color of Fixture:	White
Body Type:	ABS+Aluminum
Dimension:	37x 37 x 6.8mm
IP Rating:	IP68

SKU Code:	EAN Code:	Box Qty:
WARM WHITE: 5129	3800157621731	100
WHITE: 5130	3800157621748	100
RED: 5131	3800157621755	200
BLUE: 5132	3800157621762	100
GREEN: 5133	3800157621779	100



IP68 RATED

Model No:	VT-50501
Watts:	0.24
Voltage/Frequency:	DC 12V
Luminous Flux:	20-22lm
LED Type:	SMD5050
CRI:	>75
Beam Angle:	120°
Body Type:	PVC
IP Rating:	IP68

SKU Code:	EAN Code:	Box Qty:
WARM WHITE: 5135	3800157621793	5000
WHITE: 5136	3800157621809	5000
RED: 5137	3800157621816	5000
YELLOW:5138	3800157621823	5000
BLUE:5139	3800157621830	5000
GREEN:5140	3800157621847	5000



IP67 RATED


Model No:	VT-50506
Watts:	0.72
Voltage/Frequency:	DC 12V
Luminous Flux:	20-22lm
LED Type:	SMD5050
CRI:	>75
Beam Angle:	120°
Body Type:	ABS + PCB
Dimension:	68 x 19.5 x 5.7mm
IP Rating:	IP67

SKU Code:	EAN Code:
RGB: 5134	3800157621786

Power Supply

For

LED Strip Lights



LED Strip Power Supply

Product Features:

- Switching Metal Power Supply for all types of strip lights, LED lighting, LED display, etc
- With short circuit protection, over load protection, stable output voltage
- Built in EMI Filter
- High efficiency, low temperature
- 100% load tested
- Protection Rating : IP20
- CE, ROHS, EMC approved





Model No:	VT-20062	VT-20077
SKU Code:	3246	3247
Watts:	60W	72W
Current Capacity:	5A	6A
Output:	DC:12V	DC:12V
Unit Size:	130 x 50 x 31	130 x 50 x 31
Box Qty:	36	60
EAN Code:	3800157628549	3800157628556





Model No:	VT-20122	VT-20152
SKU Code:	3243	3244
Watts:	120W	150W
Current Capacity:	10A	12.5A
Output:	DC:12V	DC:12V
Unit Size:	190 x 50 x 31 mm	200 x 62 x 31 mm
Box Qty:	36	36
EAN Code:	3800157628525	3800157628532





Model No:	VT-20250	VT-20350
SKU Code:	3056	3057
Watts:	250W	350W
Current Capacity:	20A	30A
Output:	DC:12V	DC:12V
Unit Size:	200 x 110 x 50 mm	215 x 115 x 50 mm
Box Qty:	24	20
EAN Code:	3800230621788	3800230621795







Model No:	VT-20026	VT-20061	VT-20076
SKU Code:	3228	3229	3230
Watts:	25W	60W	75W
Current Capacity:	2.1A	5A	6A
Output:	DC:12V	DC:12V	DC:12V
Unit Size:	140 x 33 x 27mm	160 x 40 x 32mm	188 x 47 x 35mm
Box Qty:	100	100	60
EAN Code:	3800157622929	3800157622936	3800157622943





Model No:	VT-20121	VT-20151
SKU Code:	3226	3227
Watts:	120W	150W
Current Capacity:	10A	12.5A
Output:	DC:12V	DC:12V
Unit Size:	188 x 47 x 35mm	200 x 58 x 40mm
Box Qty:	36	50
EAN Code:	3800157622905	3800157622912

LED Strip Power Supply

Rainproof Power Supply Series

Product Features:

- RAIN PROOF DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc
- Industrial specifications and standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% load tested
- Protection Rating: IP45
- CE, ROHS and EMC approved







Model No.	SKU Code	Watts	Current Capacity	Output	Unit Size	EAN Code:	Box Qty
VT-21151	3231	150W	12.5A	DC:12V	207 x 74 x 42mm	3800157627979	18
VT-21251	3232	250W	20.0A	DC:12V	218 x 95 x 50mm	3800157627986	10
VT-21401	3233	400W	33.33A	DC:12V	223 x 118 x 50mm	3800157627993	10

LED Strip Power Supply

Waterproof Power Supply Series

Product Features:

- WATERPROOF DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc.
- Industrial specifications and standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% load tested
- Protection Rating: IP67
- CE, EMC approved



Model No.	SKU Code	Watts	Current Capacity	Output	Unit Size	EAN Code	Box Qty
VT-22061	3234	60W	5.0A	DC:12V	166 x 43 x 33mm	3800157628006	20
VT-22075	3235	75W	6.0A	DC:12V	166 x 43 x 33mm	3800157628013	20
VT-22101	3236	100W	8.0A	DC:12V	192 x 52 x 37mm	3800157628020	15
				24V			
VT-22020	3214	20W	0.83A	DC:24V	201 x 30.5 x 20 mm	3800230621962	80
VT-22030	3215	30W	1.25A	DC:24V	201 x 30.5 x 20 mm	3800230629562	15
VT-22045	3095	45W	1.88A	DC:24V	250 x 40 x 23 mm	3800230621979	50
VT-22101	3101	100W	4.2A	DC:24V	201 x 30.5 x 20 mm	3800157605991	20
VT-22150	3096	150W	6.25A	DC:24V	253 x 72 x 45 mm	3800230621986	20
VT-22200	3097	200W	8.3A	DC:24V	231 x 120 x 53 mm	3800230621993	5

LED STRIP POWER SUPPLY

Plastic Adaptor Series

Product Features:

- Plastic DRIVER for all types of STRIP LIGHTS, LED LIGHTING, LED DISPLAY, etc.
- With specifications and Industrial standards
- With short circuit protection, over load protection and stable output voltage
- Built in EMI Filter
- High efficiency and low temperature
- 100% full load burn-in tested
- Protection Rating: IP 44
- CE, EMC approved



VT-23019



VT-23031 - VT-23061 - VT-23079

Model No.	SKU Code	Watts	Current Capacity	Output	Unit Size	EAN Code	Box Qty
VT-23019	3237	18W	1.5A	DC:12V	73 x 27x 43	3800230622006	120
VT-23031	3238	30W	2.5A	DC:12V	119 x 52 x 32	3800230625298	50
VT-23061	3239	60W	5.0A	DC:12V	119 x 52 x 32	3800230622013	50
VT-23079	3240	78W	6.5A	DC:12V	119 x 52 x 32	3800230622020	40

* With UK Standard, BS plug